

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environ

mental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Personal Computer					
Commercial name *	ThinkCentre M625q					
Model number *	10TL,10UY,10V0,10V1,10V2,10TF,10TG,10TH,10TJ,10TK					
Issue date *	2018-04-18					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information	Energy Star 6.1 Qualified; EPEAT Gold; Greenguard;					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Item P1		2018-04-18		Lend		
Item P1	t environ					TH
P1		mental attributes - Legal requirements		Require		
				Yes	No	n.a.
		bus substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	: B1)			
P1.2*	Comme	to not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value. to do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
P1.3*	hydrobro	lloride, 1,1,1- naximum				
P1.4*	Products terpheny	\boxtimes				
P1.5*	Products chain co	o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html	contact):	\square		
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conforr	nity verification & Eco design (ErP)				
P3.1*	The pro	luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	gal reference).	\boxtimes		
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		I information is; given in item P15 or added to this document, available at (add URL):				
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pac	caging materials are marked with abbreviations and numbers indicating the nature of e legal reference).	of the material(s) 🔀		
P5.3*	The prod (see leg	luct packaging material is free from ozone depleting substances as specified in the N al reference). ht: Legal reference has no maximum concentration values.	Montreal Protoc	ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	10TL,10UY,10V0,10V1,10V2,10TF,10TG,10TH,10TJ,10TK. Logo						
Issue da	ate *	2018-04-18	Len	ovo	Тм			
Produc	- Enviro	mental attributes - Market requirements (See General NOTE GN below)	Require	ement	met			
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design Disasse	mbly, recycling						
P7.1*		t have to be treated separately are easily separable	\square					
P7.2*		aterials in covers/housing have no surface coating.		H	H			
P7.3*		arts > 100 g consist of one material or of easily separable materials.		Ħ				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.							
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ			
P7.6*								
-	Product							
P7.7*		ig can be done e.g. with processor, memory, cards or drives						
P7.8*	Upgradir	g can be done using commonly available tools		Ē	П			
P7.9	Spare pa	arts are available after end of production for: 5 years			Ē			
P7.10	· ·	s available after end of production for: 5 years			Ħ			
	Material	and substance requirements						
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Material type:						
P7.12	Insulatio	n materials of external electrical cables are PVC free.		\square				
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			Π			
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, ar chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin n 25% post-consumer recycled content.	nd					
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge in IEC 61249-2-21. (See 1NOTE B2)	en 🗌	\square				
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CAS #:			\boxtimes			
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			\square			
P7.18	concentr 1. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	in					
	3. Chem	ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:						
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<u> </u>	<u> </u>				
	assigned	the following Risk phrases; and Hazard statements:						
P7.20*		cce(s) for these classifications is/are found at (add URL(s)): , (See note B5) sumer recycled plastic material content is used in the product (See Note B6):						
	a) Of t	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is %.	i					
		weight of recycled material is 197.75 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	10TL,10UY,10V0,10V1,10V2,10TF,10TG,10TH,10TJ,10TK.	Logo	Lenovo
Issue date *	2018-04-18		LEIIUVU
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement met Yes No n.a.

N	Material and sub	stance requirements	(continued)					
			in the product (See NC	DTE B7):				
	-							
		e of the two alternatives below shall be answered; c parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
a	total plastic b			aterial content (calcula	aled as a percentage of			
o	or	y worging to 70.						
b	 The weight o 	f the biobased plastic r	naterial is g.					
			less than 0,1 mg/lamp.					
		specify: Number of lan	nps: and maximu	im mercury content p	er lamp: mg			
	Batteries			Dissila				
		•	on/Lithium Manganes	e Dioxide				
		tion (See NOTE B8)						
			s or energy consumptio					
Energy mode	;	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy X modes and test method *			
Peak (On-ma	ax)	W	W		Full load			
r can (on-me	un)		vv	vv				
Category	<u>11</u>							
		7.02\\/	9.45 \\\/	9.42\\/				
Short Idle St Enabled	ale - WOL	7.82 W	8.45 W	8.43 W	Use for ENERGY STAR V6 registration (P _{idle})			
Lilableu					registration (Fidle)			
Long Idle St	ate - WOL	5.86 W	5.65 W	6.22 W	Use for ENERGY STAR V6			
Enabled					registration (P _{idle})			
Sleep (S3) -	WOL Enabled	0.80 W	0.80 W	0.84 W	Use for ENERGY STAR V6			
					registration(P _{sleep})			
Sleep (S3) -	WOL Disabled	W	W	W	Reference			
Off (CE) 14/	OI Enchlad	0.61 W	0.61 W	0.65 W	Use for ENERGY STAR V6			
Off (S5) - W0	OL Enabled	0.01 VV	0.01 VV	0.05 VV	registration(P _{off})			
Off (S5) - W0	OL Disabled	W	W	W	Use for ErP			
		W	W	W	Reference			
					Neichende			
EPS No-load		65 W	W	W				
(External power supp wall outlet but discon	ply / charger plugged in the nected from the product.)							
PTEC *		116.076 W	116.076 W	116.076 W				
	gy Consumption							
ETEC *		34.43 kWh/year	36.09 kWh/year	33.88 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$			
Annual Energ	gy Consumption	kWh/year	kWh/year	kWh/year	$+ P_{sleep} \times 0.05 + P_{long_{ldle}} \times 0.15 +$			
		Pau: Off Mode/S	(S5) - WOL Enabled: Palace	Sleen Mode(S3) - WOI	P _{short Idle} x 0.35) - Enabled; P _{Idle} : Idle State - WOL Enabled			
External Pow	er Supply Efficier	ncy Level (International	Efficiency Marking Pro	tocol) * : VI				
Display resolu		legapixels		· / ·	┨─────────────────────────────────────			
		ave mode: 25 minutes			╡─────────────────────────────────────			
			en le maridal de 100 vi					
			on is provided with the p	Droduct.				
		class (monitors only):						
	Emissions							
			ISO 9296 (See NOTE					
		Mode description			it A-weighted sound power level, <i>L_{WA,c}</i> (B)			
	dle	HDD:Idle		* 3				
C	Operation *	HDD: Operating		* 3.4				
C	Other mode	Declared A-weighted soun	d pressure level (dB) L _{pAm}	18 (operator position	on desktop – idle)			
C			d pressure level (dB) L_{pAm}	20 (operator position	on desktop – operating)			
_		v	• • • • <i>p</i> Am	(

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

	Measure	ed according to:							
			Other (only if not cov	rered by ECMA-74)					
Model nu	mber *	10TL,10UY,10	V0,10V1,10V2,10TF,10TG,10T	Н,10ТЈ,10ТК.		Logo			
Issue date *		2018-04-18					Leno	Lenovo	
	environ	nental attribu	tes - Market requirements	(continued)			Require		met
Item							Yes	No	n.a.
		magnetic emiss							
P10.4	program	(s):	the requirement for low freque	ncy electromagnetic	c fields of the foll	owing volunt	ary		\square
P12	Ergonomics for computing products								
P12.1*	The disp	play meets the e	gonomic requirements of ISO	9241-307 for visual	display technolo	gies.			\boxtimes
P12.2*	The phy	sical input devic	e meets the requirements of IS	O 9995 and ISO 92	41-410.				\square
P13	Packag	ing and docum	entation						
P13.1*	Product packaging material type(s): Carton weight (kg): 0.93 Product packaging material type(s): EPE weight (kg): 0.08 Product packaging material type(s): weight (kg): 0.08								
P13.2*	Product plastic primary packaging is free from PVC.						\boxtimes		
P13.3*		duct primary con er recovered fibe	rugated fiberboard packaging	specify the contai	ined percentage	of minimum	n post-		
P13.4*	Specify	media for user a ronic, XPaper,	nd product documentation (tick	box):					
P13.5	Úser an		is item if paper documentation entation on paper media is chl						
	Totally c	hlorine-free							
	Element	al chlorine-free					E E		
	Processed chlorine-free						H		
P14	Volunta	ry programs							
P14.1			equirements of the following vo	luntary program(s):					
	ENERG Eco-labe Eco-labe		Criteria version: 6.1 Criteria version: Criteria version:	Date: Date: Date:	Product (Product (Product (
P15			(See NOTE B10)						
P9			f specific configuration may	vary; description	of the tested pro	oduct confic	guration:		
	NOTE: 3 informat knowled	Supplier makes r ion contained in ge available at t I here is approxi	o representations, guarantees this document. All information ne time of completion, and sup mate and provided for informati	, assurances or war provided by supplie plier shall have no c	ranties whether r in this documer obligation to upda	express or in nt is provided ate such info	nplied, regardin I based on supp rmation. The inf	olier's formati	ion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Comput v/index.cfm?fuseaction=find_a			code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M625q	Logo
Model Number	10TL,10UY,10V0,10V1,10V2,10TF,10TG,10TH,10TJ,10TK.	
Issue Date	2018-04-18	Lenovo
Additional information	Energy Star 6.1 Qualified; EPEAT Gold; Greenguard;	

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2018			
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are			
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)					
	Memory over base [GB]		8					
ents sting	Additional internal storage	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)			
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)							
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		34.21					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
(g)	Idle state power demand (Watts);				8.75			
(h)	Sleep mode power demand (Watts);				0.85			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.86			
(j)	Off mode power demand (Watts);				0.66			
(k)	Off mode with WOL enabled power demand (Watts) (where enabled); 0.61							
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50% 100% Average							
(m)	External power supply efficiency (if appli	icable)*:						
	Average active efficiency: ADP-65FD B 89.04% PA-1650-72IA 88.147%							
(a)	*internal note: show values for all available external p		tend (englise enkstere					
(o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):							

(p-1)	(p-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						
(p-2)	Measurement metho	dology used to determine information mentioned in p ErP Lot7	points (m) – external PSU efficiency:				
(p-3)	Measurement metho	dology used to determine information mentioned in p N/A	points (o) – loading cycles batteries:				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
	IEC 62623 / IEC EN50564:2011 measurement methodology						
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		Based on user manual					
(r)	Description of how sl	eep and/or off mode was selected or programmed:					
		Based on user manual					
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut	tomatically changes to sleep and/or				
		Based on user manual					
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		25minutes			
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	25minutes			
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10minutes			
(w)	Information on the er	nergy-saving potential of power management function	nality:				
		N/A					
(x)	User information on I	now to enable the power management functionality:					
		Refer to User Guide					
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:					
		230V/50Hz					
Addition	Notebook Battery	Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$					
Internal/b	uilt-in Battery						
External/c	detachable Battery						
Bios Back	kup Battery						
Other:	Dther:						
Additional	Additional information						
)							
кумулаторнат	e battery[ies] in this product cannot be easily replaced by users themselves. умулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.						
/ýměnu baterie/	s baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. měnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.						
Der Akku/die Ak	kus dieses Produkts kann/ł	teriet/batterierne i dette produkt. cönnen nicht ohne weiteres vom Benutzer selbst ausgetauscht w bölnsasti asendade	verden.				
	sutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. ιπαταρία[-ες] στο ποοϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες						

H μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Bateriu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tămân tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu urundeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.