

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
	Alvin L Carter	—			
	1009 Think Place	lenovo			
	Building 2 / 5F1				
	Morrisville, North Carolina 27560				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_r	notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo Flex 2-14				
Model number *	20404; 80FJ				
Issue date *	2015-01-16				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20404; 80FJ		
Issue date *	2015-01-16	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	, 🖂		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\square		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	20404; 80FJ			
lssue da	te *	2015-01-16 Logo		nova	D
Produc	t environ	mental attributes - Market requirements - Environmental conscious desig	n Reau	iremei	nt met
Item		atory to fill in. Additional information regarding each item may be found under P14.		es No	
P6		nt information			
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).		\triangleleft	
P7	Design Disasse	mbly, recycling			
P7.1*		at have to be treated separately are easily separable			1 [
P7.2*	Plastic n	naterials in covers/housing have no surface coating.	E		
P7.3*		arts >100g consist of one material or of easily separable materials.			
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly availab		_	┥┝
			<u>×</u>		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	2		
	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgradir	ng can be done using commonly available tools			
P7.9.	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service	s available after end of production for: 5 years			
	Material	and substance requirements			
P7.11*		cover/housing material type:			
		type: PC+ABS-FR(40) Material type: Material type	:		
P7.12	Electrica	I cable insulation materials of power cables are PVC free.			
P7.13	Electrica	I cable insulation materials of signal cables are PVC free	E	\square	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.		\triangleleft	
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249.	2-21. (See		
P7.16		, tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			
P7.17	Alt. 1 Chemica	additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	C		
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g a 3-4: Brominated Epoxy Resin See P14	ccording		
P7.18	concentr Comm	etarded plastic parts >25g contain the following flame retardant substances/prep ations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #:	arations in]
	2. Chem 3. Chem Alt. 2 Chemica	ical name: , CAS # : ical name: , CAS # : ical name: , CAS # : il specifications of flame retardants in plastic parts >25g according ISO 1043-4:	٦	a –	, r
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified a 6. R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	as R45,		
P7.20	,	plastic parts' weight >25g, recycled material content is 6.0%.			
P7.20 P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22		inces are free from mercury	Γ		
		ry is used specify: Number of lamps: and max. mercury content per lamp:	mg		
P8	Batterie				
P8.1*	Battery of	hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Мос	del number *	20404;	80FJ					
Issu	ue date *	2015-01-16				Logo	lenovo	
D							De audire en contra	
Item	uct environme	ental attribu	<mark>tes - Market requ</mark>	irements (cont	inued)		Requirement met Yes No	n.a.
P9	Energy co	onsumption					100 110	11.0.
9.1			wing power levels or	energy consumpt	ions are reporte	d: See P14		
Energ	ly mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for e method *	energy modes and test	
Peak	(On-max)		65 W	65 W	65 W	Full load		\square
Cate	gory I1							
Short	Idle State - WO	L Enabled	8.112 W	8.172 W	8.340 W	Use for ENERGY STAR V	/6 registration (P _{idle})	\square
Long	Idle State - WO	L Enabled	4.308 W	4.536 W	4.668 W	Use for ENERGY STAR V	/6 registration (P _{idle})	
Sleep) (S3) - WOL Ena	abled	0.756 W	0.756 W	0.804 W	Use for ENERGY STAR V	/6 registration(P _{sleep})	\square
Sleep	(S3) - WOL Dis	abled	0.6310 W	0.6340 W	0.6830 W	Reference		\square
Off (S	5) - WOL Enabl	ed	0.168 W	0.168 W	0.228 W	Use for ENERGY STAR V	/6 registration(P _{off})	\square
Off (S	5) - WOL Disab	led	0.1880 W	0.1910 W	0.2500 W	Use for EuP		
Cate	gory D 1/2							1
Short	Idle State - WO	L Enabled	W	W	W	Use for ENERGY STAR V	/6 registration (P _{idle})	
Long	Idle State - WO	L Enabled	W	W	W	Use for ENERGY STAR V	/6 registration (P _{idle})	
Sleep	(S3) - WOL Ena	abled	W	W	W	Use for ENERGY STAR V	/6 registration (P _{sleep})	
Sleep	(S3) - WOL Dis	abled	W	W	W	Reference		
Off (S	5) - WOL Enabl	ed	W	W	W	Use for ENERGY STAR V	/6 registration(P _{off})	
Off (S	5) - WOL Disab	led	W	W	W	Use for EuP		
EPS N	No-load		0.030 W	0.030 W	0.090 W			
plugge	rnal power supply ed in the wall out nnected from the	tlet but						
		p						
PTEC Typica	; * al Energy Consu	mption	W	W	W			
TEC *	•							
	al Energy Consu	mption	kWh/week	kWh/week	kWh/week			
ETEC *			27.78 kWh/year	28.14	28.97	$E_{TEC} = (8760/1000) \times (P_{off})$		\square
Annua	al Energy Consu	mption		kWh/year	kWh/year	+ P _{short idle} x 0.3+ P _{long idle}	x 0.1)	
			P _{off} : Off Mode(S5) -	WOL Enabled; P _{sleep}	.: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle Sta	ate - WOL Enabled	
Displa	ay resolution* : 1	<mark>1366*768</mark> Meg	apixels					
Print S	Speed * :	Image	es per minute					\square
Defau	It time to enter e	nergy save mo	ode: 25 minutes					
P9.2*	Information	n about the en	ergy save function is	s provided with the	e product.	÷		
P9.3*	ENERGY	STAR® versio	nergy requirements on: Version 6.0 Tie	•	luntary program. ct category: B	/s:		
P10	Others species of the							
FIV			ared according to IS	O 9296				
P10.1	Mode	Mode	description		Declared	Declared A		
					A-weighted sound powe		evel $L_{p Am}$ (dB)	
					level L_{WAd}		Bystander positions	
						Desktop 🔀	(only if product is not	
			D.1.11-		+	or Desk side	operator attended)	
	Idle Operation		D:Idle D: Operating		* 2.8	2		님
	Other mod		S. Operating		2.3	· · · · · · · · · · · · · · · · · · ·	~	
		according to:	🔀 ISO7779 🗌 EC	MA-74	1	<u> </u>		1
			Other (ith L _{pAm} measurement distar	nce m)	
P10.2	The produ	ct meets the a	coustic noise require	ements of the follo	wing voluntary n	rogram/s:		

Model n	umber *	20404;	80FJ				
Issue da	ite *	2015-01-16				Logo lenovo .	
Product	environme	ontal attribu	tes - Market requ	irements (cont	inued)	Requirement met	•
Item					inacaj		n.a.
P9	Energy co	nsumption					
9.1	For the pro	duct the follow	wing power levels or	energy consumpt	ions are reporte	d: See P14	
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	max)		65 W	65 W	65 W	Full load	\square
Categor	y 2						L
Short Idle	State - WO	L Enabled	8.580 W	8.016 W	9.552 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle	State - WO	L Enabled	4.164 W	5.400 W	5.652 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Ena	abled	0.732 W	0.708 W	0.792 W	Use for ENERGY STAR V6 registration(P _{sleep})	\square
Sleep (S3)	- WOL Dis	abled	0.6320 W	0.6360 W	0.6850 W	Reference	
Off (S5) - I	WOL Enable	ed	0.168 W	0.168 W	0.228 W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - I	WOL Disabl	led	0.1810 W	0.1820 W	0.2470 W	Use for EuP	
Categor	y D 1/2						
	State - WO	L Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle	State - WO	L Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Ena	bled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3)	- WOL Dis	abled	W	W	W	Reference	Ē
	WOL Enable		W	W	W	Use for ENERGY STAR V6 registration(Poff)	H
	WOL Disabl		W	W	W	Use for EuP	H
EPS No-loa			0.030 W	0.030 W	0.090 W		H
plugged in	oower supply the wall out and from the	let but					
PTEC * Typical En	ergy Consur	nption	W	W	W		
TEC * Typical En	ergy Consur	nption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Ene	ergy Consur	nption	28.81 kWh/year	28.34 kWh/year	32.98 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{short \ idle} \times 0.3 + P_{long \ idle} \times 0.1)$	
				WOL Enabled; P _{slee}	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled	
		366*768 Meg	apixels				
Print Spee	d* :	Image	es per minute				\square
			ode: 25 minutes				
P9.2*	Information	about the en	ergy save function is	s provided with the	e product.		
P9.3*		STAR® versio	nergy requirements n: Version 6.0 Tie		luntary program ct category: <mark>B</mark>	/s:	П
P10	Emissions						
P10.1	Noise emi Mode		ared according to IS description	O 9296	Declared	Declared A-weighted	
F 10.1	woue	would	description		A-weighted		
					sound powe		
					level L_{WAd} ((B) Operator position Bystander positions	
						or Desk side (only if product is not	
	Idle	* HD	D:Idle		* 2.8	operator attended)	
	Operation	* HD	D: Operating		* 2.9	19	
	Other mod						
	Measured	according to:		MA-74			
P10.2	The produc	ct meets the a	Other (ith L _{pAm} measurement distance m) rogram/s:	

Model r	number *	20404;	80FJ				
Issue d	ate *	2015-01-16				Logo lenovo	
	environme	ental attribu	<mark>tes - Market requ</mark>	irements (cont	inued)	Requirement m Yes N	
Item P9	Energy co	nsumption				fes n	o n.a.
9.1			ving power levels or	energy consumpt	ions are reporte	d: See P14	
Energy m	-		Power level at 100 V AC		-	Reference / Standard for energy modes and te method *	st 🔲
Peak (On	-max)		65 W	65 W	65 W	Full load	
Catego	rv I3						
	e State - WO	L Enabled	8.172 W	8.256 W	8.376 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle	State - WO	L Enabled	5.484 W	5.724 W	5.820 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3	B) - WOL Ena	abled	0.672 W	0.636 W	0.708 W	Use for ENERGY STAR V6 registration(P _{sleep})	
	, 3) - WOL Dis		0.6220 W	0.6250 W	0.6710 W	Reference	
	WOL Enable		0.180 W	0.168 W	0.228 W	Use for ENERGY STAR V6 registration(P _{off})	
	WOL Disab		0.1820 W	0.1840 W	0.2440 W	Use for EuP	
			0.7020 11	0.1040 11	0.2440 W		
Catego	State - WO	L Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pidle)	
			W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
•	State - WO						
	B) - WOL Ena		W	W	W	Use for ENERGY STAR V6 registration (P _{sleep}	
	3) - WOL Dis		W	W	W	Reference	
	WOL Enable		W	W	W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) -	WOL Disabl	led	W	W	W	Use for EuP	
plugged ir	bad power supply the wall out cted from the	let but	0.030 W	0.030 W	0.090 W		
PTEC * Typical Er	nergy Consur	mption	W	W	W		
TEC * Typical Er	nergy Consur	mption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Er	nergy Consur	nption	28.73 kWh/year	29.03 kWh/year	29.78 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{short \ idle} \times 0.3 + P_{long \ idle} \times 0.1)$	
				WOL Enabled; P _{slee}	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled	
		366*768 Meg	apixels				
Print Spee	ed * :	Image	es per minute				\boxtimes
Default tin	ne to enter ei	nergy save mo	ode: 25 minutes				
P9.2*	Information	n about the en	ergy save function is	s provided with the	e product.		
P9.3*	•	STAR® versio	nergy requirements n: Version 6.0 Tie	•	luntary program. ct category: <mark>B</mark>	/s:	1 []
P10	Emission	-					
D10.1			ared according to IS	O 9296	Dealarad	Declared A weighted	
P10.1	Mode	wode	description		Declared A-weighted	Declared A-weighted sound pressure level L_{pAm} (dB)	
					sound powe		_
					level L_{WAd} (
						Desktop (only if product is n or Desk side operator attende	
	Idle	* HD	D:Idle		* 2.8	20	
	Operation		D: Operating		* 2.9	19	
	Other mod						
	Measured	according to:		MA-74			
P10.2	The produc	ct meets the a	Other (ith L _{pAm} measurement distance m)	

Model nu	umber *	20404	l; 80FJ										
Issue date *		2015-01-1						I	Logo		leno	VO	
<u> </u>	•												
	environ	mental atti	ributes - Mark	cet require	ements (co	ntinued)				ŀ	Require		
Item											Yes	No	n.a
			ns from printing										
P10.3*			ording to ECMA		EC 28360) st	andard,	other spec	ify:					\mathbf{X}
P10.4	Typical	emission rat	e (print phase) i	is (mg/h):									\boxtimes
		Dust	Ozone		rene	Benzene		TVOC					
P10.5	Chemic	al em <u>iss</u> ion ı	requirements of	the followin	ng vol <u>un</u> tary p	program/s	are	e met for :					\boxtimes
		Dust	Ozone	Styr	rene	Benze	ene	Т					
		magnetic ei											
P10.6		er display m n/s: MPR-II	eets the require	ment for lov	w frequency	electromagn	etic fields of	of the follow	wing volu	intary	\boxtimes		
P11			rials for printing										
P11.1*	A Safet	y Data Shee	t (SDS) is availa	able for the	ink/toner pre	paration, eve	n if not leg	gally requir	ed (see l	P4.3).			\times
P11.2*	Paper of EN1228		ost-consumer r	ecycled fibe	ers can be ι	used, provide	ed that it	meets the	require	ments of			\boxtimes
P11.3*	2-sided	(duplex) prir	nting/copying is	an integrate	ed product fu	nction.							\square
P12	Ergono	mics for co	mputing produ	icts									
P12.1*	The dis	olay meets th	he ergonomic re	quirements	s of ISO 9241	-307 for visu	al display	technologi	es.		\boxtimes		
P12.2*	The phy	sical input d	evice meets the	e requireme	nts of ISO 99	95 and ISO	9241-410.				\square		
P13	Packag	ing and doo	cumentation										
P13.1*	Product	packaging r	naterial type(s): naterial type(s): naterial type(s):	Polyethyle	ene Cushion	weight (kg) s v g): 0.123	: 0.330 veight (kg)	: 0.053					
P13.2*	Product	plastic pack	aging is free fro	m PVC.							\square		
P13.3*			ser and product	documenta	tion (tick box):							
P13.4*		er user and	product docume	entation, ple	ease specify o	contained pe	rcentage o	of post-con	sumer re	cycled			
P14	Additio	nal informa	tion (See Note										
	informatic knowled provided informatic	tion containe Ige available d here is app tion.	kes no represen ed in this docum e at the time of c proximate and p	ent. All info completion, rovided for	rmation provi and supplier informational	ded by supp shall have n purposes or	lier in this o obligatio hly. See a	document n to update Lenovo Ac	is provid e such in	ed based formatior	l on supp n. The inf	olier's format	ion
P9			ualified Notebo star.gov/index.						apaw co	ode=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Flex 2-14	Logo
Model Number	20404, 80FJ	_
Issue Date	2015-01-16	lenovo
Additional information		

P7.1.1 Product environmental attributes								
(d)	year of manufacture:	2014						
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:							
	Category (according to ErP Lot 3): A Etec: 15.54							
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:							
	Category (according to ErP Lot 3): B Etec: 17.13							
(g)	idle state power demand (Watts);	5.82						
(h)	sleep mode power demand (Watts);	0.71						
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	NA						
(j)	off mode power demand (Watts);	0.23						
(k)	off mode with WOL enabled power demand (Watts) (where enabled);							
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50% 100% Average							
(m)	external power supply efficiency (if applicable):							
	Average 45W: 87.58%,87.60%,88.32%; 65W:89.04%,89.92%,89.18%;							
	*internal note: show values for all available external power supplies							
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles						
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU							
	efficiency: NA							
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:							
Energy-star requirement								
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:							
	IEC 61960 measurement methodology							

	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	Energy-star requirement							
(q)	sequence of steps for achieving a stable condition with respect to power demand::							
	Based on user manual							
(r)	description of how sleep and/or off mode was selected or programmed:							
			E	Based on user manual				
	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
			E	Based on user manual				
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode							
	that has a lower power demand requirement than sleep mode (in minutes):							
	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 information on the energy-saving potential of power management functionality:							
(w)	information on ti	ne energy-saving po	otential o	r power management functionality:				
Based on user manual								
(x)	user information on how to enable the power management functionality:							
Based on user manual								
	(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
230V/50Hz, Total Harmonic Distortion <2 %								
Addition No	tebook Battery	Information:						
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot replaced by a non-professional user.	be accessed and			
(Battery replaceable)	not user	(Battery user replaceable)		The battery[ies] in this product cannot be easily replaced by				
		\boxtimes		users themselves				
Additional information								