

### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets	notebooks.html

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo Flex 2-14D				
Model number *	20376; 80EE				
Issue date *	2015-01-16				
Intended market *	☑ Global   Europe   Asia, Pacific & Japan   Americas   Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20376; 80EE		
Issue date *	2015-01-16	Logo	lenovo.

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and blate P4).			
P1.2*	reference and Note B1) Products do not contain Asbestos (see legal reference).			
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values.  Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated			
F1.4	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			X
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			$\boxtimes$
54.00	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\square$		
1 1.0	microgram/cm²/week (see legal reference).			ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	http://www.lenovo.com/social_responsibility/us/en/materials.html			_
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	$\boxtimes$		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be	_	_	_
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
D0.0*	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\boxtimes$		Ш
P2.3*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  Batteries and accumulators are easily removable by either users or service providers (as dependent on the	$\square$		
1 2.0	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			ш
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			$\overline{\Box}$
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		Ħ	
	with legally required standards for radio and telecommunication devices (see legal reference).			ш
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		П	
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the			X
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and			
	hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal		Ħ	Ħ
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20376; 80EE		
Issue date *	2015-01-16	Logo	lenovo.

Product	oduct environmental attributes - Market requirements - Environmental conscious design					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	equirer Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$				
P7	Design					
D7.4*	Disassembly, recycling		_			
P7.1*	Parts that have to be treated separately are easily separable		Ц			
P7.2*	Plastic materials in covers/housing have no surface coating.	<u> </u>	$\boxtimes$			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$				
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: PC+ABS-FR(40) Material type: Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$			
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:					
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #:					
	Alt. 2					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 6.0%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is <b>0</b> %.					
P7.22	Light sources are free from mercury  If mercury is used specify: Number of lamps:  and may mercury content per lamp:  mg					
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  Batteries mg					
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide					
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			$\dashv$		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20376; 80EE		
Issue date *	2015-01-16	Logo	lenovo.

	oduct environmental attributes - Market requirements (continued)						
Item P9	Energy consumpt	lion				Yes No	n.a.
9.1		following power levels or	energy consumpt	ions are reporte	ed: Se	ee P14	
Energy mod					Refe	erence / Standard for energy modes and tes	t 🔲
Peak (On-i	max)	65 W	65 W	65 W		ıll load	
Category							
	State - WOL Enabl	ed 9.540 W	9.516 W	9.516 W	Use	e for ENERGY STAR V6 registration (Pidle)	
Long Idle	State - WOL Enable	ed 5.472 W	5.820 W	5.688 W	Use	e for ENERGY STAR V6 registration (Pidle)	
Sleep (S3)	- WOL Enabled	0.696 W	0.684 W	0.720 W	Use	e for ENERGY STAR V6 registration(P <sub>sleep</sub> )	
Sleep (S3)	- WOL Disabled	0.660 W	0.648 W	0.684 W		erence	
Off (S5) - V	VOL Enabled	0.192 W	0.192 W	0.252 W	Use	e for ENERGY STAR V6 registration(P <sub>off</sub> )	
Off (S5) - V	WOL Disabled	<b>0.260</b> W	0.230 W	<b>0.240</b> W	Use	e for EuP	$+ \equiv$
Category	y D 1/2				<u> </u>		
Short Idle	State - WOL Enabl	ed W	W	W	Use	e for ENERGY STAR V6 registration (P <sub>idle</sub> )	$\Box$
Long Idle	State - WOL Enable	ed W	W	W	Use	e for ENERGY STAR V6 registration (P <sub>idle</sub> )	1
Sleep (S3)	- WOL Enabled	W	W	W	Use	e for ENERGY STAR V6 registration (Psleep)	$\dagger \Box$
Sleep (S3)	- WOL Disabled	W	W	W	Ref	erence	$+ \overline{\Box}$
Off (S5) - V	WOL Enabled	W	W	W	Use	e for ENERGY STAR V6 registration(P <sub>off</sub> )	
Off (S5) - V	WOL Disabled	W	W	W	Use	e for EuP	$+ \overline{\Box}$
EPS No-loa	ad	0.030 W	0.030 W	0.090 W			$+ \overline{\Box}$
(External power supply / charger plugged in the wall outlet but disconnected from the product.)							
PTEC * Typical Ene	ergy Consumption	W	W	W			
TEC * Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Ene	ergy Consumption	<b>32.42</b> kWh/year	32.62 kWh/year	32.75 kWh/year		C = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35) Short idle x 0.3+ P <sub>long idle</sub> x 0.1)	
			WOL Enabled; P <sub>slee</sub>	p: Sleep Mode(S3)	) - WO	DL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	
Display res	olution* : 1366*768	3 Megapixels					Ш
Print Speed	<b>d *</b> :	Images per minute					
		ve mode: 25 minutes					
P9.2*		he energy save function is	•	-			
P9.3*		the energy requirements version: <b>Version 6.0</b> Tie		oluntary program uct category: B	/s:		Н
P10	Emissions						
P10.1		Declared according to ISO Mode description	O 9296	Declared		Declared A-weighted	T
				A-weighted	d	sound pressure level $L_{p\mathrm{Am}}$ (dB)	
				sound power level $L_{W\!Ad}$		Operator position Bystander positions	-
				WAd V		Desktop (only if product is no	t
	Idle *	HDD:Idle		* 3.0		operator attended	4
	Operation *	HDD: Operating		* 3.7		30	$\exists \exists$
	Other mode	> h		2			┨
	Measured according	_	CMA-74				
D10.0	The product of					Am measurement distance m)	
P10.2	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	20376; 80EE		
Issue date *	2015-01-16	Logo	lenovo.

	oduct environmental attributes - Market requirements (continued)						
P9 Energy consumption					Yes No	n.a.	
9.1 For the product the fol		eneray consumpt	tions are reporte	d: <b>See P14</b>			
Energy mode *					ard for energy modes and test		
Peak (On-max)	65 W	65 W	65 W	Full load			
Category I2							
Short Idle State - WOL Enabled	9.288 W	9.216 W	9.360 W	Use for ENERGY	STAR V6 registration (P <sub>idle</sub> )		
Long Idle State - WOL Enabled	5.076 W	5.628 W	5.436 W		STAR V6 registration (P <sub>idle</sub> )		
Sleep (S3) - WOL Enabled	0.684 W	0.672 W	0.720 W		STAR V6 registration(P <sub>sleep</sub> )		
Sleep (S3) - WOL Disabled	0.648 W	0.636 W	0.684 W	Reference	- Sieepy		
Off (S5) - WOL Enabled	0.192 W	0.192 W	0.264 W		STAR V6 registration(P <sub>off</sub> )		
Off (S5) - WOL Disabled	0.250 W	0.230 W	0.230 W	Use for EuP			
Category D 1/2							
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY	STAR V6 registration (P <sub>idle</sub> )	ТП	
Long Idle State - WOL Enabled	W	W	W		STAR V6 registration (P <sub>idle</sub> )	╫	
Sleep (S3) - WOL Enabled	W	W	W		STAR V6 registration (P <sub>sleep</sub> )	+	
Sleep (S3) - WOL Disabled	W	W	W	Reference	(- злеер)	H	
Off (S5) - WOL Enabled	W	W	W		STAR V6 registration(P <sub>off</sub> )	₩	
Off (S5) - WOL Disabled	W	W	W	Use for EuP		₩	
EPS No-load	0.030 W	0.030 W	0.090 W			╁┼	
(External power supply / charger plugged in the wall outlet but disconnected from the product.)							
PTEC * Typical Energy Consumption	W	W	W				
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Consumption	<b>31.37</b> kWh/year	31.63 kWh/year	<b>32.15</b> kWh/year	$E_{TEC} = (8760/1000) + P_{short idle} \times 0.3 + I$	$(P_{off} \times 0.25 + P_{sleep} \times 0.35)$ $(P_{long idle} \times 0.1)$		
		WOL Enabled; Psiee	p: Sleep Mode(S3)	- WOL Enabled; Pidle	: Idle State - WOL Enabled		
Display resolution*: 1366*768 M	egapixels						
Print Speed * : Ima	iges per minute						
Default time to enter energy save							
P9.2* Information about the		<u> </u>	•				
P9.3* The product meets the ENERGY STAR® version of the State of the S			oluntary program uct category: <mark>B</mark>	's:		П	
P10 Emissions							
Noise emission – De P10.1 Mode Mod	clared according to IS le description	O 9296	Declared	De	clared A-weighted		
I TO. 1 WIOGE INIOC	e description		A-weighted	l sound pr	essure level $L_{p  m Am}$ (dB)		
			sound power	71		1	
			level $L_{WAd}$	Deskt	op (only if product is not		
				or Desk si	de operator attended)		
	IDD:Idle		* 3.0		21	4 📙	
Operation * F	IDD: Operating		* 3.7		30	$\perp$	
Measured according to	o: 🔀 ISO7779 🔲 EC	CMA-74				1	
			d by ECMA-74 w	th L <sub>pAm</sub> measureme	ent distance m)		
P10.2 The product meets the							

Model nur	mber *	20376; 80EE					
Issue date	*	2015-01-16	Logo	le	eno	<b>/O</b> .	
Product	environn	nental attributes - Market requirements (continued)		Re	quire	ment	met
Item					Yes	No	n.a.
	Chemica	al emissions from printing products					
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:					$\boxtimes$
P10.4	Typical e	emission rate (print phase) is (mg/h):					X
		Oust Ozone Styrene Benzene TVOC					
P10.5	Chemica	I emission requirements of the following voluntary program/s are met for					X
		Oust Ozone Styrene Benzene	TVOC				
	Electron	nagnetic emissions					
P10.6		er display meets the requirement for low frequency electromagnetic fields of the foll	owing volunta	ary	X		
		s: MPR-II					
P11		able materials for printing products					
P11.1*	,	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	•	,			$\boxtimes$
P11.2*	EN1228		ie requireme	ents of			
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.					$\boxtimes$
P12		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technological	gies.		$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$		
P13	Packagi	ng and documentation					
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): 0.330 packaging material type(s): Polyethylene Cushions weight (kg): 0.053 packaging material type(s): Others weight (kg): 0.123					
P13.2*		plastic packaging is free from PVC.			$\boxtimes$		
P13.3*	Specify r	nedia for user and product documentation (tick box):					一百
		c 🔀, Paper 🔀, Other 🗌					
P13.4*		er user and product documentation, please specify contained percentage of post-co	nsumer recy	cled			
P14	Addition	nal information (See Note B4)					
	NOTE: S informati knowled	supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this documer ge available at the time of completion, and supplier shall have no obligation to updathere is approximate and provided for informational purposes only. See a Lenovo A	it is provided ite such infor	based o	n supp The inf	lier's ormat	ion
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_code	e=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## **Lenovo ErP Lot3 Information Sheet**

#### - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Flex 2-14D	Logo
Model Number	20376, 80EE	_
Issue Date	2015-01-16	lenovo.
Additional information		

(d)	year of manufacture:	2044			
		2014			
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with				
	UMA driving the display:				
	Category (according to ErP Lot 3): A Etec: 16.02				
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete				
(1)	graphics cards (dGfx) are enabled:				
	Category (according to ErP Lot 3): B Etec: 18.19				
(g)	idle state power demand (Watts);	6.19			
		0.19			
(h)	sleep mode power demand (Watts);	0.69			
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);				
.,		NA			
(j)	off mode power demand (Watts);	0.25			
(1-)	off and a with MOL and blad a super discount (Matte) (where each led)	0.20			
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA			
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):				
	10% 20% 50% 100% Average				
(m)	external power supply efficiency (if applicable):				
	Average 45W: 87.58%,87.60%,88.32%; 65W:89.04%,89.92%,89.18%;				
	*internal note: show values for all available external power supplies				
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles			
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU				
	efficiency:				
	MA.				
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:				
	Energy-star requirement				
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles				
,	batteries:				

(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
				Energy-star requirement			
(q)	sequence of steps for achieving a stable condition with respect to power demand::						
				Based on user manual			
(r)	description of how sleep and/or off mode was selected or programmed:						
				Based on user manual			
(s)	sequence o off mode:	f events required t	o reach th	e mode where the equipment automatically changes to sleep and/or			
				Based on user manual			
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):						
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
(v)				ep mode is set to activate after user inactivity (in minutes):	10		
(w)				ial of power management functionality:			
				Based on user manual			
(x)	user informa	ation on how to en	able the p	ower management functionality:			
				Based on user manual			
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
			230V/50	OHz, Total Harmonic Distortion <2 %			
Addition	Notebook Bat	tery Information:					
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot I replaced by a non-professional user.	oe accessed and		
(Battery replaceab	not user le)	(Battery user replaceable)		The battery[ies] in this product cannot be easily	replaced by		
				users themselves			
Additiona	Additional information						