



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo			
Company name *	Lenovo				
Contact information *	Lenovo DCG Storage Development				
e-mail address	Rick Lin				
	Lenovo Taiwan Branch				
	8F., No. 66, Sanchong Rd.,				
	Nangang Dist., Taipei City, Zipcode: 11502				
	Rlin12@lenovo.com				
Internet site *	https://www.lenovo.com/us/en/about/sustainability				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Data Storage			
Commercial name *	DM7000H			
Model number *	7Y56			
Issue date *	01/15/2020			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	7Y56		Logo	Long		
Issue dat	e *	01/15/2020			Lend	DVC	тм
Product	environ	mental attributes - Legal require	ements		Require	ment	met
Item					Yes	No	N/A
P1		us substances and preparations					
P1.1*	Products	do comply with current European Rol	HS Directive. (See legal reference and NOTI	E B1)	\boxtimes		
P1.2*	 Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. 						
P1.3*	hydrobro trichloroe		stances: Chlorofluorocarbons (CFC), ofluorcarbons (HCFC), Halons, carbontetract rence). Comment: Legal reference has no r				
P1.4*	terpheny	I (PCT) in preparations (see legal refe					
P1.5*			chain chloroparaffins (SCCP) with 10-13 car rine in the SCCP (see legal reference).	bon atoms in the	e 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do il reference). it: Max limit in legal reference when te	not release nickel in concentrations above (sted according to EN1811:2011-5.	0,5 μg/cm²/week	X		
P1.7*	REACH		s in articles is available at (add URL or mail	contact):	\boxtimes		
P2	Batterie	-					
P2.1*			ator, the battery/accumulator is labeled with ded in user manual. (See legal reference)	the disposal			
P2.2*	Batteries reference		than 0,0005% of mercury or 0,002% of cadr	nium. (See lega	I 🔀		
P2.3*	Batteries	and accumulators are readily remova	ble. (See legal reference)		\boxtimes		
P2.4*	Docume	ntation includes the number of cycles t	he (secondary) battery can withstand. (See	legal reference)	$\overline{\boxtimes}$		
P2.5*			r cannot be "accessed and replaced by a no the external packaging (see legal reference				
P3	Conforn	nity verification & Eco design (ErP)	. 5 5 (,			
P3.1*			ce with applicable legal requirements (see le				
P3.2*		uct complies with the Eco design requal reference).	irements for energy-related products,		\boxtimes		
	, ,	l information is; given in item	P15 or added to this document,	to a contract of the second			
DE	Duadust		https://www.lenovo.com/us/en/compliance/	eco-declaration			
P5.1*		packaging components do n	ot contain more than 0,01% lead, mercur	v cadmium an	d 🔽		
1 3.1		nt chromium by weight of these togeth		y, caumum an	d 🔀	Ш	
P5.2*	The pacl		eviations and numbers indicating the nature	of the material(s	s) 🔀		
P5 3*		,	one depleting substances as specified in the	Montroal Protoc	al 🔽	$\overline{}$	$\neg \neg$

(see legal reference).

Treatment information

P6

P6.1*

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	7Y56	Logo	Lonovo
Issue date *	01/15/2020		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: Metal (Steel) Material type: PC ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u> </u> _		<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free.	_ <u> </u> _		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		\boxtimes	
	as defined in IEC 61249-2-21. (See ⁵ NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: Only MIDPLANE,440.7MMX81.7MM,6.38MM" includes halogen. All other PCBs	\boxtimes		
P7.18	are halogen free. Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
1 7.10	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
== 20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	Or h) The weight of recycled metarial is			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y56	Logo	Lonovo
Issue date *	01/15/2020		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	N/A

	Material and su	bstance requirements ((continued)					
P7.21*	Biobased plastic	material content is used	in the product (See NO	OTE B7):		Γ		
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or 							
	b) The weight of the biobased plastic material is g.							
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P7.23*	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg If product includes an integral display, the total mercury content in the integrated display: mg							
P8	Batteries	oo an intogral dioplay, the	o total moreary contone	in the integrated displa	yg	<u></u>		
P8.1*		composition: Magnesiu	m Dioxide Lithium			Г		
P9		ption (See NOTE B8)				۲		
P9.1		he following power levels	s or energy consumption	ns are reported:		_		
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	nax)	351 W	348 W	345 W	Full load			
Category	/					_		
EPS No-loa		W	W	W	1	_		
(External po	ower supply /							
	gged in the wall							
	isconnected from							
the product	.)	1				_		
PTEC *	way Canay mantion	W	W	W		l		
ETEC *	ergy Consumption	kWh/year	kWh/year	kWh/year		_		
	ergy Consumption	,	Kvvii/yeai	Kvvii/yeai		1		
		ency Level (International	Efficiency Marking Pro	tocol) *:				
Display res		megapixels		,		Г		
Default time	e to enter energy	<u> </u>	es					
P9.2*		it the energy save function	on is provided with the	product.				
P9.3		class (monitors only):						
P10	Emissions	, , ,				-		
		- Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	Mode	Mode description		Statistical upper limit	t A-weighted sound power level, LwA,c (B)			
	Idle	* 35% loading		* 6.9				
	Operation	* 80% loading		* 8.8				
	Other mode	Declared A-weighted sound $L_{p{\sf Am}}$	eclared A-weighted sound pressure level (dB)		53 (operator position desktop – idle)			
	Other mode	·						
	Measured accord	ding to: X ISO 7779	ECMA-74	_ I		_		
			(only if not covered by	ECMA-74)				
	Electromagneti		(2)					
P10.4		y meets the requirement	for low frequency elect	tromagnetic fields of the	e following voluntary	1		
	program(s):			-		-24		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		7Y56			Logo	Long		
Issue dat	e *	01/15/2020				Leno	VO,	н
Product	environn	nental attribu	utes - Market requirement	s (continued)		Requirer	nent	met
Item						Yes	No	N/A
P12	Ergonor	nics for comp	uting products					
P12.1*	The disp	lay meets the	ergonomic requirements of ISC) 9241-307 for visual	display technologies.			\square
P12.2*	The phys	sical input devi	ce meets the requirements of I	SO 9995 and ISO 92	241-410.			\boxtimes
P13	Packagi	ng and docum	nentation					
P13.1*	Product Product Product Product	packaging mate packaging mate packaging mate packaging mate	erial type(s): Corrugate we erial type(s): PE Film we					
P13.2*			packaging is free from PVC.	<u> </u>		\square		
P13.3*			orrugated fiberboard packagin per content: 35 %	g, specify the conta	nined percentage of minimum			
P13.4*		nedia for user	and product documentation (tid	ck box):				
P13.5	Ùser and		his item if paper documentatio nentation on paper media is cl					
	Element	hlorine-free al chlorine-free ed chlorine-free)					
P14	Volunta	ry programs						
P14.1	The prod	luct meets the	requirements of the following v	oluntary program(s):				
	ENERGY Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15	Addition	al information	n (See NOTE B10)		-			
P9			of computer products; desci					
	the info supplier informa	rmation conta 's knowledge tion. The infor	ined in this document. All in available at the time of comp	formation provided pletion, and supplied	or warranties whether express by supplier in this document er shall have no obligation to ded for informational purpos	t is provided to update such	based	on
P9	See Energy Star Qualified Enterprise Servers for the latest information: https://www.energystar.gov/products/data_center_equipment/enterprise_servers							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information			
Commercial name (3.1 (b))	DM7000H	Logo	
Contact Address (3.1 (b))			
Model Number (3.1 (c))	7Y56		Lenovo
Issue Date	01/15/2020		
Additional information			

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is the product consider to be in scope of ErP Lot 9 uin scope out of scope, product is out of scope as:
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture:
1.d (3.1 (p))	Product model part of a server product family? No Yes List of all model configurations that are represented by the model:
1.e (3.1 (n))	Information on the secure data deletion functionality (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any): OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:
Recycling	g Data
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g between 5 g and 25 g above 25 g (b) Neodymium in the HDDs above 25 g
2.b (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.
	OR - Reference to other information:
2.c	Firmware Reference to information on last available firmware:
Additional	Information

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	DM7000H	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo
Model Number (3.2 (c))	7Y56	
Issue Date	01/15/2020	
Additional information		

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3		
A.1	Is the product consider to be in scope of ErP Lot 9 🔲 in scope 🗌 out of scope Product is out of scope as:		
A.2 (3.2 (a))	Data Storage type Online Data Storage Product Small Data Storage Product Large Data Storage Product Other:		
A.3 (3.2 (d))	Year of manufacture: 2018		
A.4 (3.2 (e))	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power (expressed in % and rounded to the first decimal place): Multi-output Single-output 10% 20% 92.7 50% 94.0 100% 91.8 Average		
A.5 (3.2 (f))	Power factor at 50 % of the rated load level (rounded to three decimal places) 0.984		
A.6 (3.2 (g))	Operating condition class (as defined in Table 6 or ErP lot 9) Exception comments		
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.		
A.6 (3.2 (h))	Information on the secure data deletion tool(s) (a) instructions on how to use the functionality: https://download.lenovo.com/storage/lenovo_dm_series_security_hardening_guide_for_ontap9.pdf (b) techniques used: ONTAP 9 feature: 1) Securely purges the deleted files on vol1 on SVM vs1: cluster1::> volume encryption secure-purge start-vserver vs1 -volume vol1 2) Overridden by entering the following command: (Starting from Ontap 9.7) cluster1::*> options -option-name encryption.data_at_rest_encryption.disable_by_default true (c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize		
	OR - Reference to other information: https://www.netapp.com/us/media/tr-4569.pdf		
	ING DATA		
B.1 (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g less than 5 g between 5 g and 25 g between 5 g and 25 g above 25		
B.2 (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; Refer to the installation guide, use reverse process. https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/thinksystem- dm7000h/7y56/documentation (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide. (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of appropriate size		
B.3	OR - Reference to other information: Firmware		
	Reference to information on last available firmware: https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-DM7000H/7Y56/downloads/driver-list/component?name=Product%20Firmware After EOL'ed, firmware would be available at: https://download.lenovo.com/eol/index.html		
Additional information			
Ì			