



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter						
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	All in One Computer
Commercial name *	IdeaCentre AIO 3 22
Model number *	F0FL, F0FQ
Issue date *	2020/10/16
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

woder number "		F0FL, F0FQ	Logo	Lend		
Issue date *		2020/10/16		Leik		ТМ
Produc	t environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorin terphenyl (PCT) in preparations (see legal reference).		lorinated				
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference) ww.lenovo.com/us/en/social_responsibility/EU_DoC_desktops	the disposal			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See leg	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforr	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg- laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
	Require	d information is; given in item P15 or added to this document,				
DC	Dunalisa	available at: https://www.lenovo.com/us/en/compliance/e	eco-declaratioi			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).		· / 🔼			
P5.3*	Protocol Comme	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	eal 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	F0FL, F0FQ	Logo	Longvo
Issue date *	2020/10/16		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7 P7.1*	Design, Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.1*			 	
	Plastic materials in covers/housing have no surface coating.		╫	<u> </u>
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u> </u>	<u> </u>
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u>Ц</u>	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ц.	Щ.
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
D7 7*	Product lifetime	<u> </u>	_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes	<u>Ц</u>	Щ.
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and 0,2% weight (2000 ppm) chlorine in parts	d		
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part containing more than 25% post-consumer recycled content.	· · ·		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	<i>I</i>		Ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >ABS<,>ABS+PC-FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #:			
	26265-08-7 Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0.1%:)		
	1. Chemical name: , CAS #: (See NOTE B4)		Ш	
	2. Chemical name: , CAS #: (See NOTE B4)			
	3. Chemical name: , CAS #: (See NOTE B4)			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
	>ABS+PC-FR(40)<			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		Ш	
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 3.46%. (black) 3.46%. (White) or b) The weight of recycled material is 81.3 g. (black) 81.3 g. (White)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numb	oer*	F0FL, F0)FQ			Logo	Long		
Issue date *		2020/10/	16				Lend	OVC	O _{TM}
Product er	vironn	nental at	tributes - Market re	equirements (conti	nued)		Require	emen	t met
Item				'	,		Yes	No	n.a.
ı	Material	and subs	stance requirements	(continued)					
P7.21* E	Biobased	l plastic m	naterial content is used	in the product (See N	OTE B7):			\boxtimes	
			ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp. nps: and maxim	um mercury content pe	er lamp: mg			
	Batteries	,	· •	•	, , , , , , , , , , , , , , , , , , ,	' '			
P8.1* E	Battery c	hemical c	omposition: Lithium N	langanese Dioxide					
			tion (See NOTE B8)						
		roduct the		s or energy consumption					
Energy mode	*		Power level at	Power level at	Power level at	Reference/Standard		ergy	\boxtimes
Peak (On-ma	avl		100 V AC W	115 V AC W	230 V AC W	modes and test me	tnoa *		
Category			VV	VV	VV	ruii ioau			
Short Idle St Enabled	tate - W	OL	15.08 W	14.65 W	15.07 W	Use for ENERGY registration (Pidle)	STAR	V8.0	
Long Idle St Enabled	ate - W	DL	3.96 W	3.67 W	3.56 W	Use for ENERGY registration (Pidle)	STAR	V8.0	
Sleep (S3) -	WOL Er	nabled	0.71 W	0.71 W	0.74 W	Use for ENERGY STAR V8.0 registration (P _{sleep})			
Off (S5) - W	OL Enab	oled	0.18 W	0.18 W	0.2 W	Use for ENERGY STAR V8.0 registration (P _{off})			
Off (S5) - W	OL Disa	bled	0.23 W	0.23 W	0.23 W	Use for ErP			
EPS No-load (External power sup wall outlet but discor	ply / charger	plugged in the	0.068 W	0.074 W	0.102 W				
PTEC * Typical Energ	av Cons	umption	W	W	W				\boxtimes
ETEC * Annual Energ			1:46.13 kWh/year	1 :44.75 kWh/year	1 :45.90 kWh/year	E _{TEC} = (8760/1000) + P _{sleep} x 0.45 + P _{lo} P _{short_Idle} x 0.30)	ng_ldle X 0.1	10+	
Futarral Day	0	l (= 60; a.; a.a.			: Sleep Mode(S3) - WOL			nabled	
			,	Efficiency Marking Pro	otocol) " : VI	International Effic Marking Protocol Power Supplies		nal	
Display resol	ution * :	2.07 meg	apixels						
Default time	to enter	energy sa	ve mode: 25 minutes						
P9.2* I	nformati	on about t	the energy save function	on is provided with the	product.	-	\boxtimes		
P9.3	Energy e	fficiency o	class (monitors only):						\boxtimes
P10	Emissio	ns							
	Noise en			ISO 9296 (See NOTE					
l —	Mode dle	N *	Node description HDD:Idle		Statistical upper limi * 3.0	t A-weighted sound p	ower level	, L _{WA,c}	(B)
	Operation	n *	HDD: Operating		* 3.0				-
l —	Other mo			d pressure level (dB) $_{L_{pAr}}$		tion deskton – idle)			
		ode 5	colored A weighted	L_{pAr}	21.0 (operator positi		1		
_	Other mo			d pressure level (dB) L_{pAr}	21.0 (operator posit	tion desktop – operatin	g) 		
ľ	Measure	d accordir	ng to: X ISO 7779 COther	ECMA-74 (only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		F0FL, F0FQ				Logo	Long	1/0	
		2020/10/16		Lenc		тм			
Product	environn	nental attribute	s - Market requirements	(continued)			Require	ment	me
Item							Yes	No	n.a
		nagnetic emissio							
P10.4	program	s): CE,FCC,VCC		ncy electromagnetic fiel	ds of the follo	wing voluntar	y 🔀		
P12		nics for computi							
P12.1*		• •	onomic requirements of ISO 9	· ·		es.			
P12.2*	The phys	ical input device r	meets the requirements of ISC	O 9995 and ISO 9241-4	10.			\boxtimes	
P13		ng and documen							
P13.1*	Product			weight (kg): 1.582 ht (kg): 0.662 ht (kg): 0.0394	!				
P13.2*	Product	olastic primary pac	ckaging is free from PVC.				\boxtimes		
P13.3*		uct primary corru	gated fiberboard packaging, content: 80 %	specify the contained	percentage of	of minimum _I	oost-		
P13.4*		nedia for user and onic, <mark> Paper, </mark>	product documentation (tick Other	box):					
P13.5	Ùser and		item if paper documentation ntation on paper media is chlo						
	•	nlorine-free al chlorine-free							
	Processe	ed chlorine-free					H		
P14	Voluntai	y programs							
P14.1			uirements of the following vol	untary program(s):					
P15	Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020/10 Date: Date:	Product ca Product ca Product ca		n-One 1		
P9			specific configuration may	vary: description of th	e tested proc	luct configu	ration:		
1 3	CPU:Inte	el I7-1065G7/I3-10	005G1 Memory : 8+8G HDD):1T SSD:256G GPU :	NA 65w ada	oter			
	informati knowledg	on contained in the ge available at the here is approxima	representations, guarantees, is document. All information p time of completion, and supp ate and provided for information	provided by supplier in to blier shall have no obliga	his document ation to update	is provided be such inform	ased on sup	olier's format	ion
P9	See Ene	rgy Star Qualified	Notebooks & Tablet Compute index.cfm?fuseaction=find_a			ode=CO			
		<u> </u>	-						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre AIO 3 22IIL5	Logo
Model Number	F0FL, F0FQ	Lanava
Issue Date	2020/10/16	Lenovo
Additional information	ENERGY STAR;Low blue light	

	Product environmental attributes				
d)	year of manufacture:				2020
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categorenable	y and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		16		16
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
adjustm ring tes	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
cap; app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
	Category of discrete graphics Card(s)				
ssults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		14.53		13.58
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		N/A		N/A
g)	Idle state power demand (Watts);			В	: 3.71W / D : 3.456W
n)	Sleep mode power demand (Watts);			В	: 0.772W / D : 0.727V
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);	В	: 0.776W/D : 0.778I
)	Off mode power demand (Watts);			В	: 0.247W / D : 0.233V
۲)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);	В	: 0.248W/D : 0.234V
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 65W (88.66%	6)			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that		tand (applies only to n	otebook computers):	NA
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – in	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete refer to EN 50563:201				cy:

(p-3)	Measurement metho	nent methodology used to determine information mentioned in points (o) – loading cycles batteries: NA							
(p-4)	power as defined in l	ment methodology used to determine information mentioned in maximum, idle, sleep, off mode defined in Point P9.1 in the Product IT Eco Declaration: to IEC 62623:2013-Desktop and notebook computers- Measurement of energy conmumption							
(q)	Sequence of steps for achieving a stable condition with respect to power demand: **Based on user manual/Power on->Wait 5 minutes->Stable condition**								
(r)			nd/or off mode was selected or progra						
			user manual/Begin menu -> Powe		•				
(s)	off mode:		ed to reach the mode where the equip						
	Based on user ma	anual	Control Panel->Power Options-> C for this plan	hange S	ettings-> Restore default settings				
(t)		ate condition before the computer automatically reaches sleep mode, or another 25 minutes							
(u)	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):								
(v)			e display sleep mode is set to activ			10 minutes			
(w)	Information on the energy-saving potential of power management functionality: NA								
(x)	User information on	how to	o enable the power management func Based on user manual-Set th	-	plan				
	Set the power	r pla	n						
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:								
	Table 1. Default power plan (when plugged into ac power)								
	Turn off the display: After 10 minutes								
	Put the computer to sleep: After 25 minutes								
(z)	Go to Control P Click Power Op Test parameters for	anel a otions measi syste	achieve the best balance between pend view by large icons or small icons., and then choose or customize a powerements: — test voltage in V and freem, — information and documentation	er plan of quency in on the in	your preference. Hz, — total harmonic distortion of				
	Instrument		230 Volts AC, 50 F Range Used						
	Type		Or ***		Make and Model **				
	AC Power Source	е	230V;50Hz		EXTECH;6810;SN:1450172				
	Power Meter		0~200V;0~20A	YOKOGAWA;WT210;SN:91H427511					
	Hygrothermograp	oh	-20 to 50°C;20 to 90%		SEKONIC;ST-50				
	Light Measuring]	1°; 0.01 to 999,900 cd/m2		Konica Minolta;LS-150				
Addition	nal Notebook Batter								
		Bat	tery[ies] <u>not</u> user replaceable		Battery[ies] user replaceable	n/a			
			battery[ies] in this product cannot baced by users themselves. 1)	e easily					
Internal/built-in Battery									
External	detachable Battery								
Bios Bac	kup Battery								
Other:									
Additiona	al information	•							

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Aкумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Konsnik ne moze lako zamijeniti Bateriju sam u ovom proizvodu.
La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us).
Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.
A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.
Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.
Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.