



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	All in one computer					
Commercial name *	IdeaCentre AIO 5 24"					
Model number *	F0FB					
Issue date *	2020/5/15					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information	Energy Star 8.0					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	F0FB	Logo	Long		
Issue dat	e *	2020/5/15		Lend	JVC	J _{tm}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	: B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	e 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at: ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure		\boxtimes		
P2	Batterie	S				
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference) ww.lenovo.com/us/en/social responsibility/EU_DoC_desktops	he disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	l 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*	The prod	luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar	jal reference). nce/eu-doc			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	aco-declaration			
P5	Product	packaging	,oo acciaration			
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury chit chromium by weight of these together.	y, cadmium an	d 🔀		
P5.2*	The pack	raging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material(s	s) 🔀		
P5.3*	The prod	luct packaging material is free from ozone depleting substances as specified in the Nal reference). It reference). It: Legal reference has no maximum concentration values.	/lontreal Protoco	ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	F0FB	Logo	Lonovo
Issue date *	2020/5/15		LEI IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
_		Require		met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling		_	
P7.1*	Parts that have to be treated separately are easily separable			Щ.
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS PCR65 Material type: ABS+PC Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	}		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		\boxtimes	
1 7.10	as defined in IEC 61249-2-21. (See 1NOTE B2)	' 🗀		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\square
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):		_	
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin , CAS #:	\boxtimes		
	26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			\boxtimes
D7 40	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:)		\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)	Ш		
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	-		
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %. or			
	b) The weight of recycled material is 771 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	F0FB	Logo	Lanava
Issue date *	2020/5/15		Leliovo

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

· · ·		stance requirements		~== ~=\		
P7.21*	•		d in the product (See No	,		
P7.22*			less than 0,1 mg/lamp.			
		specify: Number of la	mps: and maximi	um mercury content pe	er lamp: mg	
P8	Batteries			1 - 11 Dis - 1 - 1 - 11 - 11 - 0 - 0 - 0	21	_
P8.1*			ese dioxide,Lithium Co	bait Dioxide (LiCoO	<u> </u>	
P9		tion (See NOTE B8)				
P9.1			ls or energy consumption		D. C (Ot a stant)	
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	120 W	120 W	120 W	Full load	
Categor	yAIO 2					
Short Idle Enabled	State - WOL	24.81 W	24.78 W	25.11 W	Use for ENERGY STAR V8 registration (P _{idle})	
Long Idle Enabled	State - WOL	11.23 W	11.14 W	11.57 W	Use for ENERGY STAR V8 registration (Pidle)	
Sleep (S3)) - WOL Enabled	2.8 W	2.8 W	2.9 W	Use for ENERGY STAR V8 registration(P _{sleep})	
Off (S5) -	WOL Enabled	0.8 W	0.8 W	0.9 W	Use for ENERGY STAR V8 registration(Poff)	
Off (S5) -	WOL Disabled	W	W	0.617 W	ErP lot 3 230V test data	
EPS No-lo	ad supply / charger plugged in the	W	0.149 W	0.179 W	Refer to ErP lot7 data(115V&230V)	
PTEC *	ergy Consumption	W	W	W		
ETEC *	ergy Consumption	87.13 kWh/year	86.97 kWh/year	88.74 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05 + P_{long_ldle} \times 0.15 + P_{short_ldle} \times 0.35)$	
					Enabled; Pidle: Idle State - WOL Enabled	
External P	ower Supply Efficier	icy Level (Internationa	al Efficiency Marking Pro	otocol) * : Level VI	International Efficiency Marking Protocol for External Power Supplies	
Display res	solution * : 2.07 meg	gapixels				
Default tim	ne to enter energy sa	ve mode: 25 minutes				
P9.2*			ion is provided with the	product.		Ť
P9.3		class (monitors only):		-		
P10	Emissions					
	Noise emission -	Declared according t	o ISO 9296 (See NOTE	B9)		
P10.1	Mode N	Mode description	,		it A-weighted sound power level, $L_{WA,c}$ ((B)
	Idle *	HDD:Idle		* 2.8		\Box
	Operation *	HDD: Operating		* 2.9		\top
	Other mode L	Declared A-weighted sour	nd pressure level (dB) $L_{p{ m Am}}$	18 (operator position	on desktop – idle)	
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p{\sf Am}}$	19 (operator position	on desktop – operating)	
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74			
1		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	F0FB					Logo	Long	1/0	
Issue date	*	2020/5/15						Leno	VO,	
Product	environn	nental attribute	es - Market require	ments (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
	Electron	nagnetic emissi	ons							
P10.4	Compute program		he requirement for low	frequency el	ectromagnetic f	ields of the fol	lowing voluntary			
P12		mics for comput								
P12.1*	•		onomic requirements				gies.		\boxtimes	
P12.2*	The phys	sical input device	meets the requiremen	ts of ISO 999	5 and ISO 9241	1-410.			\boxtimes	
P13		ng and docume								
P13.1*	Product Product		al type(s): <i>LDPE</i> al type(s): <i>Carton</i>	weight (kg weight (kg weight (kg): 0.04					
P13.2*	Product	plastic primary pa	ckaging is free from P	VC.						
P13.3*	consume	er recovered fiber			ify the containe	ed percentage	of minimum po	st-		
P13.4*		media for user an ronic, ⊠Paper, [d product documentati Other	on (tick box):						
P13.5	Ùser and		s item if paper docume entation on paper medi							
	Totally c	hlorine-free								
	Elementa	al chlorine-free								
	Processe	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	duct meets the red	quirements of the follow	wing voluntar	y program(s):					
	Eco-labe Eco-labe	el:	Criteria version: 8. Criteria version: Criteria version:	.0	Date: Date: Date:	Product	category: AIO 2 category:			
P15		nal information (
P9	Energy (Memory	consumption of r:16GB HDD:2TB	specific configuration SSD:1TB UMA A	n may vary; dapter:PA-1	description of <mark>151-72VC</mark>	the tested pr	oduct configurat	tion: CPU:	15-104	100T
	NOTE: S informati knowledg provided informati	Supplier makes no ion contained in the general section of the general section in the general section.	o representations, guar nis document. All inforr e time of completion, a late and provided for in	rantees, assu mation provid ind supplier s nformational p	rances or warra ed by supplier i hall have no ob ourposes only. S	n this documer ligation to upda See a Lenovo <i>i</i>	nt is provided bas ate such informat	ed on suppion. The inf	olier's formati	on
P9	See Ene	rgy Star Qualified	I Notebooks & Tablet (//index.cfm?fuseaction	Computers for	the latest infor	mation: ctGroup&paw	code=CO			
	· · · · · · · · · · · · · · · · · · ·			<u>.</u>		<u></u>				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre AIO 5 24"	Logo
Model Number	F0FB	Lenovo
Issue Date	2020/5/15	Lenovo.
Additional information	Energy Star 8.0	

d)	year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Categorial disabled and if the system is tested with				cards (dGfx) are
·)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				16
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
ability ه اانوط ط	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
capa	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)				G3
ssults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				16.65
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				18.83
g)	Idle state power demand (Watts);	<u> </u>			4.13
n)	Sleep mode power demand (Watts);				3.08
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		3.11
)	Off mode power demand (Watts);				0.617
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.622
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 90w 88.26%		62%		
o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	AI/A
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:				
p-2)	Measurement methodology used to dete	N/A		10011 (6.)	

(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:

N/A

(p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:

Refer to IEC 62623:2013-Desktop and notebook computers- Measurement of energy commumption

(q) Sequence of steps for achieving a stable condition with respect to power demand::

Based on Energy Star Computer V7.1l/Power on->Wait 5 minutes->Stable condition(long idle)

(r) Description of how sleep and/or off mode was selected or programmed:

Based on user manual/Start menu -> Power -> Select sleep or shutdown mode

Windows user interface



(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:

Based on user manual-Set the power button behaviors

Set power button behaviors

You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.

To change what the power button does:

- 1. Go to Control Panel and view by large icons or small icons.
- 2. Click Power Options → Choose what the power buttons do.
- Change the settings as you prefer.

(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 minutes
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	/
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	Information on the energy-saving potential of power management functionality:	
	N/A	

User information on how to enable the power management functionality:

Based on user manual-Set the power plan

Set the power plan

(x)

For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:

Table 1. Default power plan (when plugged into ac power)

- Turn off the display: After 10 minutes
- Put the computer to sleep: After 25 minutes

To awaken the computer from Sleep mode, press any key on your keyboard.

To reset the power plan to achieve the best balance between performance and power saving:

- 1. Go to Control Panel and view by large icons or small icons.
- 2. Click Power Options, and then choose or customize a power plan of your preference.

(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test voltage in V and frequency in Hz: 230V/50Hz Total harmonic distortion of the electricity supply system: ≤2% Range Used Instrument Make and Model Or Type AC Power Source 1~280VAC; 1~550Hz; 1000VA Chroma;61504; SN:615040001117 Digital Watch Full range CASIO; HS-70W; SN:208Q08R Power Meter 0~600V; 0~20A YOKOGAWA; WT310E; SN:C3SJ16035E Hygrothermograph 15~35℃/ 15~90% TESTO; 608-H1; SN:1034895602 Thermal anemometer 0~20m/s, -20~70°C TESTO; 425; SN:02591883 1; 1~300cd/m² KONICA MINOLTQ:LS-110 Light Measuring **Additional Notebook Battery Information:** Battery[ies] user replaceable n/a Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery X \boxtimes External/detachable Battery Bios Backup Battery X Other: \times **Additional information** The battery[ies] in this product cannot be easily replaced by users themselves Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy śposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.