

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | | | |
|------------------------|---|-------|--------|--|--|
| Company name * | Lenovo | | | | |
| Contact information * | Lenovo Global Environmental Affairs | | | | |
| e-mail address | Alvin L Carter | | Lenovo | | |
| | alcarter@lenovo.com | | | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html | | | |
| Additional information | The latest version of this document can be found at: | | | | |
| | http://www.lenovo.com/ecodeclaration | | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | |
|--|--|--|--|--|--|
| conforms to the statements given in this declaration. | | | | | |
| Type of product * | Notebook | | | | |
| Commercial name * | IdeaPad 3 15ADA6 | | | | |
| Model number * | 82KR | | | | |
| Issue date * | 2021-05-08 | | | | |
| Intended market * | 🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model nu | mber * | 82KR L | ogo | Long | | |
|-----------|--------------------------------|--|----------------|-------------|------|-------------------------|
| Issue dat | e * | 2021-05-08 | | Lend | JVC |) ₁₀₁ |
| Product | environ | mental attributes - Legal requirements | | Require | ment | met |
| Item | | | | Yes | No | n.a. |
| P1 | Hazardo | ous substances and preparations | | | | |
| P1.1* | | s do comply with current European RoHS Directive. (See legal reference and NOTE E | 31) | \square | | |
| P1.2* | | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | | \boxtimes | | |
| P1.3* | hydrobro trichloro | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlo ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma: ration values. | | | | |
| P1.4* | | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlo /l (PCT) in preparations (see legal reference). | rinated | \boxtimes | | |
| P1.5* | Products | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | n atoms in th | e 🔀 | | |
| P1.6* | (see leg | th direct and prolonged skin contact do not release nickel in concentrations above 0,5 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5. | i μg/cm²/weeł | < 🖂 | | |
| P1.7* | REACH | Article 33 information about substances in articles is available at (add URL or mail co www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | ontact): | \boxtimes | | |
| P2 | Batterie | | | | | |
| P2.1* | | oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference) | e disposal | \boxtimes | | |
| P2.2* | | s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmiu | ım. (See lega | I 🖂 | | |
| P2.3* | Batteries | s and accumulators are readily removable. (See legal reference) | | \square | | |
| P3 | Conform | nity verification & Eco design (ErP) | | | | |
| P3.1* | The proo The D https://v | duct is CE-marked to show conformance with applicable legal requirements (see lega beclaration of Conformity can be requested at (add link or e-m www.lenovo.com/us/en/compliance/eu-doc for EU and | |): | | |
| | https://\ | www.lenovo.com/us/en/compliance/uk-doc for UK | | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, al reference). | | \boxtimes | | |
| | | d information is; available at (add URL): | | \boxtimes | | |
| | https://v | www.lenovo.com/us/en/compliance/eco-declaration | | | | |
| P5 | | t packaging | | | | |
| P5.1* | hexavale | ng and packaging components do not contain more than 0,01% lead, mercury, ent chromium by weight of these together. | | | | |
| P5.2* | | kaging materials are marked with abbreviations and numbers indicating the nature of ee legal reference). | the material(s | s) 🔀 | | |
| P5.3* | (see leg | duct packaging material is free from ozone depleting substances as specified in the Mo al reference). nt: Legal reference has no maximum concentration values. | ntreal Protoco | ol 🔀 | | |
| P6 | | nt information | | | | |
| P6.1* | | on for recyclers/treatment facilities is available (see legal reference). | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model nu | umber * | 82KR | Logo | Lon | | | |
|----------|----------------------|--|-------------------|-------------|-------------|----------|--|
| Issue da | te * | 2021-05-08 | | Len | ovc |) | |
| Product | t environ | mental attributes - Market requirements (See General NOTE GN | below) | | | | |
| | | onmental conscious design | | Require | ment | met | |
| Item | | tory to fill in. Additional information regarding each item may be found under P14. | | Yes | No | n.a. | |
| P7 | | Disassembly, recycling | | | | | |
| P7.1* | | at have to be treated separately are easily separable | | | | | |
| P7.2* | | naterials in covers/housing have no surface coating. | | | \boxtimes | | |
| P7.3* | Plastic p | arts > 100 g consist of one material or of easily separable materials. | | \square | | | |
| P7.4* | Plastic p | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | \boxtimes | | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly | available tools. | \square | | | |
| P7.6* | Labels a | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | | | | | |
| | Product | | |] | | | |
| P7.7* | | ng can be done e.g. with processor, memory, cards or drives | | | | | |
| P7.8* | Upgradir | ng can be done using commonly available tools | | \square | | | |
| P7.9 | Spare pa | arts are available after end of production for: 5 years | | | | | |
| P7.10 | Service | is available after end of production for: 5 years | | | | | |
| | | and substance requirements | | | | | |
| P7.11* | | cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: Stee / | | | | | |
| P7.12 | Insulatio | n materials of external electrical cables are PVC free. | | | \square | | |
| P7.13 | Insulatio | n materials of internal electrical cables are PVC free. | | Ē | | | |
| P7.14 | External | plastic casing/cover parts > 25 g contain no more than 0.1% weight (1000 ppm) b | promine and 0.1% | 6 🛛 | | | |
| | weight(polyvinyl | 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content. | e retardants, an | d 🗖 | | | |
| P7.15 | | circuit boards, PCBs (without components) are low halogen: all | are low haloge | n 🗌 | \square | | |
| P7.16 | Marking: | | | | | | |
| P7.17 | | hemical specifications of flame retardants in printed circuit boards > 25 g (without | |] | | | |
| | | (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy | Resins, CAS # | : | | | |
| | 26265-0 | 8-7 | | | | | |
| | accordin | hemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4: | ents) > 25 g | | | | |
| P7.18 | | retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%: | s/preparations i | n 📙 | | | |
| | | ent: No legal limits exist, this is a market requirement. | | | | | |
| | | ical name: CAS #: | | | | | |
| | 2. Chem | ical name: CAS #: | | | | | |
| | 3. Chem | ical name: CAS #: | | | | | |
| | Alt. 2 | | | \boxtimes | | | |
| | Chemica FR(40) | al specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | | | | |
| P7.19 | | parts > 25 g, flame retardant substances/preparations above 0,1% are used which | h have been | | | | |
| | assigned | d the following Risk phrases; and Hazard statements: H411;H413 rce(s) for these classifications is/are found at (add URL(s)): European Court | | | | | |
| | 67/548/E | | | | | | |
| P7.20* | | sumer recycled plastic material content is used in the product (See Note B6): | | | \boxtimes | | |
| | a) Of t | at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 0%. | nt (calculated as | | | | |
| | or . | | | | | | |
| | b) The | e weight of recycled material is g. | | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 82KR | | | | Logo | | |
|--|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------|---|--|
| Issue date * | 2021-05- | 08 | | | | Lenovo | |
| Product environm | nental att | tributes - Market r | equirements (conti | nued) | · | Requirement met | |
| Item | | | • | | | Yes No n.a. | |
| | | | | | | | |
| Material | and subs | tance requirements | (continued) | | | | |
| P7.21* Biobased | l plastic ma | aterial content is used | l in the product (See N | OTE B7): | | | |
| If YES; at | t least one | of the two alternative | es below shall be answ | ered; | | | |
| | | | | naterial content (calcula | ated as a percent | age of | |
| or | l plastic by | weight) is 0 %. | | | | | |
| | weight of | the biobased plastic r | material is g. | | | | |
| | Light sources are free from mercury, i.e. less than 0,1 mg/lamp. | | | | | | |
| P8 Batteries | | specity: Number of lar | nps: and maxim | ium mercury content pe | er lamp: m | <u>lg</u> | |
| | | omposition: LI-ION Po | olymer battery and lit | hium-metal battery | | | |
| P9 Energy c | consumpti | ion (See NOTE B8) | | | | | |
| | roduct the | | s or energy consumpti | | | | |
| Energy mode * | | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Sta modes and tes | ndard for energy | |
| Peak (On-max) | | 65 W | 65 W | 230 V AC | Full load | | |
| . , | | | | | | | |
| Category 1 | | | | | | | |
| Short Idle State - WO Enabled | OL | 6.68 W | 6.73 W | 6.9 W | Energy Star (| Computers V8.0 | |
| Long Idle State - WC Enabled | DL | 4.76 W | 4.83 W | 4.97 W | Energy Star C | Computers V8.0 | |
| Sleep (S3) - WOL En Disabled | abled / | 0.47 W | 0.48W | 0.49W | Energy Star C | Computers V8.0 | |
| Off (S5) - WOL Enab Disabled | led / | 0.29 W | 0.30 W | 0.31 W | Use for ErP | | |
| EPS No-load | | 0.105 W | 0.110 W | 0.110W | | | |
| (External power supply / charger p wall outlet but disconnected from the | blugged in the he product.) | | | | | | |
| PTEC * | . , | W | W | W | | | |
| Typical Energy Consu | umption | | | | | | |
| Category 2 | | | | | | | |
| Short Idle State - WO Enabled | OL | 6.64 W | 6.76 W | 6.90 W | Energy Star C | Computers V8.0 | |
| Long Idle State - WC Enabled | DL | 5.04 W | 5.12 W | 5.20 W | Energy Star C | Computers V8.0 | |
| Sleep (S3) - WOL En Disabled | abled / | 0.44 W | 0.46W | 0.48 W | Energy Star C | Computers V8.0 | |
| Off (S5) - WOL Enab Disabled | led / | 0.34 W | 0.35 W | 0.35 W | Use for ErP | | |
| EPS No-load (External power supply / charger p wall outlet but disconnected from the | blugged in the he product.) | 0.105 W | 0.11 W | 0.11 W | | | |
| PTEC * Typical Energy Consu | umption | W | W | W | | \boxtimes | |
| ETEC * Annual Energy Consu | umption | 1: 23.80kWh/year 2: 23.96kWh/year | 1: 24.05kWh/year 2: 24.43kWh/year | 1: 24.67kWh/year 2: 24.93kWh/year | | $\begin{array}{c c} 1000) & x (P_{off} \times 0.25 \\ + P_{long_ldle} \times 0.10 + \\ 0) \end{array}$ | |
| | - | Poff: Off Mode(S5) - We | OL Enabled; Psleep: Sleep | Mode(S3) - WOL Enable | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| External | Power Supply Effi | ciency Level (International Efficiency Marking Prot | ocol) * : VI | | | |
|------------|---|--|--|--|---------------------------|--|
| Display r | esolution * : 2.07 n | negapixels | | | | |
| Default ti | me to enter energ | y save mode: 10 minutes | | | | |
| P9.2* | Information ab | out the energy save function is provided with the p | roduct. | | | |
| P9.3 | Energy efficien | cy class (monitors only): | | | \square | |
| P10 | Emissions | | | | | |
| | Noise emission – Declared according to ISO 9296 (See NOTE B9) | | | | | |
| P10.1 | Mode | Mode description | Statistical upper limit A-weighted sound power level, L_{WA} | | el, L _{WA,c} (B) | |
| | Idle | * Idle (Operating) | * 2.4 | | | |
| | Operation | * HDD:Operation CPU:Operation | * 2.4 4.2 | | | |
| | Other mode | Declared A-weighted sound pressure level (dB) L_{pAm} | 17.8 (operator position desktop – idle) | | | |
| | Other mode | Declared A-weighted sound pressure level (dB) $L_{\rm pAm}$ | m 35 (operator position desktop – operating) | | | |
| | Measured acco | ording to: ISO 7779 ECMA-74 Other (only if not covered by E | ECMA-74) | | | |

| Model nu | ımber * | 82KR | | | | Logo | Lana | | |
|-----------|--|--|--|--|--|--|---|-------------------|------|
| Issue dat | te * | 2021-05-08 | | | | - | Lenc | ovo | тн |
| Product | environ | nental attribu | tes - Market requirement | s (continued) | | | Require | ment | met |
| Item | | | | | | | Yes | No | n.a. |
| | | nagnetic emiss | | | | | | | |
| P10.4 | program | (s): MPR-II(3 pi | the requirement for low frequent for low frequence on the second se | ency electromagnetion | c fields of the foll | lowing volun | tary 🔀 | | |
| P12 | | mics for compu | | | | | | | |
| P12.1* | • | | rgonomic requirements of ISC | | | gies. | \square | | |
| P12.2* | The phy | sical input devic | e meets the requirements of I | SO 9995 and ISO 92 | 41-410. | | \boxtimes | | |
| P13 | | ing and docum | | | | | | | |
| P13.1* | Product packaging material type(s): corrugated weight (kg): 0.35 Product packaging material type(s): paper(manual) weight (kg): 0.046 Product packaging material type(s): corner paper weight (kg): 0.039 Product packaging material type(s): EPE weight (kg): 0.093 | | | | | | | | |
| P13.2* | | | backaging is free from PVC. | | | | \square | | |
| P13.3* | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- | | | | | | | | |
| P13.4* | | media for user a ic 🔀, Paper 🔀 | nd product documentation (tio , Other | ck box): | | | | | |
| P13.5 | Ùser an | | nis item if paper documentation nentation on paper media is cl | | | | | | |
| | Element | hlorine-free al chlorine-free ed chlorine-free | | | | | | | |
| P14 | Volunta | ry programs | | | | | | | |
| P14.1 | The pro | duct meets the r | equirements of the following v | voluntary program(s): | | | | | |
| P15 | Eco-labe Eco-labe | el: | Criteria version: Criteria version: Criteria version: (See NOTE B10) | Date: Date: Date: | Product | category: category: category: | | | |
| P9 | | | f specific configuration ma | v varv: description | of the tested pro | oduct confi | ouration · | | |
| | NOTE: S informat knowled | Supplier makes i ion contained in ge available at t I here is approxi | no representations, guarantee this document. All information he time of completion, and su mate and provided for informa | es, assurances or war n provided by supplie pplier shall have no c | ranties whether r in this documer obligation to upda | express or in nt is provided ate such info | nplied, regardir based on sup rmation. The in | plier's format | tion |
| P9 | See Ene | ergy Star Qualifie | ed Notebooks & Tablet Comp ps://www.energystar.gov/proc | | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | IdeaPad 3 15ADA6 | Logo | | |
|------------------------|------------------|------|--------|--|
| Model number * | 82KR | | Lonovo | |
| Issue date * | 2021-05-08 | | Lenovo | |
| Additional information | | | | |

| d) | Year of manufacture: | | | | 2021 | | |
|--|---|--|--|--|--|--|--|
| e) | Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display. | | | | | | |
| f) | Etec value (kWh) per ErP Lot 3 Categor enable | ry and capability adjust | tments applied when a | all discrete graphics of | cards (dGfx) are | | |
| | | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) | | |
| | Memory over base [GB] | 16 | | | | | |
| ents ting | Additional internal storage | Yes (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) | | |
| capability adjustments applied during testing | Discrete television tuner | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) | | |
| | Discrete Audio Card | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) | | |
| | Discrete graphics Card(s) [number / #] | No #: (Yes / No) | #: (Yes / No) | # <u>:</u> (Yes / No) | # <i>:</i> (Yes / No) | | |
| | Category of discrete graphics Card(s) | N/A | | | | | |
| esults | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | 15.75 | | | | | |
| Test results | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | | | | | |
| g) | Idle state power demand (Watts); | | l | | 4.96 | | |
| n) | Sleep mode power demand (Watts); | | | | 0.52 | | |
|) | Sleep mode with WOL enabled power de | emand (Watts) (where | enabled); | | 0.52 | | |
|) | Off mode power demand (Watts); | | | | 0.43 | | |
| K) | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | 0.43 | | |
|) | Internal power supply efficiency at 10 % | , 20 %, 50 % and 100 ° | % of rated output pow | er (if applicable): | | | |
| | 10% 20% 50% | 100% Avera | age | | | | |
| m) | External power supply efficiency (if appli | cable)*: | | | | | |
| | Average active efficiency: 89.03% 89.7 | '0% 90.88% | | | | | |
| | *internal note: show values for all available external p | | | | | | |
| o) | Minimum number of loading cycles that | the batteries can withs | tand (applies only to r | otebook computers): | 300CYCLES | | |
| p-1) | Measurement methodology used to dete | ermine information mer NA | ntioned in points (I) – i | nternal PSU efficiency | : | | |
| p-2) | Measurement methodology used to dete | ermine information mer 63:2011 measuremen | | external PSU efficience | cy: | | |

| (p-3) Measurement metho | odology used to determine information mentioned in EN 61960 measurement methodolo | | |
|--|---|----------------------------------|-----|
| | odology used to determine information mentioned in Point P9.1 in the Product IT Eco Declaration: | maximum, idle, sleep, off mode | |
| | EN 62623:2013 measurement method | ology | |
| (q) Sequence of steps f | or achieving a stable condition with respect to power | demand:: | |
| | EN 62623:2013 measurement method | ology | |
| (r) Description of how s | sleep and/or off mode was selected or programmed: | | |
| E | By selecting sleep and/or off mode thru Windows | operating system | |
| | required to reach the mode where the equipment au power management, 30mins automatically reached | | |
| | ate condition before the computer automatically r s not exceed the applicable power demand requirem | | 30 |
| (u) Length of time after | r a period of user inactivity in which the compute wer power demand requirement than sleep mode (ir | er automatically reaches a power | NA |
| (v) Length of time bef | ore the display sleep mode is set to activate after | user inactivity (in minutes): | 10 |
| | nergy-saving potential of power management functio described in User Guide and Power Manager und programs | | |
| (x) User information on | how to enable the power management functionality: | | |
| | described in User Guide and Power Manager und | ler IdeaPad 3 15ADA6 menu in all | |
| | programs | | |
| | measurements: — test voltage in V and frequency ir v system, — information and documentation on the in sting: | | |
| | 230V, 50GHz, Total Harmonic Distortion | n <2 % | |
| Additional Notebook Batte | ry Information: | - | |
| | Battery[ies] not user replaceable | Battery[ies] user replaceable | n/a |
| | The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾ | | |
| Internal/built-in Battery | | | |
| External/detachable Battery | | | |
| Bios Backup Battery | | | |
| Other: | | | |
| Additional information | | | |
| | | | |
|) he battery[ies] in this product cannot be | easily replaced by users themselves. продукт не може да се замени[ят] песно от самите потребите. | | |
| | ser sustituidas fácilmente por los propios usuarios. | пи. | |
| rugeren kan ikke uden videre udskifte ba | | verden. | |
| | ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες | | |
| orisnik ne može lako zamijeniti Bateriju s | | ux-mêmes. | |
| etotāji paši nevar nomainīt šā ražojuma : | | | |
| | jas negan lengval pakeisu. jelhasználó nem tudja egyedül egyszerűen kicserélni. /jistghux tiģi/jiģu sostitwita/i mill-utenti stess. | | |
| atteriet [ene] i dette produktet kan ikke le | | | |
| żytkownik nie może sam w łatwy sposób | | | |
| ateria (bateriile) din acest produs nu poa atériu(-ie) v tomto výrobku nemôže vymi | te (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. eňať používateľ. | | |
| aterij/baterije v tem izdelku uporabniki sa ämän tuotteen akku [akut] ei[vät] ole help | imi ne morejo zlahka zamenjati. posti käyttäjän vaihdettavissa. | | |
| et är inte enkelt för kunden att själv byta u üründeki batarya(lar) kullanıcılar tarafı | | | |