



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEHOVO
	<u>alcarter@lenovo.com</u>		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
conforms to the statemen	its given in this declaration.					
Type of product *	Notebook					
Commercial name *	IdeaPad 5-15					
Model number *	81YK, 81YL, 81YQ, 81YR					
Issue date *	2020-1-13					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	81YK, 81YL, 81YQ, 81YR	Logo	Lon		
Issue dat	e *	2020-1-13		Len		<b>D</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm <sup>2</sup> /wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\boxtimes$		
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See lega	ıl 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/complian">https://www.lenovo.com/us/en/complian</a>				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document,  available at: https://www.lenovo.com/us/en/compliance/e	oco-declaration			
P5	Product	packaging	-ucuaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmium ar	nd 🔀		
		ent chromium by weight of these together.	,, saaa ui			
P5.2*	The pack used (se	kaging materials are marked with abbreviations and numbers indicating the nature legal reference).	`	,		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference).	Montreal Protoc	ol 🔀		
		nt: Legal reference has no maximum concentration values.				
P6	Treatme	nt information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1\*

Model number *	81YK, 81YL, 81YQ, 81YR	Logo	Lanava
Issue date *	2020-1-13		LEI IOVO

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		_ <u></u>	Щ
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
· · ·	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC+ABS Material type:			
P7.12	Material type: PC+ABS Material type: Insulation materials of external electrical cables are PVC free.		$\square$	
P7.13	Insulation materials of external electrical cables are PVC free.	-#	$\overline{X}$	
P7.14				+
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌	$\boxtimes$	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	$\boxtimes$		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			X
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations i concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.	n		
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:  FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):  If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%.  or  b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81YK, 81YL, 81YQ, 81YR	Logo	Lanava
Issue date *	2020-1-13		Leliovo

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and and		(ti			
P7.21*		ostance requirements		OTE D7).		
F1.21	biobaseu piastic	material content is use	d in the product (See N	OTE 67).		Ш
P7.22*			less than 0,1 mg/lamp			$\boxtimes$
		d specify: Number of la	mps: and maxim	um mercury content p	er lamp: mg	
P8	Batteries					
P8.1*	-		olymer battery and litl	hium-metal battery		
P9		ption (See NOTE B8)				
P9.1			els or energy consumpti			
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	95 W	95 W	95 W	Full load	
Categor	<u>y 1</u>					
Short Idle Enabled	State - WOL	5.49W	5.51W	5.56W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )	
Long Idle Enabled	State - WOL	1.25W	1.26 W	1.29 W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	1.25 W	1.26W	1.29W	Use for ENERGY STAR V8.0 registration(P <sub>sleep</sub> )	
Sleep (S3)	- WOL Disabled	1.25 W	1.26W	1.29W	Reference	
Off (S5) - I	WOL Enabled	0.43W	0.45 W	0.47 W	Use for ENERGY STAR V8.0 registration(P <sub>off</sub> )	
Off (S5) - I	WOL Disabled	0.43W	<b>0.45</b> W	<b>0.47</b> W	Use for ErP	
EPS No-lo	ad	0.113 W	<b>0.114</b> W	0.115W		
(External power :	supply / charger plugged in the sconnected from the product.)	e				
PTEC *	ergy Consumption	W	W	W		
ETEC *	ergy Consumption	20.30kWh/year	<b>20.43</b> kWh/year	20.69 kWh/year	ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_idle x 0.10+ Pshort idle x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; P <sub>sleep</sub> : Sleep	Mode(S3) - WOL Enabl		
External Po	ower Supply Efficie		al Efficiency Marking Pro			
	solution * :2.07 me	· '	, ,	,	<u> </u>	$\forall$
		save mode: 10 minutes				+
P9.2*			ion is provided with the	product		+
			ion is provided with the	product.		
P9.3		class (monitors only):				$\boxtimes$
P10	Emissions	Dealers described	- 100 0000 (0 - NOTE	- DO)		
P10.1			to ISO 9296 (See NOTE		nit A-weighted sound power level, L <sub>WA.c</sub> (	(D)
P 10.1	Mode Idle	* Idle (Operating)		* 3.0	iii A-weighted Sound power level, LWA,c (	(D)
						╬
	Operation	* HDD:Operation CPU:Operation		* 3.0 4.8		Ш
	Other mode	Declared A-weighted soul	nd pressure level (dB) $L_{pAm}$	21.4 (operator pos	ition desktop – idle)	
	Other mode	Declared A-weighted soul	nd pressure level (dB) $L_{pAm}$	37.2 (operator pos	ition desktop – operating)	
	Measured accord	ling to: X ISO 7779	ECMA-74			
		Other	(only if not covered by	/ ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	nber *	81YK, 81YL, 81Y	Q, 81YR		Logo	Long	1/0	
Issue date	*	2020-1-13				Lenc		
Product	environn	nental attributes	s - Market requirements	(continued)		Require	ment	met
Item						Yes	No	n.a.
		magnetic emissior						
P10.4		er display meets the (s): <b>MPR-II(3 pin A</b>	e requirement for low freque C adapter only)	ncy electromagnetic fields	of the following voluntar	ту 🔀		
P12		mics for computin						
P12.1*	The disp	lay meets the ergo	nomic requirements of ISO	9241-307 for visual displa	y technologies.			
P12.2*	The phys	sical input device m	neets the requirements of IS	O 9995 and ISO 9241-410	).	$\boxtimes$		
P13	Packagi	ing and document	ation					
P13.1*	Product Product		type(s): paper(manual) type(s): corner paper weig	yht (kg): <b>0.35</b> weight (kg): <b>0.05</b> yht (kg): <b>0.046</b> yht (kg): <b>0.086</b>				
P13.2*	Product	plastic primary pac	kaging is free from PVC.					
P13.3*		duct primary corruç er recovered fiber c	gated fiberboard packaging content: <b>100</b> %	, specify the contained p	ercentage of minimum p	post-		
P13.4*		media for user and ic ⊠, Paper ⊠, 0	product documentation (tick Dther	box):				
P13.5	Ùser and	, ,	item if paper documentation tation on paper media is chl	,				
	Element	chlorine-free cal chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requ	irements of the following vo	luntary program(s):				
	ENERG'	Y STAR®	Criteria version: 8.0	Date: <b>2019/7/15</b>	Product category: 1			

Date:

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

Energy consumption of specific configuration may vary; description of the tested product configuration:

Product category:

Criteria version:

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://downloads.enerhttps://www.energystar.gov/products/office\_equipment/computers

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Eco-label:

information.

Additional information (See NOTE B10)

P15

P9

P9

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 5 15IIL05/ARE05	Logo	
Model number *	81YK, 81YL, 81YQ, 81YR		Lonovo
Issue date *	2020-1-13		Lenovo.
Additional information			

d)	Year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16	16		
capability adjustments applied during testing	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capa appli	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G3		
ssults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.91			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		6.99		
g)	Idle state power demand (Watts);	l	l	I	A : 0.85 B : 1.29
n)	Sleep mode power demand (Watts);				A: 0.72 B: 1.29
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.72 B: 1.29
)	Off mode power demand (Watts);				A: 0.58 B: 0.47
<b>(</b> )	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.58 B: 0.47
)	Internal power supply efficiency at 10 %	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.15% 88.2	0%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – i	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficien	су:

(p-3)	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 50563:2011 measurement methodology				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  EN 62623:2013 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  EN 62623:2013 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed:  EN 62623:2013 measurement methodology				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  **refer to power management, 30mins automatically reaches sleep mode**				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			10	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  10			10	
(w) Information on the energy-saving potential of power management functionality:  refer to user manual					
(x)	x) User information on how to enable the power management functionality:  refer to user manual				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V, 50GHz, Total Harmonic Distortion <2 %				
Additional Notebook Battery Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
)					

., The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Τασυία μα στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistav/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.