

ECMA/TC38-TG3/2015/026 (Rev. 1 – 27 Feb 2019)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html			
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook computer					
Commercial name *	IdeaPad 5 Pro 16 AMD, IdeaPad Creator 5 16 AMD					
Model number *	82L5,82L6					
Issue date *	2021/3/24					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model num	ber * 82L	5,82L6	Logo	Lam			
Issue date *		2021/3/24			Lenovo		
	nvironmen	tal attributes - Legal requirements		Require		t met	
Item				Yes	No	n.a.	
		ubstances and preparations					
		comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\square			
C	comment: Le	not contain Asbestos (see legal reference). gal reference has no maximum concentration value.		\square			
h tr c	ydrobromofl ichloroethar oncentration		naximum				
te	erphenyl (PC	not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych T) in preparations (see legal reference).		\boxtimes			
С		not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ing at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	he 🔀			
(5	see legal ref	ect and prolonged skin contact do not release nickel in concentrations above (erence). ax limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀			
P1.7* R	REACH Artic	e 33 information about substances in articles is available at (add URL or mail Ienovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):				
	latteries						
S	ymbol. Infori	contains a battery or an accumulator, the battery/accumulator is labeled with nation on proper disposal is provided in user manual. (See legal reference)	•	\boxtimes			
	atteries or a eference)	ccumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leg	al 🔀			
P2.3* B	atteries and	accumulators are readily removable. (See legal reference)		\boxtimes			
P3 C	conformity v	verification & Eco design (ErP)					
Т	he Declarati	s CE-marked to show conformance with applicable legal requirements (see legon of Conformity can be requested at (add link or e-mail address): lenovo.com/us/en/compliance/eu-doc	gal reference).				
P3.2* T		complies with the Eco design requirements for energy-related products,		\square			
	Required info	rmation is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration					
	roduct pac						
P5.1* P	ackaging a	nd packaging components do not contain more than 0,01% lead, mercur nromium by weight of these together.	y, cadmium a	ind 🔀			
u	sed (see leg	g materials are marked with abbreviations and numbers indicating the nature al reference).					
(5	see legal ref		/lontreal Proto	col 🔀			
	reatment: Le	gal reference has no maximum concentration values.					
		r recyclers/treatment facilities is available (see legal reference).					
i V. I III		r recycles a contract a contract is a valiable (see regarile of the).		\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

	Model number *	82L5,82L6 Logo	o 🗖	-		
	Issue date *	2021/3/24		.en	ovo	2_
Prod	uct environment	al attributes - Market requirements (See General NOTE GN below)				
	- Environme	ntal conscious design	Require	ement	met	
tem		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		thave to be treated separately are easily separable				_Ц
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>		<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly availab	ole tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		ype:PC+ABS+15%Talc Material type: PC+ABS Material type n materials of external electrical cables are PVC free.	: AL5052			
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		╧
			10.40/	<u> </u>		<u> </u>
P7.14	weight(polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retar chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts in 25% post-consumer recycled content.	rdants, and			
P7.15	i initou c	arcuit boards, PCBs (without components) are low halogen: allPCBs > 25 g are lo ad in IEC 61249-2-21. (See 1NOTE B2)	ow halogen		\square	
P7.16	Flame re Marking:	<pre>starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS<, >PC+ABS-TD15FR(40)<</pre>		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without compor PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	ients):	\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without components) > g ISO 1043-4: <i>FR(16)</i>	• 25 g	\boxtimes		
P7.18	concentr	ame retarded plastic parts > 25 g contain the following flame retardant substances/prepations above $0,1\%$:	parations in	\boxtimes		
	2. Chem	ical name: BDP , CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "		\boxtimes		
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: F	'R(40)			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have the following Risk phrases: <i>No signal word</i> and Hazard statements: <i>H411</i>				
	67/548/E	rce(s) for these classifications is/are found at (add URL(s)): <i>European Council Direct</i> EC (See note B5)	tive			
P7.20	* Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t a pe	it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calc ercentage of total plastic by weight) is 2.0%.	ulated as			
	or b) The	e weight of recycled material is 6.9 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *	82L5,82L6 2021/3/24	Logo	Len	ovo) _
Product environm	nental attributes - Market requirements (continued)		Requi	remer	nt met
Item			Yes	No	n.a.

	Material and sub	stance requirements	(continued)					
P7.21*			d in the product (See N	OTE B7):				
	a) Of total plasti total plastic b or	c parts' weight > 25 g	·		ated as a percentage of			
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8	Batteries							
P8.1*	Battery chemical composition: <i>Lithium ion</i>							
P9		tion (See NOTE B8)			.			
P9.1			ls or energy consumpti					
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On	n-max)	95 W	95 W	95 W	Full load			
<u>Catego</u>	ry 2							
Short Idl Enabled	e State - WOL	5.45W	5.64W	5.66W	Use for ENERGY STAR V8.0 registration (P _{idle})			
Long Idle Enabled	e State - WOL	3.35W	3.47W	3.19W	Use for ENERGY STAR V8.0 registration (P _{idle})			
Sleep (S3	3) - WOL Enabled	3.37 W	3.36 W	3.15 W	Use for ENERGY STAR V8.0 registration			
Sleep (S3	3) - WOL Disabled	3.37 W	3.36 W	3.15 W	Use for ENERGY STAR V8.0 registration			
Off (S5) -	WOL Enabled	0.31 W	0.32 W	0.39 W	Use for ENERGY STAR V8.0 registration			
Off (S5) - WOL Disabled		0.31 W	0.32 W	0.39 W	Use for ErP			
		W	W	W	Reference			
Peak (On	n-max)	135 W	135 W	135 W	Full load			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

		1	1			
Categor	<u>ry2</u>					
Short Idle Enabled	State - WOL	5.48 W	5.71 W	5.76 W	Use for ENERGY STAR V8.0 registration	
Long Idle Enabled	State - WOL	3.43 W	3.55 W	3.24 W	Use for ENERGY STAR V8.0 registration	
Sleep (S3)) - WOL Enabled	3.42 W	3.44 W	3.21 W	Use for ENERGY STAR V8.0 registration	
Sleep (S3)) - WOL Disabled	3.42 W	3.44 W	3.21 W	Use for ENERGY STAR V8.0 registration	
Off (S5) -	WOL Enabled	0.39 W	0.38 W	0.42 W	Use for ENERGY STAR V8.0 registration	
Off (S5) -	WOL Disabled	0.39 W	0.38 W	0.42 W	Use for ErP	
		W	W	W	Reference	
EPS No-Io (External power	supply / charger plugged in the	0.062 W	0.065 W	0.134 W		
wall outlet but dis	sconnected from the product.)	W	W	W		
	ergy Consumption					
ETEC * Annual En	ergy Consumption	28.75 kWh/year	29.49 kWh/year	28.18 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$ + $P_{sleep} \times 0.35$ + $P_{long_ldle} \times 0.10$ + $P_{short_ldle} \times 0.30$	
<u> </u>				<u> </u>	Ied; P _{idle} : Idle State - WOL Enabled	
	11.2	ncy Level (Internationa	al Efficiency Marking P	rotocol) * : VI		
	solution * : 2560*13					
		ave mode: 30 minutes				
P9.2*		t the energy save funct	ion is provided with th	e product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
D (0, 1		– Declared according t	o ISO 9296 (See NOT			
P10.1	Mode Idle	Mode description * System Idle		* 2.8	nit A-weighted sound power level, <i>L_{WA,c}</i> (B)	
				* 4.1		
	Operation	* CPU;Operation				
o alor mouo		<i>Declared A-weighted sour</i> L _{pAm}	nd pressure level (dB)	19 (operator position desktop – idle)		
	Other mode	<i>Declared A-weighted sour</i> L _{pAm}	nd pressure level (dB)	35 (operator position desktop – operating)		
	Measured accord	ing to: 🔀 ISO 7779 [Other	ECMA-74 (only if not covered b	by ECMA-74)		

Model nu	mber *	82L5,82L6			Log	0	1000	110	
Issue dat	e *	2021/3/24					Lenovo		
Product	environ	nental attribute	s - Market requirements (continued)			Require	ement	met
ltem							Yes	No	n.a.
		magnetic emissio							
P10.4	program	(s): MPR-II(3 pin A		cy electromagnetic field	s of the following	g voluntar	y 🖂		
P12		mics for computin	V 1						
P12.1*	The disp	play meets the ergo	pnomic requirements of ISO 92	241-307 for visual displa	ay technologies.		\square		
P12.2*	The phy	sical input device r	neets the requirements of ISC	9995 and ISO 9241-41	0.		\boxtimes		
P13	Packaging and documentation								
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): w/ ODD:0.32kg w/o ODD 0.37kg Product packaging material type(s): Polyethylene Cushions weight (kg): 0.17kg Product packaging material type(s): Others weight (kg): w/o ODD:0.075kg w/ODD:0.32kg								
P13.2*			kaging is free from PVC.				\boxtimes		
P13.3*		duct primary corru	gated fiberboard packaging, content: 70 %	specify the contained	percentage of n	ninimum p	oost-		
P13.4*		media for user and ronic, 🔀Paper, 🗌	product documentation (tick l	box):					
P13.5	User and		item if paper documentation un tation on paper media is chlo						
		hlorine-free al chlorine-free							
	Process	ed chlorine-free					Ē		
P14	Volunta	ry programs							
P14.1			uirements of the following volu	intary program(s):					
	ENERG	Y STAR®	Criteria version: 8.0	Date: 2021/2/25	Product cated	orv: 2			
	Eco-labe	el:	Criteria version:	Date:	Product categ	ory:			
	Eco-labe		Criteria version:	Date:	Product categ	ory:			
P15		nal information (S	,						
P9	Energy	consumption of s	pecific configuration may v	ary; description of the	tested produc	t configui	ration:		
	informat knowled	ion contained in th ge available at the l here is approxima	representations, guarantees, is document. All information p time of completion, and supp ate and provided for informatic	rovided by supplier in th ier shall have no obliga	is document is p tion to update su	provided b thich inform	ased on sup ation. The in	plier's formati	on
P9	See Ene	ergy Star Qualified	Notebooks & Tablet Compute index.cfm?fuseaction=find_a_			=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 5 Pro 16 AMD IdeaPad Creator 5 16 AMD	Logo
Model Number	82L5,82L6	Longua
Issue Date	2021/3/24	Lenovo
Additional information		

(d)	Year of manufacture:				2020		
e)	Etec value (kWh) per ErP Lot 3 Cates disabled and if the system is tested w				cards (dGfx) are		
f)	Etec value (kWh) per ErP Lot 3 Categ enable	ory and capability adjus	tments applied when a	II discrete graphics of	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	1024GB		1024			
ents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)		
adjustm iring tes	Discrete television tuner	NO (Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)		
cap app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	YES #: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	NA		G6			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	19.68		19.89			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);			•	5.76		
(h)	Sleep mode power demand (Watts);				3.21		
i)	Sleep mode with WOL enabled power	demand (Watts) (where	enabled);		NA		
(j)	Off mode power demand (Watts);				0.42		
(k)	Off mode with WOL enabled power de	mand (Watts) (where en	abled);		NA		
(I)	Internal power supply efficiency at 10	%, 20 %, 50 % and 100	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
(m)	External power supply efficiency (if ap	plicable)*:					
	Average active efficiency: 95W:91.21%,93.10%,91.96;135W:93.06%,94.03%,93.19%						
(0)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles						
(p-1)	Measurement methodology used to de	termine information mer	ntioned in points (I) - it	nternal PSI Lefficiency	-		

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3) Measurement meth	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:						
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
	IEC 62623						
(q) Sequence of steps	for achieving a stable condition with respect to power	demand::					
	Power on -> Wait 5 minutes -> Stable co.	ndition					
(r) Description of how	sleep and/or off mode was selected or programmed:						
	Begin menu -> Power -> Select sleep or c	off mode					
(s) Sequence of events off mode: NA	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
	ate condition before the computer automatically response to the applicable power demand requirements of the ap	• •	30min				
(u) Length of time after	er a period of user inactivity in which the compute wer power demand requirement than sleep mode (ir	r automatically reaches a power	NA				
	ore the display sleep mode is set to activate after		10min				
(w) Information on the e	energy-saving potential of power management functio	nality:Refer to User Guide					
(x) User information on	how to enable the power management functionality:	Refer to User Guide					
	measurements: — test voltage in V and frequency in y system, — information and documentation on the in esting:						
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4	4, IEC62301					
Additional Notebook Batte	ry Information:						
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{^{1)}}$						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:	Other:						
Additional information							
	продукт не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios.	пи.					
Brugeren kan ikke uden videre udskifte ba		vorden					
asutajad ei saa selle toote akut/akusid is	e hõlpsasti asendada.	veruen.					
l μπαταρία[-ες] στο προϊόν αυτό δεν μπο a/les batterie(s présente(s) dans ce proc	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs et	ux-mêmes.					
korisnik ne može lako zamijeniti Bateriju :							
	UT DUDIDUSSUIU ESSELE IZUITTETILE SUSTITUTE/LE UZITUEITLE.						

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'uter Lietotăji paŝi nevar nomainit ŝă rażojuma akumulatoru(-us). Ŝio gaminio baterijos (bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f dan iI-prodott ma tistax/jisgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Litztkownik nie może sam w latwu sopsób wumienić baterii w tym produkcie

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Užytkownik nie može sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tămân tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa. Det ăr inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.