

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		enovo
e-mail address	Alvin L Carter		
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html	
Additional information	The latest version of this document can be found at:		
http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *							
Commercial name *	Pad Flex 3 Chromebook 11						
Model number *	82HG						
Issue date *	2020-7-27						
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Item           P1         H           P1.1*         P           P1.2*         P           P1.3*         P           P1.3*         P           P1.4*         P           P1.5*         P           P1.6*         P           P1.7*         R           P2         B	Hazardo Products Products Commern Products hydrobro trichloroe concentr Products terpheny Products chain cor Parts wit	2020-7-27 mental attributes - Legal requirements us substances and preparations do comply with current European RoHS Directive. (See legal reference and NOTE do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle thane, methyl bromide (see legal reference). Comment: Legal reference has no ma ation values. do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychle (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon taining at least 48% per mass of chlorine in the SCCP (see legal reference).	B1) oride, 1,1,1- aximum	Lenc Require Yes X	ment m	net n.a.
Item           P1         H           P1.1*         P           P1.2*         P           P1.3*         P           P1.3*         P           P1.4*         P           P1.5*         P           P1.6*         P           P1.7*         R           P2         B	Hazardo Products Products Commen Products hydrobro trichloroe concentr Products terpheny Products chain cor Parts wit	us substances and preparations do comply with current European RoHS Directive. (See legal reference and NOTE do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle thane, methyl bromide (see legal reference). Comment: Legal reference has no ma ation values. do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlor (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo	oride, 1,1,1- aximum	Yes		
P1         H           P1.1*         P           P1.2*         P           P1.3*         P           P1.3*         P           P1.4*         P           P1.5*         P           P1.6*         P           P1.6*         P           P1.7*         R           P2         B	Products Products Commen Products hydrobro trichloroe concentr Products terpheny Products chain con Parts wit	do comply with current European RoHS Directive. (See legal reference and NOTE do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle thane, methyl bromide (see legal reference). Comment: Legal reference has no ma ation values. do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlor (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo	oride, 1,1,1- aximum		No n	n.a.
P1.1* P P1.2* P P1.3* P P1.3* P P1.4* P P1.5* P P1.6* P (s C P1.7* R P2 B	Products Products Commen Products hydrobro trichloroe concentr Products terpheny Products chain con Parts wit	do comply with current European RoHS Directive. (See legal reference and NOTE do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle thane, methyl bromide (see legal reference). Comment: Legal reference has no ma ation values. do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlor (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo	oride, 1,1,1- aximum			
P1.2* P C P1.3* P 1.3* P P1.4* P P1.5* P P1.5* C P1.6* P (s C P1.7* R P2 B	Products Commen Products hydrobro trichloroe concentr Products terpheny Products chain con Parts wit	do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle thane, methyl bromide (see legal reference). Comment: Legal reference has no ma ation values. do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlor (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo	oride, 1,1,1- aximum			
P1.3* P P1.3* P P1.4* P P1.5* P P1.5* P C P1.6* P (s C P1.7* R h P2 B	Commen Products hydrobro trichloroe concentr Products terpheny Products chain con Parts wit	t: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlo thane, methyl bromide (see legal reference). Comment: Legal reference has no ma ation values. do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlo (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo	aximum			
h tr P1.4* P P1.5* P P1.5* P C P1.6* P (s C P1.7* R h P2 B	hydrobro trichloroe concentr Products terpheny Products chain con Parts wit	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlo thane, methyl bromide (see legal reference). Comment: Legal reference has no ma ation values. do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlo (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo	aximum			
te           P1.5*         P           C         C           P1.6*         P           (s         C           P1.7*         R           h         P           P2         B	terpheny Products chain cor Parts wit	(PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo	orinated	$\boxtimes$		
C P1.6* P (s P1.7* R h P2 B	<u>chain cor</u> Parts wit					
(s C P1.7* R h P2 B			on atoms in the	e 🔀		
P1.7* R <i>h</i> P2 B	, U	n direct and prolonged skin contact do not release nickel in concentrations above 0, I reference). t: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week	( 🔀		
	REACH	Article 33 information about substances in articles is available at (add URL or mail c ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\boxtimes$		
P2.1* If	Batteries					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with th nformation on proper disposal is provided in user manual. (See legal reference)	ne disposal	$\boxtimes$		
	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmi	ium. (See lega	I 🛛		
P2.3* B	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3 C	Conform	ity verification & Eco design (ErP)				_
P3.1* T	The prod	uct is CE-marked to show conformance with applicable legal requirements (see lega aration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance		$\square$		
		uct complies with the Eco design requirements for energy-related products, I reference).		$\boxtimes$		
R	Required	information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/ed	co-declaration	$\square$		
P5 P	Product	packaging	22 30010101011			
P5.1* P	Packagir	g and packaging components do not contain more than 0,01% lead, mercury, nt chromium by weight of these together.	, cadmium an	d 🔀		
P5.2* T	The pack	aging materials are marked with abbreviations and numbers indicating the nature or e legal reference).	of the material(s	s) 🔀		
P5.3* T (s	The prod (see lega	uct packaging material is free from ozone depleting substances as specified in the M I reference). t: Legal reference has no maximum concentration values.	lontreal Protoco	ol 🔀		
		t information				
		on for recyclers/treatment facilities is available (see legal reference).				-

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82HG	Logo	Lon		
Issue da	te *	2020-7-27		Len	ovc	<b>D</b> <sub>TM</sub>
Product		mental attributes - Market requirements (See General NOTE GN				
		nmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			╶╞╡╴	╶╞╡╴
P7.3*		arts > 100 g consist of one material or of easily separable materials.			⊢⊢	╞
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	Ħ
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ħ	Ħ
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	Upgradin	g can be done using commonly available tools				
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service is	s available after end of production for: 5 years				
		and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: PC/ABS Material type: Materia	al type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, an	d		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🗌 d in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	$\square$	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<		$\square$		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Brominated epoxy</i> 8-7				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			$\square$
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: BPADP CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	n 🔀		
		cal name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		— Ħ		
	assigned	the following Risk phrases; and Hazard statements:				
	The sour	ce(s) for these classifications is/are found at (add URL(s)): , (S	See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of to a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <b>3.2%</b> . weight of recycled material is <b>16.4</b> g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82HG	Logo	
Issue date *	2020-7-27		Lenovo

Item

Product environmental attributes - Market requirements (continued)

Requirement met Yes No n.a.

	Material and sub	stance requirements	s (continued)			
P7.21*			ed in the product (See N	IOTE B7):		
P7.22*		free from mercury, i.e specify: Number of la	. less than 0,1 mg/lamp imps: and maxin	o. num mercury content p	er lamp: mg	
P8	Batteries					
P8.1*	Battery chemical	composition: Lithium	ion			
P9	Energy consum	otion (See NOTE B8)				
P9.1	For the product the	e following power leve	els or energy consumpt	ions are reported:		
Energy m		Power level at 100 V AC	Power level at <b>115</b> V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On	n-max)	<b>45</b> W	<b>45</b> W	<b>45</b> W	Full load	
<u>Catego</u>	ory 11-					
Short Idle Enabled	e State - WOL	3.3 W	3.3 W	3.3 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )	
Long Idle Enabled	e State - WOL	1.4 W	1.4 W	1.4 W	Use for ENERGY STAR V8 registration	
Sleep (S3	3) - WOL Disabled	0.5 W	0.5 W	0.5 W	Use for ENERGY STAR V8 registration	
Off (S5) -	- WOL Disabled	0.4 W	0.4 W	0.4 W	Use for ENERGY STAR V8 registration Use for ErP	
EPS No-le (External power wall outlet but d	oad er supply / charger plugged in the disconnected from the product.)	0.02 W	0.02 W	0.02 W		
PTEC * Typical Fi	nergy Consumption	<b>22.7</b> W	<b>22.7</b> W	22.7 W		
ETEC *	nergy Consumption	12.3 kWh/year	<b>12.3</b> kWh/year	12.3 kWh/year	ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_ldle x 0.10+ Pshort Idle x 0.30)	
			/OL Enabled; P <sub>sleep</sub> : Slee			
External F	Power Supply Efficie	ncy Level (Internation	al Efficiency Marking Pr	rotocol) * : VI		
Display re	esolution * : <b>1366*76</b>	8 megapixels				
Default tir	me to enter energy s	ave mode: 30 minutes	;			
P9.2*			tion is provided with the	product.		
P9.3		class (monitors only):	•	•		
P10	Emissions	• • • • • • • • • • • • • • • • • • • •				
	Noise emission	- Declared according	to ISO 9296 (See NOT	E B9)		
P10.1	Mode	Mode description		Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub>		
	Idle	* System Idle		* 2.8		
		* CPU;Operation		* 2.8		
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p{\sf A}}$	m 17.6 (operator pos	ition desktop – idle)	
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{pA}$	m 17.5 (operator pos	ition desktop – operating)	
	Measured accord	ing to: 🔀 ISO 7779 [ Other	ECMA-74 (only if not covered b			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	nber *	82HG		Logo				
Issue date	) *	2020-7-27			Leno	Lenovo		
Product	environi	ental attributes - Market requirer	nents (continued)		Require	ment	me	
Item					Yes	No	n.a	
		agnetic emissions						
P10.4	Comput program	r display meets the requirement for low s):	frequency electromagnetic fields	of the following volunta	ary		$\square$	
P12	Ergono	nics for computing products						
P12.1*	The disp	ay meets the ergonomic requirements o	of ISO 9241-307 for visual display	y technologies.	$\square$			
P12.2*	The phy	ical input device meets the requirement	s of ISO 9995 and ISO 9241-410	).	$\boxtimes$			
P13	Packag	ng and documentation						
P13.1*	Product	backaging material type(s): <i>carton</i> backaging material type(s): <i>paper</i> backaging material type(s): <i>EPE</i>	weight (kg): 0.242 weight (kg): 0.01002 weight (kg): 0.031					
P13.2*	Product	plastic primary packaging is free from P	/C.		$\square$			
P13.3*	For proc	uct primary corrugated fiberboard pack r recovered fiber content: 90%	kaging, specify the contained p	ercentage of minimum	post-			
P13.4*		nedia for user and product documentatic onic, XPaper, Other	on (tick box):					
P13.5	Ùser an	only complete this item if paper documer product documentation on paper media ease specify:						
	Totally o	llorine-free			$\boxtimes$			
		Il chlorine-free						
	Process	d chlorine-free			H			
P14	Volunta	y programs						
P14.1		uct meets the requirements of the follow	ving voluntary program(s):					
	ENERG Eco-labe Eco-labe		0 Date: 2020-7-28 Date: Date:	Product category: <i>I1</i> Product category: Product category:				
P15		al information (See NOTE B10)						
P9	Energy	consumption of specific configuration	n may vary; description of the	tested product config	uration:			
	NOTE: S informat knowled	upplier makes no representations, guara on contained in this document. All inform le available at the time of completion, ar here is approximate and provided for in	antees, assurances or warranties nation provided by supplier in this nd supplier shall have no obligati	whether express or im s document is provided on to update such infor	plied, regardin based on supp mation. The int	olier's formati	ion	
P9	See Ene	gy Star Qualified Notebooks & Tablet C w.energystar.gov/index.cfm?fuseaction=						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Flex 3 CB 11M735	Logo
Model Number	82HG	
Issue Date	2020-7-27	Lenovo
Additional information		

P7.1.1	Product environmental attributes				
(d)	Year of manufacture:				2018
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	0 1			cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4GB			
lents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				4.26
(h)	Sleep mode power demand (Watts);				0.85
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
(j)	Off mode power demand (Watts);				0.43
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 86.08%,83.4	0%,88.86%,82.91%			
(0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300
(p-1)	Measurement methodology used to dete	ermine information mer N/A	ntioned in points (I) – ir	nternal PSU efficiency:	

(p-2)		Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:					
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623						
(q)	Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand: Power on -> Wait 5 minutes -> Stable condition						
(r)	Description of how s	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode						
(s)	Sequence of events off mode:	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: <i>NA</i>						
(t)		te condition before the computer automatically re- s not exceed the applicable power demand requirem		30min				
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):							
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):							
(w)	Information on the e	nergy-saving potential of power management functio <i>Refer to User Guide</i>	nality:					
(x)	User information on	how to enable the power management functionality: <i>Refer to User Guide</i>						
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:						
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	4, IEC62301					
Additio	nal Notebook Batter	y Information:						
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{^{1)}}$						
Internal	/built-in Battery							
Externa	l/detachable Battery							
Bios Ba	ickup Battery							
Other:								
Addition	nal information							
)								

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wywienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.