

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs			
e-mail address	Alvin L Carter		enovo	
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html		
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo IdeaPad S540-13, Lenovo Xiao Xin Pro-13 2020/Pro-13S 2020				
Model number *	82DL, 82DM, 82EK				
Issue date *	2020-4-28				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82DL, 82DM, 82EK Logo			
Issue da	ite *	2020-4-28	Lene		TM
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met
ltem			Yes	No	n.a.
P1	Hazardo	bus substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /I (PCT) in preparations (see legal reference).	\square		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	•		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal e)	\square		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conforr	nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at: <i>https://www.lenovo.com/us/en/compliance/eu-doc</i>			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	· ·	d information is; given in item P15 or added to this document,	\boxtimes		
DE	Duedres	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5.1*		t <mark>packaging</mark> ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an			
-	hexaval	ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(se legal reference).			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		nt information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82DL, 82DM, 82EK	Logo			
Issue dat	te *	2020-4-28		Len	ovo	
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	· ·	Require	ment	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		\square		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\square		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools		⊢⊢	-#-
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			⊢⊢	╞
17.0						
P7.7*	Product	ing can be done e.g. with processor, memory, cards or drives				
P7.8*					─────	<u> </u>
		ng can be done using commonly available tools		\boxtimes		<u> </u>
P7.9		arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40		type: plastics(PMMA) Material type: AL				
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		<u> </u>
P7.13		n materials of internal electrical cables are PVC free.			\mathbf{X}	
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, an	d 🗖		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🧕 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	\square	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4.		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c				
	TBBF 26265-0	PA (additive),TBBPA (reactive) (See NOTE B3), ⊠Other: <i>Brominated Epoxy</i> 8-7	Resins, CAS #:	\square		
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18	concentr Comm	etarded plastic parts >25g contain the following flame retardant substance ations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: <i>Oligomeric phosphorous compound</i> CAS #: <i>confidential</i>	s/preparations i	n 🔀		
	Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				\boxtimes
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: rec(s) for these classifications is/are found at (add URL(s)): <i>European Cour</i> (See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 6.2% .	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82DL, 82DM, 82EK	Logo	
Issue date *	20020-4-28		Lenovo.
Product environ	mental attributes - Market requirements (continued)		Requirement met

Item

Yes No n.a.

	Material and su	bstance requirements	(continued)			
P7.21*		material content is use		NOTE B7):		
	-			·		
P7.22*		e free from mercury, i.e d specify: Number of la		o. num mercury content p	er lamp: mg	
P8	Batteries					
P8.1*	Battery chemical	composition: LI-ION F	olymer			
P9		ption (See NOTE B8)				
P9.1		he following power leve				
Energy m		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On	i-max)	65 W	65 W	65 W	Full load	
<u>Catego</u>	ry 2					
Short Idle Enabled	e State - WOL	5.76 W	5.68W	5.79W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Long Idle Enabled	e State - WOL	0.55 W	0.55 W	0.57 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Sleep (S3	3) - WOL Disabled	0.55 W	0.58 W	0.58 W	Use for ENERGY STAR V8.0 registration(P _{sleep})	
Off (S5) -	WOL Disabled	0.31 W	0.30 W	0.33 W	Use for ENERGY STAR V8.0 registration(P _{off}) Use for ErP	
EPS No-le (External power wall outlet but d	oad er supply / charger plugged in th disconnected from the product.)	e 0.065 W	0.067 W	0.067 W		
PTEC *	nergy Consumption	W	W	W		\boxtimes
ETEC * Annual Er	nergy Consumption	18.02 kWh/year	17.84 kWh/year	18.22 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25) + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$	
					led; Pidle: Idle State - WOL Enabled	
External F	Power Supply Efficie	ency Level (Internation	al Efficiency Marking P	rotocol) * : ٧		
Display re	esolution * : <mark>4.096</mark> n	negapixels				
Default tir	me to enter energy	save mode: 10 minutes	;			
P9.2*	Information about	t the energy save func	tion is provided with the	e product.		$\overline{\Box}$
P9.3	Energy efficiency	/ class (monitors only):				
P10	Emissions	•				
	Noise emission	- Declared according	to ISO 9296 (See NOT	E B9)		
P10.1	Mode	Mode description			nit A-weighted sound power level, $L_{WA,c}$	(B)
	Idle	* SSD:Idle		* 2.8		
	Operation	* SSD: Operating		* 4.6		
	Other mode	Declared A-weighted sou	nd pressure level (dB) L_{pA}	m 24.8 (operator pos	ition desktop – idle)	
	Other mode	Declared A-weighted sou	nd pressure level (dB) L_{pA}	m 36.1 (operator pos	ition desktop – operating)	
	Measured accord	ding to: 🔀 ISO 7779 Other	ECMA-74 (only if not covered b	v ECMA-74)		
			· · · ·	. /		

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	Imber *	82DL 82DM,	B2EK		Logo			
Issue dat	te *	2020-4-28				Lene	ovc	тм
Product	environ	mental attribu	tes - Market requirements (continued)		Requir		met
Item						Yes	No	n.a.
		magnetic emiss						
P10.4	program	i(s): MPR-II(3 pi	the requirement for low frequen a AC adapter only)	cy electromagnetic field	is of the following vol	untary 🔀		
P12		mics for compu						
P12.1*			gonomic requirements of ISO 92					
P12.2*	The phy	sical input devic	e meets the requirements of ISC	9995 and ISO 9241-4	10.	\boxtimes		
P13	Packag	Packaging and documentation						
P13.1*	Product Product	Product packaging material type(s): CARTON weight (kg): 0.313 Product packaging material type(s): paper(manual) weight (kg): 0.05 Product packaging material type(s): corner paper weight (kg): 0.025 Product packaging material type(s): EPE weight (kg): 0.084						
P13.2*			ackaging is free from PVC.			\boxtimes		
P13.3*			rugated fiberboard packaging, er content: 100 %	specify the contained	percentage of minim	num post-		
P13.4*		media for user a ic 🔀, Paper 🔀	nd product documentation (tick I , Other	box):				
P13.5	Ùser an		is item if paper documentation u entation on paper media is chlo			\boxtimes		
	Element	chlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The pro	duct meets the re	equirements of the following volu	intary program(s):				
	Eco-lab Eco-lab	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020/4/2 Date: Date:	Product category: Product category: Product category:	2		
P15			(See NOTE B10)					
P9			f specific configuration may v					
	informat knowled	ion contained in ge available at t here is approxi	to representations, guarantees, this document. All information p ne time of completion, and supp mate and provided for informatic	rovided by supplier in th lier shall have no obliga	nis document is proviention to update such in	ded based on sup nformation. The i	oplier's nformat	tion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Compute vv/index.cfm?fuseaction=find_a_)		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad S540-13ARE, Lenovo 小新 Pro-13 2020, Lenovo 小新 Pro-13S 2020	Logo
Model number *	82DL, 82DM, 82EK	
Issue date *	2020-4-28	Lenovo
Additional information		

(d)	Year of manufacture:				2020
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ients sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability ∈ lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	3.74			
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);		1	1	A : 0.57
(h)	Sleep mode power demand (Watts);				A: 0.58
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA
(j)	Off mode power demand (Watts);				A : 0.33
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		NA
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 90.44%; 89.7	1%;90.15%			
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300CYCLE
(p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – ir	nternal PSU efficiency	

(p-2)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo						
(p-3)	Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology						
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: <i>EN 62623:2013 measurement methodology</i>						
(q)	Sequence of steps for	or achieving a stable condition with respect to power EN 62623:2013 measurement methodo						
(r)	Description of how s	Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology						
(s)	off mode:	required to reach the mode where the equipment au er to power management, 30mins automatically re						
(t)		te condition before the computer automatically re-		30				
(u)	Length of time after	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):							
(w)		nergy-saving potential of power management functio refer to user manual		10				
(x)	User information on	how to enable the power management functionality: refer to user manual						
(Z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits					
Additio	nal Notebook Batter	y Information:						
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/	built-in Battery	\boxtimes						
	l/detachable Battery							
	ckup Battery							
Other:								
Addition	al information							
ne battery[ie кумулаторна as baterías d	ата[ите] батерия[и] в този п le este producto no pueden s	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.					
		neměli provádět sami uživatelé. teriet/batterierne i dette produkt.						

- Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.
- Καντιά μαι εί saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.
- Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non puó/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátoráti a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji fdan il-prodott ma listax/jistgħux tiği/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.