

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address Alvin L Carter			Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Slim 7 15/Yoga Slim 7 15				
Model number *	82AA, 82AB, 82AC, 82AD, 82AE, 82AF				
Issue date *	2020-9-1				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

wodel n	umber *	82AA, 82AB, 82AC	C, 82AD, 82AE, 82AF Logo			
Issue da	ate *	2020-9-1		Lenovo		D
Produc	t environ	mental attributes	- Legal requirements	Require	ment	t met
Item				Yes	No	n.a.
P1		ous substances and				
P1.1*	Product	s do comply with curr	ent European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*			estos (see legal reference). as no maximum concentration value.	$\boxtimes$		
P1.3*	hydrobro trichloro	omofluorocarbons (H	ne Depleting Substances: Chlorofluorocarbons (CFC), BFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see leg	al reference).	ed skin contact do not release nickel in concentrations above 0,5 μg/cm²/week reference when tested according to EN1811:2011-5.			
P1.7*	REACH	Article 33 information	n about substances in articles is available at (add URL or mail contact): n/Lenovo-REACH-SVHC-Disclosure	$\square$		
P2	Batterie					
P2.1*	symbol.	Information on prope	ery or an accumulator, the battery/accumulator is labeled with the disposal er disposal is provided in user manual. (See legal reference)	$\boxtimes$		
P2.2*	Batterie: referenc		not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	$\boxtimes$		
P2.3*	Batterie	s and accumulators a	re readily removable. (See legal reference)	$\boxtimes$		
P3	Conform	nity verification & E	co design (ErP)			
P3.1*	The pro	duct is CE-marked to	show conformance with applicable legal requirements (see legal reference). y can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	$\boxtimes$		
P3.2*		duct complies with th al reference).	e Eco design requirements for energy-related products,	$\boxtimes$		
	Require	d information is;	given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	$\boxtimes$		
P5	Product	t packaging				
P5.1*	Packagi	ng and packaging o	components do not contain more than 0,01% lead, mercury, cadmium an ght of these together.	d 🔀		
P5.2*	The pac		marked with abbreviations and numbers indicating the nature of the material(s	;)		
P5.3*	The prod (see leg	duct packaging mater al reference).	ial is free from ozone depleting substances as specified in the Montreal Protoco as no maximum concentration values.	ol 🔀		
P6		ent information				
	Informat				_	_

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82AA, 82AB, 82AC, 82AD, 82AE, 82AF	Logo			
Issue da	te *	2020-9-1		Lenc		
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Requirem	ent m	et
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling		100	110	
P7.1*		t have to be treated separately are easily separable		$\square$		
P7.2*		naterials in covers/housing have no surface coating.			Ħ	Ħ
P7.3*		arts > 100 g consist of one material or of easily separable materials.			H	H
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			⊢⊢	+
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools		╞	+
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>
P7.0						
P7.7*	Product					
		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*	Upgrading can be done using commonly available tools					Ц.
P7.9	Spare parts are available after end of production for: 5 years					Ц_
P7.10	Service i					
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12	Material	type: >AL-5052)< Material type: >PC+ABS-(TD+MD)15FR(40) M	riai type: ><			
				<u> </u>		<u> </u>
P7.13		n materials of internal electrical cables are PVC free.	<del></del>			<u>Ц</u>
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flar chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	ne retardants,	, and 📩		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g 🔀 are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16		<pre>tarded plastic parts &gt; 25 g in covers / housings are marked according ISO 1043-4; &gt;PC+ABS-(TD+MD)15FR(40)&lt;</pre>				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>DOPO</b> , CAS #: <b>359</b> 4				
	accordin	nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:			$\square$	
P7.18	concentr 1. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substan- ations above 0,1%: ical name: <b>Confidential</b> , CAS #: <b>Confidential</b> (See NOTE B4) ical name: <b>Confidential</b> , CAS #: <b>Confidential</b>	ces/preparatio	ns in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				$\boxtimes$
P7.19	assigned	; parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	h have been			$\square$
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of t per or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter centage of total plastic by weight) is <b>2.4%</b> .	nt (calculated a	as a		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82AA, 82AB, 82AC, 82AD, 82AE, 82AF	Logo				
Issue date *	2020-9-1		Lenovo			
Product environmental attributes - Market requirements (continued) Requirement met						

Item

Requirement met Yes No n.a.

P7.21*BiobaP7.22*Light If meP8BattleP8.1*BattleP9EnerP9.1For tiEnergy mode *Peak (On-max)Category 2Short Idle State EnabledLong Idle State EnabledSleep (S3) - WOLEOff (S5) - WOLEOff (S5) - WOLEEPS No-load	based plastic m ht sources are finercury is used s teries tery chemical co ergy consumpt the product the he - WOL	ree from mercury, i.e. specify: Number of lar omposition: <i>Lithium I</i> tion (See NOTE B8) following power level Power level at 100 V AC 65 W	d in the product (See NC less than 0,1 mg/lamp. nps: and maximu	Im mercury content po	er lamp: mg
P7.22* Light If me P8 Batte P8.1* Batte P9 Ener P9.1 For ti Energy mode * Peak (On-max) Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WOL Off (S5) - WOL E EPS No-load	ht sources are finercury is used s teries tery chemical co ergy consumpt the product the e - WOL	ree from mercury, i.e. specify: Number of lar omposition: <i>Lithium I</i> tion (See NOTE B8) following power level Power level at 100 V AC 65 W	less than 0,1 mg/lamp. nps: and maximu on Is or energy consumptio Power level at 115 V AC	im mercury content po ns are reported: Power level at 230 V AC	er lamp: mg
If me         P8       Batter         P8.1*       Batter         P9       Ener         P9.1       For till         Energy mode *       Peak (On-max)         Category 2       Short Idle State         Short Idle State       Enabled         Long Idle State       Sileep (S3) - WOL         Off (S5) - WOL E       Off (S5) - WOL E         Off (S5) - WOL D       EPS No-load	e - WOL	specify: Number of lar composition: <i>Lithium I</i> tion (See NOTE B8) of following power level Power level at 100 V AC 65 W	nps: and maximu on Is or energy consumption Power level at 115 V AC	ns are reported: Power level at <b>230</b> V AC	er lamp: mg
P8     Batter       P8.1*     Batter       P9     Ener       P9.1     For t       Energy mode *       Peak (On-max)       Category 2       Short Idle State       Enabled       Long Idle State       Enabled       Sleep (S3) - WOL E       Off (S5) - WOL E       Off (S5) - WOL E	teries tery chemical or ergy consumpt the product the e - WOL	omposition: <i>Lithium I</i> tion (See NOTE B8) e following power level Power level at 100 V AC 65 W	on Is or energy consumptio Power level at 115 V AC	ns are reported: Power level at <b>230</b> V AC	Reference/Standard for energy
P8.1*       Battle         P9       Ener         P9.1       For t         Energy mode *       Peak (On-max)         Category 2       Short Idle State         Short Idle State       Enabled         Long Idle State       Enabled         Sleep (S3) - WOL       Off (S5) - WOL E         Off (S5) - WOL E       EPS No-load	tery chemical co ergy consumpt the product the e - WOL	tion (See NOTE B8) following power level Power level at 100 V AC 65 W	ls or energy consumptio Power level at 115 V AC	Power level at <b>230</b> V AC	
P9EnerP9.1For tillEnergy mode *Peak (On-max)Category 2Short Idle StateEnabledLong Idle StateEnabledSleep (S3) - WOLOff (S5) - WOL EOff (S5) - WOL EEPS No-load	ergy consumpt the product the e - WOL	tion (See NOTE B8) following power level Power level at 100 V AC 65 W	ls or energy consumptio Power level at 115 V AC	Power level at <b>230</b> V AC	
P9.1       For till         Energy mode *       *         Peak (On-max)       Category 2         Short Idle State       *         Enabled       *         Long Idle State       *         Enabled       *         Sleep (S3) - WOL       *         Off (S5) - WOL       *         Off (S5) - WOL       *         EPS No-load       *	e - WOL	following power level Power level at 100 V AC 65 W	Power level at 115 V AC	Power level at <b>230</b> V AC	
Energy mode * Peak (On-max) Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WOL Off (S5) - WOL E Off (S5) - WOL E	e - WOL	Power level at 100 V AC 65 W	Power level at 115 V AC	Power level at <b>230</b> V AC	
Peak (On-max) Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WOL Off (S5) - WOL E Off (S5) - WOL E EPS No-load	e - WOL	100 V AC 65 W	115 V AC	230 V AC	
Category 2 Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WOL Off (S5) - WOL E Off (S5) - WOL E EPS No-load	e - WOL		65 W	65 W	
Short Idle State Enabled Long Idle State Enabled Sleep (S3) - WOL Off (S5) - WOL E Off (S5) - WOL E EPS No-load					Full load
Enabled Long Idle State Enabled Sleep (S3) - WOL Off (S5) - WOL E Off (S5) - WOL E EPS No-load					
Enabled Sleep (S3) - WO Off (S5) - WOL E Off (S5) - WOL D EPS No-load		6.29 W	6.15 W	6.50 W	Use for ENERGY STAR 8.0 registration (P <sub>idle</sub> )
Off (S5) - WOL E Off (S5) - WOL E EPS No-load	e - WOL	2.94 W	2.89 W	3.08 W	Use for ENERGY STAR 8.0 registration (P <sub>idle</sub> )
Off (S5) - WOL E EPS No-load	OL Enabled	1.29 W	1.22 W	1.32 W	Use for ENERGY STAR 8.0 registration
EPS No-load	Enabled	0.37 W	0.36 W	0.39 W	Use for ENERGY STAR 8.0 registration
	Disabled	0.37 W	0.36 W	0.39 W	Use for ErP
(External power supply / ch wall outlet but disconnected	charger plugged in the	0.02 W	0.02 W	0.03 W	
PTEC * Typical Energy C		W	W	W	
ETEC * Annual Energy C	•	23.85 kWh/year	23.23 kWh/year	24.66 kWh/year	ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_ldle x 0.10+ Pshort_ldle x 0.30)
		Poff: Off Mode(S5) - We	OL Enabled; P <sub>sleep</sub> : Sleep	Mode(S3) - WOL Enabl	
External Power S	Supply Efficien	cy Level (Internationa	I Efficiency Marking Pro	tocol) * : <b>V/</b>	
Display resolution	on * : <b>1920 x 10</b>	080 megapixels			
Default time to er	enter energy sa	ve mode: 10 minutes			1
			on is provided with the	product.	
		lass (monitors only):			
	issions	· · · · · · · · · · · · · · · · · · ·			
		Declared according to	ISO 9296 (See NOTE	B9)	
P10.1 Mode		lode description			nit A-weighted sound power level, <i>L<sub>WA,c</sub></i> (B)
Idle	*	CPU:Idle		*2.9	
Oper	eration *	CPU: Operating		* 4.2	
Othe			<b>d pressure level (dB)</b> L <sub>p</sub> Am		ition desktop – idle)
Othe			d pressure level (dB) $L_{pAm}$		ition desktop – operating)
Meas		ng to: 🔀 ISO 7779 🗌 🗌 Other	ECMA-74 (only if not covered by	1	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model nu	umber *	82AA, 82AB, 8	2AC, 82AD, 82AE, 82AF			Logo			
Issue dat	te *	2020-9-1					Lenc		тн
Product	environr	nental attribu	tes - Market requirements (co	ontinued)			Require	ment	met
Item							Yes	No	n.a.
		nagnetic emiss							
P10.4	program	(s):	the requirement for low frequency	electromagnetic fields	s of the follo	wing volunt	ary		
P12	Ergono	nics for compu	ting products						
P12.1*	The disp	lay meets the er	gonomic requirements of ISO 924	1-307 for visual displa	y technolog	ies.	$\square$		
P12.2*	The phy	sical input device	e meets the requirements of ISO 9	995 and ISO 9241-41	0.		$\boxtimes$		
P13		ng and docume							
P13.1*	Product Product	packaging mate packaging mate	rial type(s): Corrugated carton rial type(s): paper(manuel) rial type(s): EPE cushion rial type(s): PE bag	weight (kg): 0.250 weight (kg): 0.066 weight (kg): 0.080 weight (kg): 0.013					
P13.2*	Product	plastic primary p	ackaging is free from PVC.				$\boxtimes$		
P13.3*		luct primary cor er recovered fibe	rugated fiberboard packaging, sp r content: %	ecify the contained p	ercentage	of minimun	n post-		
P13.4*		nedia for user a ronic, ⊠Paper,	nd product documentation (tick bo:	x):					
P13.5	Ùser and		is item if paper documentation use entation on paper media is chlorin						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	luct meets the re	equirements of the following volunt	ary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: <b>2020/09/07</b> Date: Date:	Product ca Product ca Product ca	ategory:			
P15			(See NOTE B10)						
P9			f specific configuration may var						
	informat knowled	on contained in ge available at tl here is approxi	to representations, guarantees, as this document. All information prov ne time of completion, and supplie mate and provided for informationa	/ided by supplier in thi r shall have no obligat	s document ion to updat	is provided	l based on sup rmation. The in	olier's format	ion
P9	See Ene	rgy Star Qualifie	d Notebooks & Tablet Computers v/index.cfm?fuseaction=find_a_pr	for the latest informati oduct.showProductGr	ion: oup&pgw_c	ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Slim 7 15/Yoga Slim 7 IMH05/15ITL05	Logo
Model Number	82AA, 82AB, 82AC, 82AD, 82AE, 82AF	
Issue Date	2020-9-1	Lenovo
Additional information		

(d)	Year of manufacture:				
(e)	<b>Etec value</b> (kWh) per ErP Lot 3 Catego <b>disabled</b> and if the system is tested with			• •	cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when <b>a</b>	all discrete graphics of	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				8GB
ients sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
-	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	No #: (Yes / No)
	Category of discrete graphics Card(s)				N/A
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				6.8
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				6.9
(g)	Idle state power demand (Watts);				3.01
(h)	Sleep mode power demand (Watts);				2.15
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
(j)	Off mode power demand (Watts);				0.43
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.57%,90.5	1%,91.67%,90.76%,90	0.19%,90.67%		
	*internal note: show values for all available external po				
(0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	800 cycle
(p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – ii	nternal PSU efficiency	

(p-2)		dology used to determine information mentioned in p rogram Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: <i>IEC</i> 62623	naximum, idle, sleep, off mode				
(q)	Sequence of steps for	or achieving a stable condition with respect to power Power on -> Wait 5 minutes ->Stable con					
(r)	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode						
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut NA	tomatically changes to sleep and/or				
(t)		te condition before the computer automatically re-		30min			
(u)	Length of time after	not exceed the applicable power demand requirement a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA			
(v)		re the display sleep mode is set to activate after		10min			
(w)							
(x)		now to enable the power management functionality: <i>Refer to User Guide</i>					
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits				
Addition	al Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>					
Internal/b	ouilt-in Battery						
External/	detachable Battery						
Bios Bac	kup Battery						
Other:							
Additiona	I information						
Aкумулаторна as baterías de /ýměnu baterie Brugeren kan il Der Akku/die A Kasutajad ei sa	та[ите] батерия[и] в този п este producto no pueden s //baterií v tomto výrobku by kke uden videre udskifte bat kkus dieses Produkts kann// a selle toote akut/akusid ise						
a/les batterie(s Korisnik ne mo	s présente(s) dans ce produ že lako zamijeniti Bateriju sa	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu im u ovom proizvodu. n puiò/nossono essere facilmente sostituita/e dall'utente	x-mêmes.				

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente Lietotăji paši nevar nomainit šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorati/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i milI-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Bateriu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterijbaterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tămăn tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.