



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo	1 . <u> </u>				
Contact information * e-mail address						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	Legion 5 17ITH6/H					
Model number *	82JN,82JM					
Issue date *	2021-4-19					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82JN,82JM	Logo	Long	N/6	
Issue date	e *	2021-4-19		Lenc	JVC	TH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/weel			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	I 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference). mail address	):		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	Required	d information is;				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium an	d 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature ( se legal reference).	of the material(s	s) 🔀		
P5.3*	The prod (see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In the control of the cont	Nontreal Protoc	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82JN,82JM Lo	go	Lend	21/0	
Issue da	te *	2021-4-19		Len		TH.
Droduct	environ	mental attributes - Market requirements (See General NOTE GN bel	ow)			
1 Todaci		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	<u> </u>	Disassembly, recycling		<u></u> _		
P7.1*		t have to be treated separately are easily separable			<u>Ц</u>	
P7.2*		naterials in covers/housing have no surface coating.			$\boxtimes$	
P7.3*		arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly availa	able tools.	$\boxtimes$		
P7.6*	Labels a	$\boxtimes$				
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Ц_	Ц_
P7.8*		ng can be done using commonly available tools		$\boxtimes$		<u>Ц</u>
P7.9		arts are available after end of production for: 3 years				
P7.10		s available after end of production for: 3 years				
D7.44*		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type:				
P7.12		n materials of external electrical cables are PVC free.			$\square$	
P7.13		n materials of internal electrical cables are PVC free.		$\dashv$		$\forall$
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromi	ine and 0.1%		$\overline{\Box}$	∺
7.14	weight (* polyvinyl	phasic cashigreover has 2.29 contain to more than 5,1% weight (1909 ppm) bronn 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame ret chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in par in 25% post-consumer recycled content.	ardants, and		Ш	
P7.15		circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ are ad in IEC 61249-2-21. (See 1NOTE B2)	low halogen		$\boxtimes$	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without cadditive),TBBPA (reactive) (See NOTE B3),Other: , CAS #:	components):			
		nemical specifications of flame retardants in printed circuit boards (without components) g ISO 1043-4: <i>FR(16)</i>	) > 25 g			
P7.18	concentr Comme	etarded plastic parts >25g contain the following flame retardant substances/pre ations above 0.1%: ent: No legal limits exist, this is a market requirement.	eparations in			
	2. Chem 3. Chem	ical name: Oligomeric phosphorous compound CAS #: Confidential ical name: CAS #: ical name: CAS #:				
	Alt. 2	ical name: , CAS #: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have the following Risk phrases; <b>Confidential</b> and Hazard statements: <b>H411; H413</b> ce(s) for these classifications is/are found at (add URL(s)): <b>European Council</b> 1				
P7.20*	Postcons If YES; a a) Of t a pe	sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (caercentage of total plastic by weight) is 0%.	alculated as			
Model nui		weight of recycled material is <b>0</b> g. <b>82JN,82JM Lo</b>	ao			
MOUEI IIUI	iiibei	02514,0251M	yu			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *	2021-4-19	1	enc	WC	
Product environmental attributes - Market requirements (continued) Requirement n					
Item			Yes	No	n.a.

			, d. B					
D7 24*		ostance requirements		OTE D7\:				
P7.21*	Biobased plastic	material content is used	d in the product (See No	JIEBI):				
	a) Of total plas				ated as a percentage of			
	or b) The weight of	of the biobased plastic i	material is a.					
P7.22*			less than 0,1 mg/lamp.					
		d specify: Number of lar	mps: and maxim	um mercury content pe				
P8	Batteries							
P8.1*	Battery chemical composition: LI-ION Polymer battery and lithium-metal battery							
P9		ption (See NOTE B8)						
P9.1 Energy mod		Power level at	ls or energy consumption  Power level at	Power level at	Reference/Standard for energy			
0,		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-r		230 W	230 W	<b>230</b> W	Full load			
Category	<u>/ 2</u>							
Short Idle : Enabled	State - WOL	19.97 W	20.34 W	21.57 W	Reference			
Long Idle State - WOL Enabled 6.99 W 7.31 W 7.45 W Reference				Reference				
Sleep (S3)	- WOL Enabled	0.70 W	0.77 W	0.90 W	Reference			
Sleep (S3) - WOL Disabled		0.70 W	0.77 W	0.90 W	Reference			
Off (S5) - WOL Enabled		0.44 W	0.43 W	0.45 W	Reference			
Off (S5) - WOL Disabled		0.44 W	0.43 W	0.45 W	Use for ErP			
EPS No-load		<b>0.113</b> W	<b>0.114</b> W	0.115W				
	upply / charger plugged in the connected from the product.)		144	144				
PTEC *	ergy Consumption	W	W	W				
ETEC *	ngy consumption	61.71 kWh/year	63.16 kWh/year	66.97 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$			
Annual Ene	ergy Consumption			•	+ P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+ P <sub>short_ldle</sub> x 0.30)			
- · · · · · · · · · · · · · · · · · · ·	0 1 5%				ed; P <sub>idle</sub> : Idle State - WOL Enabled			
		,	I Efficiency Marking Pro	otocol) * : VI				
	olution * : <b>2.074</b> me							
Default time		ave mode: 10 minutes						
P9.2*	Information about	t the energy save functi	on is provided with the	product.				
P9.3	Energy efficiency	class (monitors only):	<u> </u>					
P10	Emissions							
			o ISO 9296 (See NOTE					
P10.1		Mode description			it A-weighted sound power level, $L_{WA,c}$ (B)			
	Idle	* Idle (Operating)		* 2.7				
	Operation	* HDD:Operation CPU:Operation		* NA(No HDD) 5.1				
			d pressure level (dB) $L_{p{ m Am}}$		<u> </u>			
·	l		d pressure level (dB) $L_{p{\rm Am}}$	42.0 (operator posi	ition desktop – operating)			
	Measured accord	ling to: ISO 7779 L	ECMA-74  (only if not covered by	FCMA-74)				
Model nun	nber * 82JN.8		(Silly if flot covered by	LOWIN (17)	Logo			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Item	romagnetic emissions  outer display meets the requirement for low frequency electromagnetic fields of the following voluntary am(s): MPR-II(3 pin AC adapter only)  nomics for computing products  lisplay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  ohysical input device meets the requirements of ISO 9995 and ISO 9241-410.  aging and documentation  act packaging material type(s): corrugated weight (kg): 0.476  act packaging material type(s): paper(manual) weight (kg): 0.141  act packaging material type(s): PE weight (kg): 0.020  act packaging material type(s): PE weight (kg): 0.007  act packaging material type(s): EPE weight (kg): 0.153  act plastic primary packaging is free from PVC.	Require Yes	Ment No	n.a.
P10.4   Comprogr   P12   Ergo   P12.1*   The comprodr   P13.1*   Prodr   P13.2*   Prodr   P13.3*   For prodr   Const   P13.4*   Spec Elect	outer display meets the requirement for low frequency electromagnetic fields of the following voluntary am(s): MPR-II(3 pin AC adapter only)  momics for computing products  display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  Thysical input device meets the requirements of ISO 9995 and ISO 9241-410.  Thysical input device meets the requirements of ISO 9995 and ISO 9241-410.  The aging and documentation  The act packaging material type(s): corrugated weight (kg): 0.476  The act packaging material type(s): paper(manual) weight (kg): 0.141  The act packaging material type(s): PP weight (kg): 0.020  The act packaging material type(s): PE weight (kg): 0.007  The act packaging material type(s): EPE weight (kg): 0.153		No	n.a.
P10.4 Comprogr P12 Ergo P12.1* The c P12.2* The p P13 Pack P13.1* Produ P13.2* Produ P13.3* For p consi P13.4* Spec Elect	outer display meets the requirement for low frequency electromagnetic fields of the following voluntary am(s): MPR-II(3 pin AC adapter only)  momics for computing products  display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  Thysical input device meets the requirements of ISO 9995 and ISO 9241-410.  Thysical input device meets the requirements of ISO 9995 and ISO 9241-410.  The aging and documentation  The act packaging material type(s): corrugated weight (kg): 0.476  The act packaging material type(s): paper(manual) weight (kg): 0.141  The act packaging material type(s): PP weight (kg): 0.020  The act packaging material type(s): PE weight (kg): 0.007  The act packaging material type(s): EPE weight (kg): 0.153			
P12 Ergo P12.1* The c P12.2* The p P13 Pack P13.1* Produ Pro	am(s): MPŘ-II(3 pin AC adapter only)  momics for computing products  lisplay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  shysical input device meets the requirements of ISO 9995 and ISO 9241-410.  aging and documentation  uct packaging material type(s): corrugated weight (kg): 0.476  uct packaging material type(s): paper(manual) weight (kg): 0.141  uct packaging material type(s): PP weight (kg): 0.020  uct packaging material type(s): PE weight (kg): 0.007  uct packaging material type(s): EPE weight (kg): 0.153			
P12.1* The p P12.2* The p P13 Pack P13.1* Produ P13.2* Produ P13.3* For p consi P13.4* Spec Elect	display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  Substituting the substituting and documentation  aging and documentation  act packaging material type(s): corrugated weight (kg): 0.476  act packaging material type(s): paper(manual) weight (kg): 0.141  act packaging material type(s): PP weight (kg): 0.020  act packaging material type(s): PE weight (kg): 0.007  act packaging material type(s): EPE weight (kg): 0.153			
P12.2*         The p           P13         Pack           P13.1*         Produ           Produ         Produ           Produ         Produ           P13.2*         Produ           P13.3*         For p           consi         P13.4*           Spec         Elect	chysical input device meets the requirements of ISO 9995 and ISO 9241-410.  aging and documentation  uct packaging material type(s): corrugated weight (kg): 0.476  uct packaging material type(s): paper(manual) weight (kg): 0.141  uct packaging material type(s): PP weight (kg): 0.020  uct packaging material type(s): PE weight (kg): 0.007  uct packaging material type(s): EPE weight (kg): 0.153			
P13         Pack           P13.1*         Produ           Produ         Produ           Produ         Produ           P13.2*         Produ           P13.3*         For p           consi         P13.4*           Spec         Elect	aging and documentation uct packaging material type(s): corrugated weight (kg): 0.476 uct packaging material type(s): paper(manual) weight (kg): 0.141 uct packaging material type(s): PP weight (kg): 0.020 uct packaging material type(s): PE weight (kg): 0.007 uct packaging material type(s): EPE weight (kg): 0.153			
P13.1* Produ Produ Produ Produ Produ Produ P13.2* Produ P13.3* For produ P13.4* Spec Elect	uct packaging material type(s): corrugated weight (kg): 0.476 uct packaging material type(s): paper(manual) weight (kg): 0.141 uct packaging material type(s): PP weight (kg): 0.020 uct packaging material type(s): PE weight (kg): 0.007 uct packaging material type(s): EPE weight (kg): 0.153			
Produ Produ Produ Produ P13.2* Produ P13.3* For p consi P13.4* Spec Elect	uct packaging material type(s): paper(manual) weight (kg): 0.141  uct packaging material type(s): PP weight (kg): 0.020  uct packaging material type(s): PE weight (kg): 0.007  uct packaging material type(s): EPE weight (kg): 0.153			
P13.3* For p consi P13.4* Spec Elect	uct plastic primary packaging is free from PVC.			
consi P13.4* Spec Elect		$\boxtimes$		
Elect	roduct primary corrugated fiberboard packaging, specify the contained percentage of minimum posumer recovered fiber content: $100\ \%$	st-		
D12 E /DI	fy media for user and product documentation (tick box): onic ⊠, Paper ⊠, Other □			
User	se only complete this item if paper documentation used) and product documentation on paper media is chlorine-free: s, please specify:			
	y chlorine-free ental chlorine-free	$\boxtimes$		
Proce	essed chlorine-free			
P14 Volu	ntary programs			
P14.1 The p	roduct meets the requirements of the following voluntary program(s):			
Eco-l Eco-l	abel: Criteria version: Date: Product category:			
	tional information (See NOTE B10)			
	gy consumption of specific configuration may vary; description of the tested product configurat			
inforr know provi	E: Supplier makes no representations, guarantees, assurances or warranties whether express or implier nation contained in this document. All information provided by supplier in this document is provided base ledge available at the time of completion, and supplier shall have no obligation to update such informati ded here is approximate and provided for informational purposes only. See a Lenovo Account Represer nation.	ed on suppon. The in	olier's format	ion
	Energy Star Qualified Notebooks & Tablet Computers for the latest information:  'downloads.enerhttps://www.energystar.gov/products/office_equipment/computers			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 17ITH6/H	Logo	
Model number *	82JN,82JM		Lonovo
Issue date *	2021-4-19		Lenovo.
Additional information			

(d)	Year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	III discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		,	16	
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ibility a	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capal	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			22.73	
g)	Idle state power demand (Watts);	1	L	1	7.45
ר)	Sleep mode power demand (Watts);				0.90
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.90
)	Off mode power demand (Watts);				0.45
۲)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.45
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 230W:92.84%	%, 92.62%, 92.47% 17	70W: 92.53%, 92.77%	, 91.50%	
p)	*internal note: show values for all available external power supplies  Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):  300CYCLES				
p-1)	Measurement methodology used to dete	rmine information mer	tioned in points (I) – ir	nternal PSU efficiency	

	2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)						
(p-3) Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	oints (o) – loading cycles batteries:					
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
	IEC 62623						
(q) Sequence of steps for	or achieving a stable condition with respect to power	demand::					
	Power on -> Wait 5 minutes -> Stable con	ndition					
(r) Description of how s	eep and/or off mode was selected or programmed:						
	Begin menu -> Power -> Select sleep or o	ff mode					
(s) Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
	NA						
	te condition before the computer automatically re		30min				
(u) Length of time after	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  NA						
	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  10min						
	Refer to User Guide						
(x) User information on	now to enable the power management functionality:						
	Refer to User Guide						
the electricity supply	(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301					
Additional Notebook Batter	y Information:						
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							
)							

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.
Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.
Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.
Det är inte enkelt för kunden att själv byta ut batteriet/batteriema.
Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.