

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo |
|------------------------|---|---|
| Company name * | Lenovo | |
| Contact information * | Lenovo Global Environmental Affairs | ODOV/O |
| e-mail address | Alvin L Carter | Lenovo |
| | alcarter@lenovo.com | and the second second second second second second |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html |
| Additional information | The latest version of this document can be found at: | |
| | http://www.lenovo.com/ecodeclaration | |

| The company declares (| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | | |
|--------------------------|--|--|--|--|--|--|--|
| conforms to the statemer | conforms to the statements given in this declaration. | | | | | | |
| Type of product * | Notebook | | | | | | |
| Commercial name * | Legion 5 Pro 16 | | | | | | |
| Model number * | 82JQ | | | | | | |
| Issue date * | 2021-1-19 | | | | | | |
| Intended market * | 🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other | | | | | | |
| Additional information | | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model n | umber * | 82JQ | Logo | Low | | |
|----------|------------------------|--|---------------|-------------|-----|------------|
| lssue da | te * | 2021-1-19 | | Lend | ove |) _ |
| Produc | t environ | mental attributes - Legal requirements | | Require | | t met |
| Item | | | | Yes | No | n.a. |
| P1 | | us substances and preparations | | | | |
| P1.1* | Products | do comply with current European RoHS Directive. (See legal reference and NOTE | B1) | \square | | |
| P1.2* | Commer | i do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value. | | \square | | |
| P1.3* | hydrobro trichloroe | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values. | | | | |
| P1.4* | terpheny | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference). | | \boxtimes | | |
| P1.5* | chain co | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | | | | |
| P1.6* | (see lega | h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5. | ,5 μg/cm²/we | eek 🔀 | | |
| P1.7* | REACH | Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | contact): | \square | | |
| P2 | Batterie | S | | · · · | | |
| P2.1* | | duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference) | he disposal | \boxtimes | | |
| P2.2* | Batteries | or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme) | nium. (See le | gal 🔀 | | |
| P2.3* | Batteries | and accumulators are readily removable. (See legal reference) | | \boxtimes | | |
| P3 | Conforn | nity verification & Eco design (ErP) | | | | |
| P3.1* | The proc | luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar | |). | | |
| P3.2* | | luct complies with the Eco design requirements for energy-related products, al reference). | | \boxtimes | | |
| | · • | I information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e | oo doolaratic | | | |
| P5 | Product | packaging | | | | |
| P5.1* | | g and packaging components do not contain more than 0,01% lead, mercury | / cadmium | and 🔀 | | |
| | | ent chromium by weight of these together. | , suumum | | | |
| P5.2* | The pacl | kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference). | of the materi | al(s) 🔀 | | |
| P5.3* | (see lega | luct packaging material is free from ozone depleting substances as specified in the N al reference). it: Legal reference has no maximum concentration values. | Iontreal Prot | ocol 🔀 | | |
| P6 | | nt information | | <u>.</u> | | |
| P6.1* | | on for recyclers/treatment facilities is available (see legal reference). | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model nu | imber * | 82JQ | Logo | Lon | | |
|-----------|----------------------------------|--|-------------------|-----------|-------------|-----------|
| Issue dat | te * | 2021-1-19 | | Len | ove | |
| Product | environ | mental attributes - Market requirements (See General NOTE GN | below) | | | |
| | | onmental conscious design | | Require | ment ı | net |
| Item | | tory to fill in. Additional information regarding each item may be found under P14. | | Yes | No | n.a. |
| P7 | | Disassembly, recycling at have to be treated separately are easily separable | | | | |
| P7.1* | | | | | | |
| P7.2* | | naterials in covers/housing have no surface coating. | | | | |
| P7.3* | | arts > 100 g consist of one material or of easily separable materials. | | | | |
| P7.4* | - | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | | | |
| P7.5 | - | arts are free from metal inlays or have inlays that can be removed with commonly a | available tools. | \square | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | | | | |
| | | lifetime | | | | |
| P7.7* | | ng can be done e.g. with processor, memory, cards or drives | | \square | | |
| P7.8* | Upgradir | ng can be done using commonly available tools | | \square | | |
| P7.9 | Spare pa | | | | | |
| P7.10 | Service i | is available after end of production for: 3 years | | | | |
| | | and substance requirements | | | | |
| P7.11* | | cover/housing material type (e.g. plastics, metal, aluminum): | | | | |
| P7.12 | | type: PC+ABS Material type: n materials of external electrical cables are PVC free. | | | | |
| | | | | <u> </u> | | |
| P7.13 | | n materials of internal electrical cables are PVC free. | | | | |
| P7.14 | weight (* polyvinyl | plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content. | e retardants, an | id 🚺 | | |
| P7.15 | | sircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2) | are low haloge | n 🗌 | \boxtimes | |
| P7.16 | Flame re Marking: | etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40) | | | | |
| P7.17 | | Chemical specifications of flame retardants in printed circuit boards > 25 g (with (additive), ☐ TBBPA (reactive) (See NOTE B3), ☐ Other: , CAS #: | out components |): | | \square |
| | | nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR(16)</i> | ents) > 25 g | \square | | |
| P7.18 | concentr | retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%: ical name: CAS #: | s/preparations i | n | | \square |
| | | al specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR | | | | |
| P7.19 | | c parts > 25 g, flame retardant substances/preparations above 0,1% are used which | n have been | | | |
| | 0 | the following Risk phrases; and Hazard statements: | | | | |
| | | | e note B5) | | | |
| P7.20* | lfYES; a a) Oft a pe or | sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0%. | it (calculated as | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * Issue date * | 82JQ 2021-1-19 | Logo | Lenovo |
|-----------------------------|---|------|-----------------|
| Product environm | nental attributes - Market requirements (continued) | | Requirement met |

Item

Yes No n.a.

| | Material and sub | stance requirements | (continued) | | | | | | |
|---------------------------------------|--|---|--|----------------------------|---|--|--|--|--|
| P7.21* | | | d in the product (See No | OTE B7): | | | | | |
| | If YES: at least o | If YES; at least one of the two alternatives below shall be answered; | | | | | | | |
| | | | | | | | | | |
| | | by weight) is 🛛 0 🦷 🕺 | | Υ. | | | | | |
| | or b) The weight (| of the biobased plastic | material is a | | | | | | |
| P7.22* | / 3 | | material is g. less than 0,1 mg/lamp. | | | | | | |
| == | | d specify: Number of la | | um mercury content pe | er lamp: mg | | | | |
| P8 | Batteries | | | <u>.</u> | | | | | |
| P8.1* | Battery chemical | composition: LI-ION P | olymer battery and lith | nium-metal battery | | | | | |
| P9 | Energy consum | ption (See NOTE B8) | | | | | | | |
| P9.1 | | | ls or energy consumption | | | | | | |
| Energy mo | ode * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Standard for energy modes and test method * | | | | |
| Peak (On- | -max) | 300 W | 300 W | 300W | Full load | | | | |
| Catego | r <u>y 2</u> | | | | | | | | |
| Short Idle | State - WOL | 21.35 W | 21.38 W | 21.55 W | Reference | | | | |
| Enabled | | | | | | | | | |
| Long Idle | State - WOL | 6.49 W | 6.53 W | 6.68 W | Reference | | | | |
| Enabled | | | | | | | | | |
| | | | | | | | | | |
| Sleep (S3 |) - WOL Enabled | 1.10 W | 1.11 W | 1.15 W | Reference | | | | |
| Off (S5) - | WOL Enabled | 0.42 W | 0.42 W | 0.44 W | Reference | | | | |
| Off (S5) - | WOL Disabled | 0.42 W | 0.42 W | 0.44 W | Use for ErP | | | | |
| EPS No-lo | | 0.113 W | 0.114 W | 0.115W | | | | | |
| (External power wall outlet but di | supply / charger plugged in the sconnected from the product.) | 3 | | | | | | | |
| PTEC * | | W | W | W | \square | | | | |
| 21 | ergy Consumption | | | | | | | | |
| ETEC * Annual En | ergy Consumption | 66.09 kWh/year | 66.23 kWh/year | 66.97 kWh/year | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$ + $P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 + P_{short_{ldle}} \times 0.30)$ | | | | |
| | | Poff: Off Mode(S5) - W | OL Enabled; Psleep: Sleep | Mode(S3) - WOL Enable | ed; P _{idle} : Idle State - WOL Enabled | | | | |
| External P | ower Supply Efficie | | al Efficiency Marking Pro | | | | | | |
| Display re | solution * :4.096 m | egapixels | | | | | | | |
| Default tin | ne to enter energy s | ave mode: 10 minutes | | | | | | | |
| P9.2* | 0, | | ion is provided with the | product. | | | | | |
| P9.3 | | class (monitors only): | | • | | | | | |
| P10 | Emissions | | | | | | | | |
| | | le l | o ISO 9296 (See NOTE | | | | | | |
| P10.1 | | Mode description | | | it A-weighted sound power level, <i>L_{WA,c}</i> (B) | | | | |
| | Idle | * Idle (Operating) | | * 2.7 | | | | | |
| | Operation | * HDD:Operation | | * NA(No HDD) | | | | | |
| | Other mode | CPU:Operation Declared A-weighted sour | nd pressure level (dB) L_{pAm} | 3.6 20.8 (operator posi | ition deskton - idle) | | | | |
| | | | ad pressure level (dB) L_{pAm} | | ition desktop – operating) | | | | |
| | I | | 1 | | and accillop – operating) | | | | |
| | Measured accord | · = · | | | | | | | |
| | | Other | (only if not covered by | ECMA-74) | | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

| Model nu | imber * | 82JQ | | | | Logo | 10 | - | 10 | |
|-----------|-------------------------------|--|--|--|---------------------------------------|-------------------------------------|------------------------|--------------------|------------------|------|
| Issue dat | te * | 2021-1-19 | | | | | Le | eno | vo | |
| Product | environ | nental attribut | es - Market requirement | s (continued) | | | Re | quirer | nent | met |
| Item | | | | | | | | Yes | No | n.a. |
| | | nagnetic emissi | | | | | | | - | |
| P10.4 | program | (s): MPR-II(3 pin | the requirement for low frequer AC adapter only) | ency electromagnetic | c fields of the foll | lowing volun | tary | \square | | |
| P12 | | mics for comput | | | | | | | | |
| P12.1* | | • | gonomic requirements of ISO | | | gies. | | \square | | |
| P12.2* | The phy | sical input device | meets the requirements of IS | SO 9995 and ISO 92 | 41-410. | | | \boxtimes | | |
| P13 | | ng and docume | | | | | | | | |
| P13.1* | Product Product Product | packaging mater packaging mater | ial type(s): <i>paper(manual)</i> ial type(s): <i>PP</i> weight (kg): 0 ial type(s): <i>PE</i> weight (kg): 0 | | .42 | | | | | |
| P13.2* | | | ackaging is free from PVC. | 5 (5/ | | | | \mathbf{X} | | |
| P13.3* | consum | er recovered fibe | | <i>,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | ned percentage | of minimu | n post- | | | |
| P13.4* | | media for user ar ic 🔀, Paper 🔀 | nd product documentation (tic , Other | k box): | | | | | | |
| P13.5 | Úser an | | s item if paper documentation entation on paper media is ch | | | | | \boxtimes | | |
| | Totally o | hlorine-free | | | | | | \boxtimes | | |
| | Element | al chlorine-free | | | | | | | | |
| | Process | ed chlorine-free | | | | | | Ħ | | |
| P14 | Volunta | ry programs | | | | | | | | |
| P14.1 | | | quirements of the following v | oluntary program(s): | | | | | | |
| | ENERG Eco-labe Eco-labe | | Criteria version: Criteria version: Criteria version: | Date: Date: Date: | Product | category: category: category: | | | | |
| P15 | Additio | nal information | See NOTE B10) | | | | | | | |
| P9 | | | specific configuration may | | | | | | | |
| | informat knowled | ion contained in t ge available at th I here is approxin | o representations, guarantee his document. All information e time of completion, and su nate and provided for informa | provided by supplied oplier shall have no c | r in this docume bligation to upda | nt is provide ate such info | d based o ormation. | n supp The info | lier's ormati | ion |
| P9 | | | d Notebooks & Tablet Compus://www.energystar.gov/prod | | | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name * | Legion 5 Pro 16 | Logo |
|------------------------|-----------------|---------|
| Model number * | 82JQ | Lenovo |
| Issue date * | 2021-1-19 | Lenovo. |
| Additional information | | |

| (d) | Year of manufacture: | | | | 2019 |
|--|--|--|---|--|--|
| e) | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with | ry and capability adjus switchable graphics n | tments applied when a node with UMA driving | all discrete graphics the display. | cards (dGfx) are |
| f) | Etec value (kWh) per ErP Lot 3 Categor enable | ry and capability adjust | tments applied when a | II discrete graphics | cards (dGfx) are |
| | | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |
| | Memory over base [GB] | | | 32 | |
| lents sting | Additional internal storage | (Yes / No) | (Yes / No) | <mark>yes</mark> (Yes / No) | (Yes / No) |
| adjustm iring tee | Discrete television tuner | (Yes / No) | (Yes / No) | No (Yes / No) | (Yes / No) |
| capability adjustments applied during testing | Discrete Audio Card | (Yes / No) | (Yes / No) | No (Yes / No) | (Yes / No) |
| | Discrete graphics Card(s) [number / #] | #: (Yes / No) | #: (Yes / No) | Yes #: 1 (Yes / No) | #: (Yes / No) |
| | Category of discrete graphics Card(s) | | | | |
| sults | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | | | | |
| Test results | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | | 20.88 | |
| g) | Idle state power demand (Watts); | | 1 | 1 | 6.68 |
| h) | Sleep mode power demand (Watts); | | | | 1.15 |
| i) | Sleep mode with WOL enabled power de | emand (Watts) (where | enabled); | | 1.15 |
| j) | Off mode power demand (Watts); | | | | 0.44 |
| k) | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | 0.44 |
| [1] | Internal power supply efficiency at 10 %, | , 20 %, 50 % and 100 ° | % of rated output pow | er (if applicable): | |
| | 10% 20% 50% | 100% Avera | age | | |
| m) | External power supply efficiency (if appli | cable)*: | | | |
| | Average active efficiency: 93.33% 92.9 | 7% | | | |
| o) | *internal note: show values for all available external p Minimum number of loading cycles that t | | tand (applies only to n | otebook computers): | 300 CYCLE |
| (p-1) | Measurement methodology used to dete | rmine information mor | tioned in points (I) in | ternal PSI Lafficianov | |

| (p-2) | | dology used to determine information mentioned in rogram Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0) | | |
|-----------------|--|---|--|-------------|
| (p-3) | Measurement metho | dology used to determine information mentioned in <i>≥</i> 70% of Cmin | points (o) – loading cycles batteries: | |
| (p-4) | | dology used to determine information mentioned in Point P9.1 in the Product IT Eco Declaration: <i>IEC</i> 62623 | maximum, idle, sleep, off mode | |
| (q) | Sequence of steps for | or achieving a stable condition with respect to power Power on -> Wait 5 minutes ->Stable co | demand: <i>ndition</i> | |
| (r) | Description of how sl | leep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o | off mode | |
| (s) | | required to reach the mode where the equipment au | tomatically changes to sleep and/or | |
| | off mode: | NA | | |
| (t) | | te condition before the computer automatically re- s not exceed the applicable power demand requirem | | 30min |
| (u) | Length of time after | r a period of user inactivity in which the compute ver power demand requirement than sleep mode (ir | er automatically reaches a power | NA |
| (V) | | re the display sleep mode is set to activate after nergy-saving potential of power management functio | | 10min |
| (w) | information on the er | Refer to User Guide | manty: | |
| (x) | User information on I | how to enable the power management functionality: <i>Refer to User Guide</i> | | |
| (z) | | | strumentation, set-up and circuits | |
| | | 230V50HZ-2%-Edition 2.0, 2011-01, Section | 4, IEC62301 | |
| Addition | nal Notebook Batter | | | |
| | | Battery[ies] <u>not</u> user replaceable | Battery[ies] user replaceable | n/a |
| | | The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾ | | |
| Internal/ | built-in Battery | \boxtimes | | |
| External | /detachable Battery | | | \square |
| Bios Bao | ckup Battery | | | \boxtimes |
| Other: | | | | |
| Addition | al information | | | |
| - | | | | |
|) | | | | |
| he battery[ies | | asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребите. | 24 | |
| as baterías d | le este producto no pueden s | er sustituidas fácilmente por los propios usuarios. | JW. | |
| rugeren kan | ikke uden videre udskifte bat | neměli provádět sami uživatelé. teriet/batterierne i dette produkt. | | |
| | Akkus dieses Produkts kann/l aa selle toote akut/akusid ise | können nicht ohne weiteres vom Benutzer selbst ausgetauscht v e hõlpsasti asendada. | werden. | |
| | | ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs et | IX-mêmes | |
| orisnik ne mo | ože lako zamijeniti Bateriju sa | am u ovom proizvodu. | | |
| etotāji paši n | nevar nomainīt šā ražojuma a | | | |
| | aterijos [baterijų] pats vartotoj ımulátorát/akkumulátorait a fe | jas negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni. | | |
| batterija/batt | | /jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. | | |
| e batterij(en) |) in dit product is (zijn) door d | e gebruiker niet gemakkelijk vervangbaar. | | |
| ou as bateri | as deste produto não podem | wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. | | |
| ateria (bateri | | e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. | | |
| aterij/baterije | | | | |
| | | ni ne morejo zlahka zamenjati. | | |
| et är inte en | en akku [akut] ei[vät] ole helpo kelt för kunden att själv byta u | ni ne morejo zlahka zamenjati. osti käyttäjän vaihdettavissa. | | |