

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	ODOV/O
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	and the second second second second second second
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (	The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemer	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	Legion 7 16 AMD						
Model number *	82N6						
Issue date *	2021-2-7						
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82N6	Logo	Long	-	
Issue dat	e *	2021-2-7		Lend	bvc	2
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		• ·		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\square$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail o www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\boxtimes$		
P2	Batterie	S		÷		
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	$\boxtimes$		
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	nium. (See lega	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\square$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The D	duct is CE-marked to show conformance with applicable legal requirements (see leg eclaration of Conformity can be requested at (add link or e- www.lenovo.com/us/en/compliance/eu-doc	gal reference). mail addres	s):		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	Required	d information is; given in item P15 or added to this document, available at (add URL):		$\boxtimes$		
		vww.lenovo.com/us/en/compliance/eco-declaration			<u> </u>	
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material	(s) 🔀		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the N al reference).	Iontreal Protoc	ol 🔀		
P6	-	nt: Legal reference has no maximum concentration values. nt information		•		
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
	monnau					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82N6	Logo	Lam		
Issue dat	te *	2021-2-7		Len	ovo	<b>)</b>
Product		mental attributes - Market requirements (See General NOTE GN				
11		onmental conscious design		Require		
Item <b>P7</b>		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable		$\square$		
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>		
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.			<u> </u>	
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\square$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
<b>D- - +</b>	Product			<u> </u>		
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	10	ng can be done using commonly available tools		$\square$		
P7.9	Spare pa	arts are available after end of production for: <b>3</b> years				
P7.10	Service i	s available after end of production for: <b>3</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: Magnesium- Material type: PC+ABS um alloy				
P7.12		n materials of external electrical cables are PVC free.			$\square$	
P7.13		n materials of internal electrical cables are PVC free.		- #		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1%			
1 7.14		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame				
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	n parts containing	1		
55.45		in 25% post-consumer recycled content.	1			_
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all └── PCBs > 25 g └─ ad in IEC 61249-2-21. (See 1NOTE B2)		n 📘		
P7.16	Marking:			$\square$		
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (witho additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out components)			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g	$\square$		
P7.18		etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations ir			$\boxtimes$
	Comm	ent: No legal limits exist, this is a market requirement.				
	1. Chem	ical name: CAS #:				
		ical name: CAS #:				
		ical name: CAS #:				
	4. Cnem Alt. 2	ical name: ,CAS #:				
		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR(40)					
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>H411; H4</i> rce(s) for these classifications is/are found at (add URL(s)): <i>European Coun</i>	13			
	67/548/E					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			$\boxtimes$	
	,	It least one of the two alternatives below shall be answered;	• / = = = = = = = =			
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <b>0%</b> .	t (calculated as			
	or					
		e weight of recycled material is <b>0</b> g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	82N6 2021-2-7	Logo	Lenovo
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Yes No n.a.

	Motorial and a	Ibstance requirements	(continued)						
P7.21*		c material content is use		OTE B7):					
		east one of the two alternatives below shall be answered;							
			te of the two alternatives below shall be answered; tic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
	•	by weight) is 0 %		·					
	or b) The weight	of the biobased plastic	material is a						
P7.22*		e free from mercury, i.e.							
		ed specify: Number of la		um mercury content					
P8	Batteries								
P8.1*		I composition: LI-ION Po	olymer battery and lith	nium-metal battery					
<b>P9</b> P9.1		nption (See NOTE B8) the following power leve	la ar anargu aangumpti	ana ara ranartadi					
Energy m		Power level at	Power level at	Power level at	Reference/Standard for energy				
Energy in		100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On	i-max)	300 W	300 W	300W	Full load				
Catego	<u>ry 2</u>								
Short Idle	e State - WOL	22.97 W	23.55 W	24.07 W	Reference				
Enabled									
Long Idle	e State - WOL	6.76 W	6.75 W	6.84 W	Reference				
Enabled									
Sloop (St	3) - WOL Enabled	0.67 W	0.68 W	0.73 W	Reference				
				· · ·					
Sleep (S3	3) - WOL Disabled	0.67 W	0.68 W	0.73 W	Reference				
Off (S5) - Disabled	WOL Enabled /	0.39 W	0.38 W	0.38 W	Use for ErP				
EPS No-lo		0.113 W	0.114 W	0.115W					
	r supply / charger plugged in t lisconnected from the product								
PTEC *	nergy Consumption	W	W	W					
ETEC *	nergy Consumption	69.20 kWh/year	70.72 kWh/year	72.31 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$				
	nergy Consumptior		ron 2 km your		$+ P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$				
					bled; P <sub>idle</sub> : Idle State - WOL Enabled				
		ency Level (Internationa	I Efficiency Marking Pro	otocol) * : VI					
. ,	esolution * : <b>4.096</b> r								
	6,7	save mode: 10 minutes							
P9.2*		ut the energy save funct	ion is provided with the	product.					
P9.3	Energy efficience	y class (monitors only):							
P10	Emissions								
D10.1		Declared according to Marked according to	o ISO 9296 (See NOTE						
P10.1	Mode Idle	* Idle (Operating)		* 2.6	mit A-weighted sound power level, <i>L<sub>WA,c</sub></i> (B)				
	Operation	* HDD:Operation		* NA(No HDD)					
	Operation	CPU:Operation		3.4					
	Other mode	Declared A-weighted sour	nd pressure level (dB) L <sub>pAm</sub>	18.7 (operator po	sition desktop – idle)				
	Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{p Am}$	25.4 (operator po	sition desktop – operating)				
	Measured accor		ECMA-74	- 1					
		Other	(only if not covered by	ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	Imber *	82N6				Logo		-		
Issue dat	te *	2021-2-7					Le	eno	vo	
Product	environ	nental attribut	es - Market requirement	s (continued)			Re	quire	ment	met
Item								Yes	No	n.a.
		nagnetic emissi								
P10.4	program	(s): MPR-II(3 pin	the requirement for low frequer AC adapter only)	ency electromagnetic	c fields of the foll	lowing volun	tary			
P12		mics for comput								
P12.1*		•	gonomic requirements of ISO			gies.		$\bowtie$		
P12.2*	The phy	sical input device	meets the requirements of IS	SO 9995 and ISO 92	41-410.			$\boxtimes$		
P13	Packaging and documentation									
P13.1*	Product packaging material type(s): <i>corrugated</i> weight (kg): 0.85 Product packaging material type(s): <i>paper(manual)</i> weight (kg): 0.42 Product packaging material type(s): <i>PP</i> weight (kg): 0.017 Product packaging material type(s): <i>PE</i> weight (kg): 0.012 Product packaging material type(s): <i>EPE</i> weight (kg): 0.17									
P13.2*	Product	plastic primary p	ackaging is free from PVC.	0 (0/				$\boxtimes$		
P13.3*	consum	er recovered fibe		<i>,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ned percentage	of minimu	n post-			
P13.4*	Electron	ic 🔀, Paper 🔀								
P13.5	Úser an		s item if paper documentation entation on paper media is ch					$\boxtimes$		
	Totally o	hlorine-free						$\boxtimes$		
	Element	al chlorine-free								
	Process	ed chlorine-free						<b>H</b>		
P14	Volunta	ry programs								
P14.1			quirements of the following v	oluntary program(s):						
	ENERG Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:				
P15			See NOTE B10)	·	·					
P9			specific configuration may							
	informat knowled	ion contained in t ge available at th I here is approxin	o representations, guarantee his document. All information e time of completion, and su nate and provided for informa	provided by supplied oplier shall have no c	r in this docume bligation to upda	nt is provide ate such info	d based o ormation.	n supp The inf	lier's ormati	ion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Compu s://www.energystar.gov/prod							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 7 16 AMD	Logo
Model number *	82N6	Lonovo
Issue date *	2021-2-7	Lenovo
Additional information		

P7.1.1	Product environmental attributes						
(d)	Year of manufacture:				2019		
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	II discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]			32			
ting	Additional internal storage	(Yes / No)	(Yes / No)	yes (Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	<mark>No</mark> (Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	<mark>No</mark> (Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	# <u>:</u> (Yes / No)	<u>#:</u> (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)						
Test n	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			20.61			
(g)	Idle state power demand (Watts);	·			6.84		
(h)	Sleep mode power demand (Watts);				0.73		
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.73		
(j)	Off mode power demand (Watts);				0.38		
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.38		
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output powe	er (if applicable):			
	10% 20% 50%	100% Avera	ge				
(m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 93.33% 92.97%						
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t		and (applies only to n	otebook computers):	300CYCLES		
(p-1)	) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA						

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)								
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:						
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
		IEC 62623							
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::						
		Power on -> Wait 5 minutes ->Stable col	ndition						
(r)	Description of how s	leep and/or off mode was selected or programmed:							
		Begin menu -> Power -> Select sleep or o	ff mode						
(s)	Sequence of events off mode: <b>NA</b>	required to reach the mode where the equipment au	tomatically changes to sleep and/or						
(t)		te condition before the computer automatically re s not exceed the applicable power demand requirement		30min					
(u)		r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in		NA					
(v)	Length of time befo	ore the display sleep mode is set to activate after	user inactivity (in minutes):	10min					
(w)	Information on the e	nergy-saving potential of power management function	nality: <i>Refer to User Guide</i>						
(x)	User information on	how to enable the power management functionality: <i>F</i>	Refer to User Guide						
Additio	nal Notebook Batter	230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301						
Auditio	na Notebook Batter	Battery[ies] <b>not</b> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>							
Internal/	/built-in Battery								
External	l/detachable Battery								
Bios Ba	ckup Battery			$\boxtimes$					
Other:									
Addition	al information								
e battery[ie		asily replaced by users themselves.							
s baterías o	de este producto no pueden s	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.						
ugeren kan	ikke uden videre udskifte bat	neměli provádět sami uživatelé. teriet/batterierne i dette produkt.							
asutajad ei s	saa selle toote akut/akusid ise		verden.						
		ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες iit ne peuvent être facilement remplacée(s) par les utilisateurs eu	ıx-mêmes.						
	ože lako zamijeniti Bateriju sa batterie in questo prodotto no	am u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente.							
etotāji paši r	nevar nomainīt šā ražojuma a paterijos [bateriju] pats vartoto	ikumulatoru(-us).							
termék akku	umulátorát/akkumulátorait a f	jas negan kongval parosa. Jehasználó nem tudja egyedül egyszerűen kicserélni. /jistgħux tiģi/jiģu sostitwita/i mill-utenti stess.							
tteriet [ene]	] i dette produktet kan ikke let	t erstattes av brukerne selv.							
		e gebruiker niet gemakkelijk vervangbaar. wymienić baterij w tym produkcie							

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Užytkownik nie može sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tămân tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa. Det ăr inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.