



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)		
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter		LCIIOVO		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Desktop Computer				
Commercial name *	Legion T5 26IOB6				
Model number *	90RS,90RT				
Issue date *	2021/2/16				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	90RS,90RT	Logo	Long	21/6	
Issue dat	e *	2021/2/16		Lend	JVC	J _{TH}
Product	environi	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachsthane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀		
P1.6*	Parts wit (see lega	h direct and prolonged skin contact do not release nickel in concentrations above (il reference). it: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at: https://www.lenovo.com/us/en/comp				
P3.2*		uct complies with the Eco design requirements for energy-related products, il reference).		\boxtimes		
	Required	information is; Significantly given in item P15 or added to this document, available at:				
		ww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur nt chromium by weight of these together.			Ш	
P5.2*	used (se	aging materials are marked with abbreviations and numbers indicating the nature e legal reference).		, ,		
P5.3*	(see lega	uct packaging material is free from ozone depleting substances as specified in the Nil reference).	Montreal Proto	col 🔀		
P6		tt: Legal reference has no maximum concentration values.				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

woder number *		90RS,90RT	Logo	Len	OVC	
Issue dat	te *	2021/2/16		Len		тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design	,	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable			<u>Ц</u>	Щ.
P7.2*		naterials in covers/housing have no surface coating.			Щ.	_ <u></u> _
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7*	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u>Ц</u>	
P7.8*		ng can be done using commonly available tools				Щ_
P7.9		arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
D7 44*		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: SGCC Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.	я туре.		\boxtimes	$\overline{\Box}$
P7.13		n materials of internal electrical cables are PVC free.			X	+
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0	,1%		╫
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants,	and	ш	ш
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	n parts contair	ning		
P7.15		in 25% post-consumer recycled content.	1			$\overline{}$
	as define	circuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)		gen 🔲		
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-FR(40)<				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):			
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without components)	ents) > 25 g			
	accordin	g ISO 1043-4: FR(17)			Ш	Ш
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparation			
		ations above 0,1%: ical name: Bisphenol A diphosphate , CAS #: 181028-79-5 (See NOTE B	4)	\boxtimes	Ш	
		ical name: Potassium 1,1,2,2,3,3,4,4,4-nonafluorobutane-1-sulphonate, C/		0-		
		ical name: , CAS #: "				
		•	2 4: ED(40)	\boxtimes		
P7.19		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104: parts > 25 g, flame retardant substances/preparations above 0,1% are used which		\square		$\overline{}$
	assigned	I the following Risk phrases; R20/22 and Hazard statements: H302+H332				ш
	The sour	rce(s) for these classifications is/are found at (add URL(s)): https://www.msds-eu	rope.com/r-			
	phrases-s-phrases/ , https://www.msds-europe.com/h-statements/ (See note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	If YES; a	at least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten	t (calculated a	as		
		ercentage of total plastic by weight) is 2.16 %.				
	or b) The	weight of recycled material is 28.4 g.				
	,	J , g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90RS,90RT	Logo	Len	01/0	
Issue date *	2021/2/16		Len		V _{TH}
Product environn		Requir	emen	t met	
Item			Yes	No	n.a.

	Material and sub	otonoo roquiromento	(continued)				
P7.21*		<mark>stance requirements</mark> naterial content is use	d in the product (See N	OTE B7):			
	If YES; at least on a) Of total plast	e of the two alternative ic parts' weight > 25 g	es below shall be answ	rered;	ated as a percentage of		
	total plastic b	y weight) is %.					
		f the biobased plastic					
P7.22*		free from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp mps: and maxim	num mercury content p	per lamp: mg		
P8	Batteries		•		1 3		
P8.1*	Battery chemical of	composition: Li meta	al 3V (coin type)		Π		
P9	Energy consump	tion (See NOTE B8)					
P9.1			ls or energy consumpti	ons are reported:			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	W	W	W	Full load		
Categor	y <u>D2</u>						
Short Idle Enabled	State - WOL	40.24 W	40.15 W	41.51 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle Enabled	State - WOL	39.38 W	39.27 W	40.91 W	Use for ENERGY STAR V8 registration (P _{idle})		
Sleep (S3)	- WOL Enabled	1.85 W	1.85 W	1.96 W	Use for ENERGY STAR V8 registration (P _{sleep})		
Off (S5) - WOL Enabled		0.72 W	0.71 W	0.81 W	Use for ENERGY STAR V8 registration (P _{off})		
EPS No-lo		W	W	W			
	supply / charger plugged in the connected from the product.)	144	14/				
PTEC *	ergy Consumption	W	W	W			
ETEC *	ergy Corrsumption	148.49 kWh/year	148.14 kWh/year	153.72kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.15)$		
	ergy Consumption			,	+ P _{sleep} x 0.45 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)		
					L Enabled; P _{idle} : Idle State - WOL Enabled		
External P		, ,	l Efficiency Marking Pr	otocol) * :			
Display res	solution * : m	egapixels					
Default tim	e to enter energy sa	ave mode: 25 minutes					
P9.2*	Information about	the energy save funct	ion is provided with the	product.			
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions				<u> </u>		
	Noise emission -	 Declared according t 	o ISO 9296 (See NOTE	E B9)			
P10.1		Mode description			nit A-weighted sound power level, $L_{WA,c}$ (B)		
	Idle *	HDD:Idle		* 3.8			
	Operation *	HDD: Operating		* 3.8			
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p m Al}$	m 27.9 (operator pos	27.9 (operator position desktop – idle)		
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p\! extsf{Al}}$	28.5 (operator pos	ition desktop – operating)		
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74				
		Other	(only if not covered by	/ ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model num	ber*	90RS,90RT			Logo	Long	1/0	
Issue date *	•	2021/2/16				Leno	VO.	*
Product e	nvironn	nental attributes	- Market requirements	(continued)		Require	ment	met
Item						Yes	No	n.a.
		nagnetic emissions						
	program	(s):		ncy electromagi	netic fields of the following voluntary	<i>y</i>		
P12	Ergonor	nics for computing	products					
	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.							
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
		ng and documenta						
	Product Product	oackaging material t oackaging material t	ype(s): <i>CartonKraft + R</i> ype(s): <i>EPELDPE</i> weig ype(s): <i>BagLDPE</i> weig	ht (kg): 0.53	weight (kg): 1.593			
P13.2*	Product	olastic primary pack	aging is free from PVC.			\boxtimes		
		uct primary corrugar r recovered fiber co		specify the co	ontained percentage of minimum p	ost-		
		nedia for user and p onic, ⊠Paper, □	roduct documentation (tick Other	box):				
	Ùser and		em if paper documentation ution on paper media is chlo					
	Element	nlorine-free al chlorine-free ed chlorine-free						
		ry programs	rements of the following vol	luntary program	(e):			
	· ENERG\ Eco-labe Eco-labe	' STAR® I: I:	Criteria version: 8.0 Criteria version: Criteria version:	Date: Date: Date:	Product category: D2 Product category: Product category: Product category:			
		al information (Sec						
			<u> </u>		on of the tested product configur			
	informati knowled	on contained in this ge available at the ti here is approximate	document. All information properties of completion, and supp	orovided by sup plier shall have	warranties whether express or impleir in this document is provided by no obligation to update such informonly. See a Lenovo Account Representation	ased on suppation. The in	olier's format	ion
			otebooks & Tablet Comput dex.cfm?fuseaction=find_a		t information: ProductGroup&pgw_code=CO	•		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Legion T5 26IOB6	Logo	
Model Number	90RS,90RT		Lenovo
Issue Date	2021/2/16		Lenovo.
Additional information			

d)	year of manufacture:				2021
e)	Etec value (kWh) per ErP Lot 3 Categorial disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				Yes
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
capa appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)				G7
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				158.70
g)	Idle state power demand (Watts);	ı			43.92
۱)	Sleep mode power demand (Watts);				1.55
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		1.62
)	Off mode power demand (Watts);				0.83
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.85
)	Internal power supply efficiency at 10 %	. 20 %. 50 % and 100 °	% of rated output pow	er (if applicable):	0.00
,	Lenovo (United States), Inc. HK6	50-15PP 66% 100% 87.72%		(,,,,,	
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency:				
o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	
				. ,	
p-1)	Measurement methodology used to dete	ermine information mer 80 Plus Progra		nternal PSU efficiency	:
o-2)	Measurement methodology used to dete			external PSU efficience	CV:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	Refer to IEC 62623:2013-Desktop and notebook computers- Measurement of energy conmumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual/Begin menu -> Power -> Select sleep or off mode	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(11)	http://www.energystar.gov/index.cfm?c=power_mgt.pr_power_mgt_users	
(x)	User information on how to enable the power management functionality:	
	Based on user manual-Set the power plan Set the power plan	
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	
	Table 1. Default power plan (when plugged into ac power)	
	Turn off the display: After 10 minutes	
	Put the computer to sleep: After 25 minutes	
	To awaken the computer from Sleep mode, press any key on your keyboard.	
	To reset the power plan to achieve the best balance between performance and power saving:	
	1. Go to Control Panel and view by large icons or small icons.	
	2. Click Power Options, and then choose or customize a power plan of your preference.	
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	Chroma 6530 (Ac Source) YOKOGAWA WT210 (Digital Meter)	

Additional Notebook Battery Information:							
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Korisiik ne nioże tako zamijeniu bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egysdül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.