



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Monitor				
Commercial name *	Lenovo Legion Y25-25				
Model number *	66AA				
Issue date *	2020/06/12				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	66AA	Logo	Lonovo
Issue date *	2020/06/12		Lei Iovo.

Product	Requirement met			
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square	\Box	
1 1.7	https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf		Ш	ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$	
FZ.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш	\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			\boxtimes
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		Ш	ш
-	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀		
1 0.2	used (see legal reference).	3)	Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre	al 🔀		
	Protocol (see legal reference).	_		
	Comment: Legal reference has no maximum concentration values.		_	
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66AA	Logo	Lanava
Issue date *	2020/06/12		Lei Iovo.

Produc	ct environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		\neg	$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.			$\overline{}$
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			-#
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\overline{X}	∺	∺
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		╫	\blacksquare
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		╫	-
1 7.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools		∺	\overline{X}
P7.9	Spare parts are available after end of production for: 5 years			$\overline{}$
P7.10	Service is available after end of production for: 5 years			-
1 7.10	·			
P7.11*	Material and substance requirements Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: Steel Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\overline{\boxtimes}$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in par containing more than 25% post-consumer recycled content.	nd		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen a defined in IEC 61249-2-21. (See 1NOTE B2)	is		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other., CAS #: 68928-70-1			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)	in		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 81.3%			
	or b) The weight of recycled material is 802 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber * 6	6AA				Logo	Lon		
Issue date	date * 2020/06/12						Len	DVC) _{TH}
Product 6	Product environmental attributes - Market requirements (continued)						Requir	emen	t met
Item				•	•		Yes	No	n.a.
	Material a	nd subs	tance requirements	(continued)					
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.								
	or b) The w	eight of	the biobased plastic n	naterial is <i>0</i> g.					
P7.22*			ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp. nps: and maxim	um mercury content p	er lamp: mg	\boxtimes		
P8	Batteries								
P8.1*	Battery che	emical co	omposition:						\boxtimes
P9	Energy co	nsumpt	ion (See NOTE B8)						
P9.1				s or energy consumption	ons are reported:				
Energy mod	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standa modes and test m		nergy	
ENERGY S (System Idl	STAR® On M le)	/lode*	NA	NA	NA	ENERGY STAR® Requirements for Monitors: Ver. 8.0	Computer		
ENERGY S Sleep Mode	STAR® Low e*	Power	NA	NA	NA	ENERGY STAR® Requirements for Monitors: Ver. 8.0	Computer		
ENERGY S Apparent O	STAR® Off / Off Mode*		NA	NA	NA	ENERGY STAR® Requirements for Monitors: Ver. 8.0	Computer		
PTEC *			NI A	NI A	NI A				
	ergy Consur	nntion	NA	NA	NA				Ш
ETEC *	orgy Corisur	приоп	NA	NA	NA	E _{TEC} = (8760/1000	0) x (P _{o#} x (26+	
	ergy Consun	nption	IVA	IVA	INA	$P_{\text{sleep}} \times 0.1 + P_{\text{idle}}$			ш
External Po	ower Supply	Efficien	cy Level (International	Efficiency Marking Pro	tocol) *:				\boxtimes
Display res	colution* : 1	920*108	0 megapixels			ENERGY STAR® Requirements for Monitors: Ver. 8.0	Computer		
Default time	e to enter er	nergy sa	ve mode: seconds			ENERGY STAR® Requirements for Monitors: Ver. 8.0	Computer		
P9.2*	Information	n about t	he energy save function	on is provided with the	product.		\boxtimes		
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: Product category:								
P10 Emissions									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1					power leve	I, L _{WA,c}	(B)		
	Idle		/A		N/A				\boxtimes
	Operation	N	/A		N/A		· <u></u>		\boxtimes
	Other mod	e N	/A		N/A				
	Other mod		/A		N/A				
	Measured according to: ☐ ISO 7779 ☐ ECMA-74								
	1		Other	(only if not covered by	ECMA-74)				

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		66AA		Logo	П	010.0	1/0	
Issue date *		2020/06/12			L	.eno	VO.	*
Product	environr	mental attributes - Market requirements (continued)			F	Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emissions						
P10.4	Compute	er display meets the requirement for low frequency electromagn	etic fields of the follo	owing volu	intary	\boxtimes		
		(s):IEC60950 CB report,IEC 62368 test report						
P12		mics for computing products						
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visu	ual display technolog	gies.		\boxtimes		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO	9241-410.					\boxtimes
P13	Packagi	ing and documentation						
P13.1*		packaging material type(s): Carton weight (kg): 1.059						
		packaging material type(s): Cushion weight (kg): 0.480						
		packaging material type(s): <i>EPE Bag</i> weight (kg): 0.024						
P13.2*		packaging material type(s): weight (kg): plastic primary packaging is free from PVC.						$\overline{}$
								<u> </u>
P13.3*		duct primary corrugated fiberboard packaging, specify the corer recovered fiber content: 90%	ntained percentage	of minimi	ım post-			Ш
P13.4*		media for user and product documentation (tick box):						
		ronic, Raper, Other						
P13.5		only complete this item if paper documentation used)						
	User and product documentation on paper media is chlorine-free:							
	If Yes, p	lease specify:						
	Totally o	hlorine-free						
	Element	al chlorine-free						
	Process	ed chlorine-free				Ħ		
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requirements of the following voluntary program(s):					
	Eco-labe		Product of					
	Eco-labe		Product o	0,				
D.4.5	Eco-labe		Product o	ategory:				
P15		nal information (See NOTE B10)						
P9		consumption of specific configuration may vary; description						
	NOTE: S	Supplier makes no representations, guarantees, assurances or v	warranties whether e	express or	implied,	regardin	g the	
	information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information						ion	
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more						OH	
	informat		my. Occ a Echovo A	iccount rec	prosente	ative for i	HOIC	
P9		ergy Star Qualified Monitors & Displays for the latest information	:					
		ww.energystar.gov/products/office_equipment/displays						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1