



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	lcarter@lenovo.com					
Internet site *	nttps://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at: http://www.	lenovo.com/ecodeclaration				

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo 300e 2nd Gen
Model number *	82GK
Issue date *	2020/08/07
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82GK Logo				
Issue da	ate *	2020-8-7	Leno	OVC	DTM	
Produc	t environ	mental attributes - Legal requirements	Require		met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\square$			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the					
P1.5*	chain co					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/about/sustainability	$\square$			
P2	Batterie	S				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$			
P2.2*	referenc		al 🔀			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	$\boxtimes$			
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: https://www.lenovo.com/us/en/about/sustainability	$\boxtimes$			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	$\square$			
	Require	d information is; given in item P15 or added to this document,	$\bowtie$			
		available at: https://www.lenovo.com/us/en/compliance/eco-declaration	ו			
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	nd 🔀			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material reference).				
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference). nt: Legal reference has no maximum concentration values.	col 🔀			
P6		nt information				
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).	$\square$			
				_	-	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82GK	Logo			
Issue da	nte *	2020-8-7		Lend	OVO	тм
Produc		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*	U,	It have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			⊢⊢	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		⊢⊢	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			╞	╞
17.0	Product					
P7.7*		ing can be done e.g. with processor, memory, cards or drives				
P7.8*		ing can be done using commonly available tools			H	⊢⊢
P7.9	Spare parts are available after end of production for: 5 years					++-
P7.10		s available after end of production for: 5 years				┢
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: PC/ABS Material type: Materi	al type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, ai	nd	$\square$	
P7.15	Printed c	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en	$\square$	
P7.16	Flame re	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<		$\boxtimes$		
P7.17	Alt. 1: Cr	nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other <b>Brominated epoxy</b> ( 8-7	resin CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			$\square$
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: <b>BPADP</b> , CAS #: <b>181028-79-5</b> (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in 🔀		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			$\square$
P7.19	•	: parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	h have been		$\square$	
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\bowtie$		
	lf YES; a a) or b)	t least one of the two alternatives below shall be answered; Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material c (calculated as a percentage of total plastic by weight) is <b>4.4</b> %. The weight of recycled material is <b>22.3</b> g.	ontent			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82GK	Logo	Lenovo			
Issue date *	2020-8-7		Leiiovo			
Product environmental attributes - Market requirements (continued) Requirement						

Item

Requirement met

	Material and sub	stance requirements	(continued)				
P7.21*			d in the product (See I	NOTE B7):		1	
P7.22*	0		. less than 0,1 mg/lam				
P8		specify: Number of la	mps: and maxir	num mercury content p	per lamp: mg		
P8.1*	Batteries Battery chemical of	composition: Lithium	ion			_	
P9		tion (See NOTE B8)	1011				
P9.1			els or energy consump	tions are reported:			
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	65 W	65 W	65W	Full load		
Categor	<u>y 1</u>						
Short Idle Enabled	State - WOL	4.35W	4.38 W	3.94W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )		
Long Idle Enabled	State - WOL	2.24 W	2.26W	2.38 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )		
Sleep (S3) - WOL Disabled		0.43 W	0.43 W	0.46W	Use for ENERGY STAR V8 registration (P <sub>Sleep</sub> )		
Off (S5) - V	WOL Disabled	0.33W	0.34W	0.36 W	Use for ENERGY STAR V8 registration (Poff) Use for ErP		
EPS No-loa (External power s wall outlet but disc	ad supply / charger plugged in the connected from the product.)	0.1 W	0.1 W	0.1 W			
PTEC * Typical Ene	ergy Consumption	1.76 W	<b>1.77</b> W	1.67 W			
ETEC *	ergy Consumption	<b>15.4</b> kWh/year	15.5kWh/year	14.6 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+ P <sub>short_ldle</sub> x 0.30)		
					led; P <sub>idle</sub> : Idle State - WOL Enabled		
			al Efficiency Marking P	rotocol) * : VI			
Display res	olution * : <b>1366x76</b>	8 megapixels					
Default time	e to enter energy sa	ave mode: 10 minutes					
P9.2*	Information about	the energy save funct	ion is provided with the	e product.			
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions						
516.1			to ISO 9296 (See NOT	/			
P10.1		Node description			nit A-weighted sound power level, $L_{WA,c}$ (B)	_	
		System Idle			* 3.0		
		CPU;Operation	d process (	* 3.0			
	Other mode	veciared A-weighted soul	nd pressure level (dB) $L_{pl}$	Am 16.8 (operator pos	sition desktop – idle)		
	I		nd pressure level (dB) $L_{pl}$	Am 17.3 (operator pos	sition desktop – operating)		
	Measured accordi	ng to: 🛛 ISO 7779	ECMA-74 (only if not covered b	v ECMA-74)			
	1			- /			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model n	umber *	82GK			Logo			
Issue da	ate *	2020-8-7				Leno	VO,	
Product	environ	nental attrib	utes - Market requirement	s (continued)		Require	ment	me
tem						Yes	No	n.a
		magnetic emis						
P10.4	program	(s): MPR-II(3	ts the requirement for low frequ pin AC adapter only)	ency electromagnetic fields of	of the following volunt	ary 🔀		
P12			outing products					
P12.1*	The disp	play meets the	ergonomic requirements of ISC	9241-307 for visual display	technologies.	$\square$		
P12.2*	The phy	sical input dev	ice meets the requirements of I	SO 9995 and ISO 9241-410.		$\boxtimes$		
P13		ing and docur						
P13.1*	Product	packaging ma		ight (kg): <b>0.0305</b> ight (kg): <b>0.268</b> ght (kg): <b>0.012</b>				
P13.2*	Product	plastic primary	/ packaging is free from PVC.			$\square$		
P13.3*			orrugated fiberboard packaging ber content: 90 %	g, specify the contained pe	rcentage of minimum	post-		
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Ùser an		this item if paper documentatio imentation on paper media is ch			$\boxtimes$		
	Totally o	hlorine-free				$\boxtimes$		
	Element	al chlorine-free	9					
	Process	ed chlorine-fre	e					
P14	Volunta	ry programs						
P14.1			requirements of the following v	oluntary program(s):				
	Eco-lab Eco-lab	Y STAR® el: <i>EPEAT</i> el: <i>TCO</i> el: <i>PCGL</i>	Criteria version: <i>8.0</i> Criteria version: <i>IEEE 1680.</i> Criteria version: <i>8.0</i> Criteria version: <i>Ver.13</i>	Date: 2020/6/4 Date: 2020/7/29 Date: 2020/6/4 Date: 2020/7/29	Product category: Product category: Product category: Product category:	Notebook Notebook		
P15	Additio	nal informatio	n (See NOTE B10)					
P9	Energy consumption of specific configuration may vary; description of the tested product configuration:							
	NOTE: S informat knowled	Supplier makes ion contained i ge available at I here is appro	s no representations, guarantee in this document. All information t the time of completion, and su ximate and provided for informa	s, assurances or warranties n provided by supplier in this pplier shall have no obligatio	whether express or in document is provided n to update such infor	nplied, regardin based on supp mation. The int	olier's format	ion
P9	See Ene	ergy Star Quali	fied Notebooks & Tablet Compu gov/index.cfm?fuseaction=find					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 300e 2nd Gen	Logo
Model Number	82GK	
Issue Date	2020-8-7	Lenovo
Additional information		

P7.1.	1 Product environmental attributes					
(d)	Year of manufacture:				2020	
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	II discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	4				
lents sting	Additional internal storage	YES (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	NO				
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.65				
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
(g)	Idle state power demand (Watts);		·	·	4.34	
(h)	Sleep mode power demand (Watts);				0.42	
(i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		/	
(j)	Off mode power demand (Watts); 0.32					
(k)						
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50%	100% Avera	age			
(m)	External power supply efficiency (if appli	icable)*:				
	Average active efficiency: 87,98%,88,6	3%,88,83%				
	*internal note: show values for all available external p					
(o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	500	
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – in	nternal PSU efficiency		
(p-2)	Measurement methodology used to dete EN 505	ermine information mer 63:2011 measuremen		external PSU efficiend	cy:	

(p-3) Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology				
	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodo				
(q) Sequence of steps for	or achieving a stable condition with respect to power EN 62623:2013 measurement methodo				
(r) Description of how sl	eep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	ff mode			
off mode:	required to reach the mode where the equipment auter to power management, 30mins automatically re				
	te condition before the computer automatically re- s not exceed the applicable power demand requirement		30min		
(u) Length of time after	r a period of user inactivity in which the compute	r automatically reaches a power	NA		
mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement than sleep mode (in minutes):         Image: mode that has a lower power demand requirement that has a lower power pow					
(w) Information on the er	nergy-saving potential of power management function Refer to User Guide	nality:			
(x) User information on I	how to enable the power management functionality: refer to user manual				
	measurements: — test voltage in V and frequency in system, — information and documentation on the institution;				
	230V/50HZ, Total Harmonic Distortion	<2%			
Additional Notebook Batter					
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
	The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>				
Internal/built-in Battery	$\boxtimes$				
External/detachable Battery			$\square$		
Bios Backup Battery	$\boxtimes$				
Other:					
Additional information					
as baterias de este producto no pueden s ýměnu baterie/baterií v tomto výrobku by brugeren kan ikke uden videre udskifte bat ber Akku/die Akkus dieses Produkts kann// (asutajad ei saa selle toote akut/akusid ise I µmrarpiq[-ec] oro mpoïóv auró čev µmop a/les batterie(s présente(s) dans ce produ corisnik ne može lako zamijeniti Bateriju se a batteria/le batterie in questo prodotto no ietotāji paši nevar nomainīt šā ražojuma a sio gaminio baterijos [bateriju] pats vartotoj termék akkumulátorát/akkumulátoriat a fe -batterija/batteriji f'dan il-prodott ma tistax/ latteriet [ene] i dette produktet kan ikke let be batterij(en) in dit product is (zijn) door dr lżytkownik nie może sam w latwy sposób v ou as baterias deste produto não podem	podykr не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé. teriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht w h bīpsasti asendada. oúv vα αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu am u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). jas negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni. jistgħux tiği/jiğu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. ňať používateľ. ni ne morejo zlahka zamenjati.	verden.			