



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo		go
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.htn	nl
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	pased on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo 300w Gen 3 AMD
Model number *	82J1, 82J2
Issue date *	2021/04/30
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nui	mber *	82J1, 82J2	Logo	Lend		
Issue date	e *	2021/04/30		Leik		тм
Product	environi	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		do not contain Asbestos (see legal reference). tt. Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	naximum			
D4 4*		ation values.			_	
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	iorinated		Ш	
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	oon atoms in	the 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/we	ek 🔀		
		il reference).				
P1.7*		tt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail				
P1.7"		Article 33 information about substances in articles is available at (add ORL of mail rww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	Ш
P2	Batteries	3				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See le	gal 🔀		
	reference		,	5		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		uct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).		
		aration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and				
		ww.lenovo.com/us/en/compliance/eu-doc for EO and ww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*	The prod	uct complies with the Eco design requirements for energy-related products,		\square		
		ıl reference).			_	
	Required	information is; given in item P15 or added to this document,		\boxtimes		
		available at (add URL):				
	https://w	ww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur nt chromium by weight of these together.	y, cadmium	and 🔀		
P5.2*		aging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the materia	al(s)		
P5.3*	The prod	uct packaging material is free from ozone depleting substances as specified in the N Il reference).	/Iontreal Prot	ocol 🔀		
		il reference). It: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
		,				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82J1, 82J2	Logo	Lenovo
Issue date *	2021/04/30		Lei 1000
	mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Requirement met

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82J1, 82J2	Logo	Lonovo
Issue date *	2021/04/30		LEI IOVO.
•			

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

D7 04*		stance requirements		OTE DZ\		_
P7.21*	Biobased plastic i	material content is used	in the product (See N	OTE B7):		
		ne of the two alternative				
			the biobased plastic m	aterial content (calculat	ed as a percentage of	
	total plastic b	by weight) is %.				
	or b) The weight of	of the biobased plastic r	material is a.			
P7.22*		free from mercury, i.e.			⊠ П [
		specify: Number of lar	nps: and maxim	um mercury content pe	r lamp: mg	
P8	Batteries					
P8.1*	Battery chemical	composition: Lithium I	on/Lithium Manganes	e Dioxide		
P9		otion (See NOTE B8)				
P9.1		e following power level			1=	
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	
Peak (On-r	mayl	100 V AC	115 V AC	230 V AC	modes and test method *	
reak (OII-I	IIax)	03 VV	00 VV	00 00	T dil load	
Category	<u>/ 1</u>					
Short Idle	State - WOL	4.272 W	4.428 W	4.536 W	Use for ENERGY STAR V8	
Enabled					registration	
Long Idle	State - WOL	2.736 W	2.748 W	2.772 W	Use for ENERGY STAR V8	
Enabled	State - WOL	2.730 VV	2.740 VV	2.772 VV	registration	
Sleep (S3)	- WOL Disabled	0.516 W	0.528 W	0.540 W	Use for ENERGY STAR V8	
					registration	
Off (S5) - V	VOL Disabled	0.444 W	0.468 W	0.468 W	Use for ErP	
EPS No-loa	ad	0.063 W	0.063 W	0.063 W		
(External power s	upply / charger plugged in the		0.000 11	0.000 11		
wall outlet but disc	connected from the product.)	10/	10/	100		<u> </u>
_	ergy Consumption	W	W	W		\boxtimes
ETEC *	cigy consumption	46 40k\\/h/\/h/\	46 60k/M/h/h/h	47 0014\0/15/2007	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 +$	$\overline{}$
-	ergy Consumption	16.18 kWh/year	16.69kWh/year	17.03 kWh/year	$P_{\text{sleep}} \times 0.35 + P_{\text{long_Idle}} \times 0.10 +$	Ш
, unidai Enc	orgy concumption				P _{short Idle} x 0.30)	
				<u> </u>		
F (15	0 F#:				d; P _{idle} : Idle State - WOL Enabled	_
		ncy Level (International	Eπiciency Marking Pro	otocol) * : VI		<u>Ц</u>
Display res	olution * : 1.049 m	egapixels			1366*768	
		ave mode: 30 minutes				
P9.2*	Information about	the energy save function	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				\boxtimes
P10	Emissions				,	
	Noise emission -	 Declared according to 	ISO 9296 (See NOTE	B9)		
P10.1		Mode description			A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	' Idle mode		* 1.7		
	Operation	Operating (CPU)		* 1.7		
		Declared A-weighted soun	d pressure level (dB)	16.2 (operator positi	ion desktop – idle)	
		L _{p Am}				
	0	Declared A-weighted sound L_{pAm}	d pressure level (dB)	16.2 (operator positi	ion desktop – operating)	
	-	ing to: X ISO 7779	TECMA 74			
	ivieasureu accord		DECIMA-74	ECMA 74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	82J1, 82J2			Logo	Long		
Issue date) *	2021/04/30				Lenc		н
Product	environr	nental attril	outes - Market requirements (cor	ntinued)		Require	ment	met
Item			-			Yes	No	n.a.
	Electron	nagnetic em	ssions					
P10.4			ets the requirement for low frequency e pin AC adapter only)	lectromagnetic fields of	of the following volunt	ary 🔀		
P12			puting products					
P12.1*			ergonomic requirements of ISO 9241-	307 for visual display	technologies.			
P12.2*	The phy	sical input de	vice meets the requirements of ISO 999	95 and ISO 9241-410.	-			
P13		ing and docu						
P13.1*	Product Product Product	packaging ma packaging ma packaging ma	aterial type(s): Cardboard weight (kg aterial type(s): paper weight (kg aterial type(s): LDPE bag weight (kg aterial type(s): EPE cushion weight (kg	g): 0.010 g): 0.013				
P13.2*	Product	plastic primar	y packaging is free from PVC.					
P13.3*	For proc	duct primary er recovered f	corrugated fiberboard packaging, speci iber content: %	cify the contained per	rcentage of minimum	post-		\boxtimes
P13.4*		media for use ronic, <mark>⊠</mark> Pap	r and product documentation (tick box). er, Other	:				
P13.5	Ùser and		this item if paper documentation used umentation on paper media is chlorine-					
	•	chlorine-free al chlorine-fre	e			\boxtimes		
	Process	ed chlorine-fr	ee					
P14	Volunta	ry programs						
P14.1	The prod	duct meets the	e requirements of the following voluntar	y program(s):				
		Y STAR® el: <i>EPEAT</i>	Criteria version: 8.0 Criteria version: IEEE 1680.1-2018 / IEEE 1680.1a-2020		Product category: 1 Product category: No	tebook		
	Eco-labe		Criteria version: Ver.13 Criteria version: NoteBook 8.0		Product category: No Product category: No			
P15			on (See NOTE B10)					
P9	Energy	consumption	n of specific configuration may vary;	description of the te	ested product config	uration:		
	informat knowled provided informat	ion contained ge available a I here is appro ion.	s no representations, guarantees, assu in this document. All information provio it the time of completion, and supplier s eximate and provided for informational	led by supplier in this shall have no obligatio purposes only. See a	document is provided n to update such info Lenovo Account Rep	based on sup mation. The in	plier's format	ion
P9			ified Notebooks & Tablet Computers for .gov/index.cfm?fuseaction=find_a_proc					·

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 300w Gen 3	Logo	
Model Number	82J1,82J2		Lonovo
Issue Date	2021/04/30		Lenovo.
Additional information			

d)	year of manufacture:				2021	
e))	Etec value (kWh) per ErP Lot 3 Categordisabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categordisabled	n switchable graphics r	mode with UMA driving	g the display.		
,	enable				. ,	
		Category A (according to ErP Lot 3)	(according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	8				
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	N/A				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.26				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A				
g)	Idle state power demand (Watts);				2.78	
1)	Sleep mode power demand (Watts);				0.55	
)	Sleep mode with WOL enabled power do	emand (Watts) (where	enabled);		n/a	
)	Off mode power demand (Watts);				0.47	
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		n/a	
)	Internal power supply efficiency at 10 %.	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	7,7,0	
,	10% 20% 50%	100% Avera	age	, , ,		
n)	external power supply efficiency (if appli	cable)*:				
	Average active efficiency: 65W:84.97%	84.88% 84.07% 82.82	2%			
	*internal note: show values for all available external p	ower supplies				
0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles					
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA					
p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficiend	cy:	

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
	IEC 62623 / IEC EN50564:2011 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand::				
	IEC 62623 / IEC EN50564:2011 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed:				
	refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
		er to power management, 30mins automatically re	eaches sleep mode		
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30 mins	
(u)				180 mins	
(v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10 mins		
(w)					
User information described in User Guide and Power Manager under LenovoVantage menu in all programs					
(x) user information on how to enable the power management functionality: **User information described in User Guide and Power Manager under LenovoVantage menu in all programs**					
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 %				
Additional Notebook Battery Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery		\boxtimes			
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
) he hatten/lies] in this product cannot be easily replaced by users themselves					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.