



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		ODOVO				
e-mail address	Alvin L Carter		Lenovo				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html						
Additional information							

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo G27q-20				
Model number *	66C3				
Issue date *	2020/10/22				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	66C3	Logo	Lanava
Issue date *	2020/10/22		LEI IOVO"

Product	Product environmental attributes - Legal requirements						
Item	<u> </u>	Require Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes					
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes					
	Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum						
	concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated						
	terphenyl (PCT) in preparations (see legal reference).		ш				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀					
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week						
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$				
1 1.7	https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf		ш	Ш			
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		_				
F2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш	\boxtimes			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			\boxtimes			
	reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes			
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).						
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc						
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes					
	(see legal reference).						
	Required information is; given in item P15 or added to this document,		ш	Ш			
-	available at: https://www.lenovo.com/us/en/compliance/eco-declaration						
P5	Product packaging		_				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀	Ш				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀					
1 0.2	used (see legal reference).	, _	Ш				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀					
	Protocol (see legal reference).	_					
	Comment: Legal reference has no maximum concentration values.		_				
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66C3	Logo	Lenovo
Issue date *	2020/10/22		

Product	t environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
P7	Design								
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$						
				<u> </u>					
P7.2*	Plastic materials in covers/housing have no surface coating.								
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.								
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes	<u> </u>						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.								
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes							
	Product lifetime								
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes					
P7.8*	Upgrading can be done using commonly available tools			\boxtimes					
P7.9	Spare parts are available after end of production for: 5 years								
P7.10	Service is available after end of production for: 5 years								
	Material and substance requirements								
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):								
D7.40	Material type: PC Material type: PC Material type:								
P7.12	Insulation materials of external electrical cables are PVC free.								
P7.13	Insulation materials of internal electrical cables are PVC free.		<u> </u>						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts								
	containing more than 25% post-consumer recycled content.								
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	w	\boxtimes						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	\boxtimes							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g								
	according ISO 1043-4:								
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	n							
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)		Ш	\boxtimes					
	2. Chemical name: , CAS #: "Gee NOTE BY)								
	3. Chemical name: , CAS #: "								
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	$\overline{\nabla}$					
	assigned the following Risk phrases; and Hazard statements:		ш						
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)								
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes							
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 31.5%. (EPEAT calculation) / 0% (TCO calculation) or b) The weight of recycled material is 333.6 g.								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	0000						Lenovo.			
Issue date	*	2020/10/2	22				Len		J TM	
Product environmental attributes - Market requirements (continued) Requirement n								t met		
Item								No	n.a.	
Material and substance requirements (continued)										
P7.21*	Biobased	plastic m	aterial content is used	in the product (See N	OTE B7):			\boxtimes		
	,			es below shall be answ	,					
a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0% .										
or or										
b) The weight of the biobased plastic material is θ g.										
P7.22*				less than 0,1 mg/lamp			\boxtimes			
P8	Batteries		specify: Number of lar	nps: and maxim	um mercury content pe	er lamp: mg				
P8.1*			omposition:							
P9			tion (See NOTE B8)							
P9.1	For the pr	oduct the	following power level	s or energy consumpti	ons are reported:					
Energy mo			Power level at	Power level at	Power level at	Reference/Standa		nergy		
			100 V AC	115 V AC	230 V AC	modes and test m	nethod *			
System Id	STAR® On lle)	Mode*	25.75 W	25.55W	25.37W	ENERGY	STAR 8.0			
` ,		D								
Sleep Mod	STAR® Lov le*	v Power	0.20 W	0.21W	0.31W	ENERGY	STAR 8.0			
•	STAR® Off	/	0.40.10	0.4014/	0.0014/					
Apparent C		1	0.13 W	0.13W	0.22W	ENERGY	STAR 8.0			
P P · · · ·										
PTEC *			9.14W	9.08W	9.08W	PTEC = Pon x () 35 + Pele	en v		
	ergy Consu	ımption	3.1411	3.000	3.0000	0.65	7.55 . 7 376	cp x	ш	
ETEC *			68.53kWh/year	68.01kWh/year	68.26kWh/year	$E_{TEC} = (8760/1000)$).6 +		
	ergy Consu			Efficient Markins D.	. (1) *	P _{sleep} x 0.1 + P _{idle}	x 0.3)		<u> </u>	
External Po	ower Suppi	y Επιcien	cy Level (Internationa	Efficiency Marking Pro	otocoi) * :	ENERGY STARS				
Dienlay res	solution* ·	2560*144	10 megapixels			ENERGY STAR® Requirements for				
Display 103	Solution .	2000 144	Педарілеіз			Monitors: Ver. 8.0				
						ENERGY STAR®				
Default time	e to enter e	energy sa	ve mode: 15 seconds	5		Requirements for				
P9.2*	Informatio	n about t	he energy save functi	on is provided with the	product	Monitors: Ver. 8.0) 			
P9.3*						1	<u> </u>		- 	
F 9.5	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display								Ш	
P10 Emissions										
				ISO 9296 (See NOTE						
P10.1						_				
	Idle		HDD: Idle		*				\boxtimes	
	Operation		HDD: Operating		*				\boxtimes	
	Other mo	de D	eclared A-weighted soun	d pressure level (dB) $L_{p{\sf Ar}}$	(operator po	osition desktop – idle)				
	Other mo	de D	eclared A-weighted soun	d pressure level (dB) $L_{p{\sf Ar}}$	(operator po	osition desktop – oper	rating)			
	Measured		ng to: 🔀 ISO 7779 🗌	ECMA-74	1					
	1		Other	only if not covered by	FCMA-74)					

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		66C3					Logo				
Issue date *		2020/10/22						L	enc		et.
Product	environr	nental attributes	- Market requiren	nents (con	tinued)			R	equire	ment	met
Item				•	•				Yes	No	n.a.
	Electron	nagnetic emission	s								
P10.4	Compute program		requirement for low t	frequency el	ectromagnet	ic fields of the fol	lowing volu	ntary			
P12		nics for computing									
P12.1*	The disp	lay meets the ergor	nomic requirements o	f ISO 9241-3	307 for visua	l display technolo	gies.		\boxtimes		
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 999	5 and ISO 92	241-410.					\boxtimes
P13	Packagi	ng and documenta	ation								
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): Bag type(s):	weight (kg weight (kg weight (kg): 0.6): 0.04						
P13.2*	Product	plastic primary pacl	kaging is free from PV	/C.					\boxtimes		
P13.3*		luct primary corruger recovered fiber co	ated fiberboard pack ontent: 80%	kaging, spec	cify the conta	ained percentage	of minimu	ım post-			
P13.4*		media for user and pronic, Paper,	product documentatio Other	on (tick box):							
P13.5	Ùser and		tem if paper documen ation on paper media								
	Element	hlorine-free al chlorine-free ed chlorine-free									
P14		ry programs									
P14.1	The proc ENERG' Eco-labe	duct meets the requ Y STAR® el: el:	irements of the follow Criteria version: Criteria version: Criteria version:	ving voluntar	y program(s) Date: Date: Date:	Product Product	category: L category: category:	CD Mon	itor		
P15		nal information (Se									
P9			pecific configuration								
	informati knowled	on contained in this ge available at the t here is approximat	epresentations, guara document. All inform time of completion, an de and provided for inf	nation provid nd supplier s	ed by supplice hall have no	er in this docume obligation to upd	nt is provide ate such inf	ed based ormation	on support on the in	olier's formati	ion
P9	See Ene	rgy Star Qualified N	Monitors & Displays fo products/office_equip								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1