



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo		<u></u>			
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo G34w-10			
Model number *	66A1			
Issue date *	2019.11.1			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	66A1	Logo	Lanava
Issue date *	2019/11/1		Lei Iovo

Product	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\square$		
	terphenyl (PCT) in preparations (see legal reference).	_	ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			$\boxtimes$
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7"	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$	Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			$\boxtimes$
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\boxtimes$
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The product complies with the Eco design requirements for energy-related products,			
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	×	Ш	Ш
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	) <u>\</u>	$\overline{}$	
1 3.2	used (see legal reference).	s) <u> </u>	Ш	ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).	_		
	Comment: Legal reference has no maximum concentration values.		_	
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66A1	Logo	Lopovo
Issue date *	2019/11/1		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)							
110000	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design							
D7.4*	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>				
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.							
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools			$\boxtimes$				
P7.9	Spare parts are available after end of production for: 5 years							
P7.10	Service is available after end of production for: 5 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
	Material type: ABS Material type: SGCC Material type: AL							
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$					
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and							
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part containing more than 25% post-consumer recycled content.	.5						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			$\boxtimes$				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "	n						
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		П					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		一一	$\overline{\square}$				
	assigned the following Risk phrases; and Hazard statements:	Ш	ш					
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):							
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 26%.</li> <li>or</li> <li>b) The weight of recycled material is 329.7g.</li> </ul>							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numb	er *	66A1				Logo	Long	N/6	
Issue date *		2019/11/	1		Lenov				ТМ
Product en	oduct environmental attributes - Market requirements (continued)  Requirement me							t met	
Item	Yes No						n.a.		
N	/laterial a	and subs	tance requirements	(continued)					
P7.21* E	Biobased	plastic m	aterial content is used	in the product (See No	OTE B7):				$\boxtimes$
I <del>f</del>	f YFS: at	least one	of the two alternative	s below shall be answe	ered:				
					istic material content (	calculated as a			
	perc	entage of	total plastic by weight	t) is %.	·				
0		:	41 1						
P7.22* L	,		the biobased plastic n	<u> </u>				$\overline{}$	
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps:  and maximum mercury content per lamp:  mg								
	Batteries		, , , , , , , , , , , , , , , , , , , ,		, , , , , , , , , , , , , , , , , , ,	<u> </u>			
P8.1* E	Battery ch	nemical co	omposition:						$\boxtimes$
			ion (See NOTE B8)						
		oduct the	following power level	s or energy consumption					
Energy mode	*		Power level at	Power level at		Reference/Stand		ergy	$\boxtimes$
			100 V AC	115 V AC		modes and test n			
ENEDOV CT	A D @ O =	N 4l - *				ENERGY STAR® Requirements for			
(System Idle)		Mode*	29.45	29.12	20 22	Monitors: Ver. 7.0			
(System rule)	1					(only Internal test			
						certification)	<u> </u>		
						ENERGY STAR®			
ENERGY ST	AR® Lov	v Power	0.33	0.32		Requirements for			
Sleep Mode*				5.02		Monitors: Ver. 7.0 (only Internal test			
						certification)	urig, no		
					ENERGY STAR® Program				
ENERGY ST	∧D⊚ ∩ff	,				Requirements for	Computer		
Apparent Off		,	0.23	0.23	0.21	Monitors: Ver. 7.0			
, ,ppa. 5						(only Internal test	ting, no		
						certification)			
PTEC *			29.45W	29.12W	28.33W				
Typical Energ	gy Consu	mption	04 C la\A/la / a.a.	00 01/10/1-	001-11/10/10/10	F - (0700/40/	10\ /D	0.05	
Annual Energ	ny Coneu	motion	<b>91.6</b> kWh/year	90.6kWh/year		$E_{TEC} = (8760/100 + P_{sleep} \times 0.65)$	JU) X (Poff X	0.35	Ш
			cv Level (International	Efficiency Marking Pro		r sieep X U.UU )			
		,	-, (		·	ENERGY STAR®	n Program		
5						Requirements for			
Display resolu	ution" :	344UX144	negapixels			Monitors: Ver. 7.0		al	
						testing, no certific			
						ENERGY STAR®			
Default time t	to enter e	nergy sa	ve mode: 30 seconds	:		Requirements for Monitors: Ver. 7.0		al	
						testing, no certific		וג	
P9.2* In	nformatio	n about t	he energy save function	on is provided with the		3,		$\Box$	
P9.3 T									
P10 E									
			Declared according to	ISO 9296 (See NOTE	B9)				
P10.1 N	/lode		ode description		Statistical upper limit A	A-weighted sound	power level	, L <sub>WA,c</sub>	(B)
lo	dle	*			*				
	Operation				*			·	$\boxtimes$
C	Other mo	de D	eclared A-weighted sound	d pressure level (dB) $L_{p{\sf Am}}$	(operator posit	ion desktop – idle	)		
	Other mode $\frac{p_{\text{AIII}}}{p_{\text{AIII}}}$			(operator position desktop – operating)					
L .				1	.,,		<del>-</del> /		
	n <del>c</del> asure0	l accordin	Other		ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	66A1			Logo	Long		
Issue dat	ssue date * 2019/11/1			Leno	VO.	м		
Product	environr	nental attribu	ites - Market requirements	(continued)		Require	ment	met
Item			-			Yes	No	n.a.
	Electron	nagnetic emis	sions					
P10.4	Compute program		s the requirement for low freque	ncy electromagnetic fie	elds of the following volunta	ary		
P12			uting products					
P12.1*	The disp	lay meets the e	ergonomic requirements of ISO	9241-307 for visual disp	play technologies.			
P12.2*	The phy:	sical input devi	ce meets the requirements of IS	O 9995 and ISO 9241-	410.			
P13	Packagi	ing and docum	entation					
P13.1*	Product Product Product	packaging mate packaging mate packaging mate	erial type(s): Paper(Box) erial type(s): EPS(Cushion) erial type(s): EPE(Bag) erial type(s): HDPE(Bag)	weight (kg): 1.92 weight (kg): 0.91 weight (kg): 0.01 weight (kg): 0.01	0 5			
P13.2*	Product	plastic primary	packaging is free from PVC.					
P13.3*			rrugated fiberboard packaging er content: 90%	, specify the contained	d percentage of minimum	post-		
P13.4*		media for user a ronic, ⊠Paper	and product documentation (tick , Other	box):				
P13.5	Ùser and		his item if paper documentation nentation on paper media is chl					
	Totally chlorine-free							
	,	al chlorine-free						
	Process	ed chlorine-free	•			H		
P14	Volunta	ry programs						
P14.1		<del>, , , , , , , , , , , , , , , , , , , </del>	requirements of the following vo	luntary program(s):				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15			(See NOTE B10)					
P9			of specific configuration may					
	informati knowled	ion contained in ge available at I here is approx	no representations, guarantees this document. All information the time of completion, and sup imate and provided for informat	provided by supplier in plier shall have no oblic	this document is provided gation to update such infor	based on suppression. The inf	olier's formati	ion
P9	See Ene	ergy Star Qualifi	ed Notebooks & Tablet Comput ov/index.cfm?fuseaction=find_a					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1