



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	<u>alcarter@lenovo.com</u>	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	Lenovo Legion 5 17"					
Model number *	81Y8					
Issue date *	2020-4-3					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	81Y8 Logo	Lon	27/	
Issue dat	te *	2020-4-3	Lend		D _{TM}
Product	environ	mental attributes - Legal requirements	Require	men	t met
Item		<u> </u>	Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated // (PCT) in preparations (see legal reference).			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the antaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weeł al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	κ 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries referenc	s or accumulators do not contain more than $0,0005\%$ of mercury or $0,002\%$ of cadmium. (See legale)	I 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conforr	nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product	t packaging			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.	d 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material(see legal reference).	s) 🔀		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		nt information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).	\square	П	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81Y8	Logo	Lanava
Issue date *	2020-4-3		Lei IOVO,

Product	tenvironmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 3 years			
P7.10	Service is available after end of production for: 3 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations is concentrations above 0.1%: Alt. 2	n		
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

D 1 1 1			D · · · ·
Issue date *	2020-4-3		Lei IOVO.
Model number *	81Y8	Logo	Lonovo

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

1			, ,, ,,			
55.04		stance requirements		^== >=\		
P7.21*	Biobased plastic r	naterial content is use	d in the product (See N	OTE B7):		Ш
P7.22*			less than 0,1 mg/lamp.			\boxtimes
		specify: Number of la	mps: and maxim	um mercury content p	er lamp: mg	
P8	Batteries					
P8.1*	-		olymer battery and lith	nium-metal battery		
P9		otion (See NOTE B8)				
P9.1			els or energy consumption			
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш
Peak (On-		230 W	230 W	230W	Full load	
Categor						
Short Idle Enabled	State - WOL	8.88W	9.19W	9.59 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Long Idle Enabled	State - WOL	3.90W	3.94 W	4.20 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.52W	0.55W	0.57 W	Use for ENERGY STAR V8.0 registration(P _{sleep})	
Off (S5) - I	WOL Enabled	0.37W	0.37 W	0.38 W	Use for ENERGY STAR V8.0 registration(P _{off})	
Off (S5) - I	WOL Disabled	0.37W	0.37W	0.38 W	Use for ErP	
EPS No-loa (External power s	ad supply / charger plugged in the econnected from the product.)	0.113 W	0.114 W	0.115 W		
PTEC *	ergy Consumption	W	W	W		
ETEC *	ergy Consumption	29.16 kWh/year	30.10 kWh/year	31.46 kWh/year	ETEC = (8760/1000) x (Poff x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enabl	led; P _{idle} : Idle State - WOL Enabled	
External Po	ower Supply Efficie	ncy Level (Internationa	al Efficiency Marking Pro	otocol) * : VI		
Display res	solution * :2.07 meg	napixels				Ħ
		ave mode: 10 minutes				+
P9.2*			ion is provided with the	product		₩
			ion is provided with the	product.		
P9.3		class (monitors only):				\boxtimes
P10	Emissions		1000000000000	. 50)		
D40.4	1		o ISO 9296 (See NOTE		". A sight day aday and a	(D)
P10.1		Mode description		* 2.7	nit A-weighted sound power level, $L_{WA,c}$	(B)
		* Idle (Operating)				-
		* HDD:Operation		* 2.7		
	Other mode	CPU:Operation Declared A-weighted sour	nd pressure level (dB) $L_{p{\sf Am}}$	5.1 19.6 (operator pos	ition desktop – idle)	
			nd pressure level (dB) $L_{p m Am}$		ition desktop – operating)	
	Measured accord	ing to: 🔀 ISO 7779 [ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	81Y8			Logo	Leno	VO	
Issue dat	te *	2020-4-3				Leilo	VU	М
Product	environr	nental attributes	- Market requirements	(continued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emissior	ıs					
P10.4			requirement for low freque	ncy electromagnetic field	s of the following voluntary	\boxtimes		
	<u> </u>	(s): MPR-II(3 pin A	• • • • • • • • • • • • • • • • • • • •					
P12		mics for computin		2011 20= 1				
P12.1*			nomic requirements of ISO 9				Щ.	Щ
P12.2*		•	eets the requirements of IS	O 9995 and ISO 9241-41	0.			
P13		ng and document						
P13.1*		packaging material		ht (kg): 0.35				
			type(s): paper(manual)	weight (kg): 0.05				
		packaging material packaging material	type(s): corner paper weig	ht (kg): 0.086				
P13.2*			kaging is free from PVC.	iii (kg). 0.000			П	$\overline{\Box}$
P13.3*		, , ,	ated fiberboard packaging,	specify the contained i	percentage of minimum po	 _		H
		er recovered fiber o		opeony are contained i	or or many pr			ш
P13.4*			product documentation (tick	box):				
	Electron	ic 🔀, Paper 🔀, C	Other					
P13.5			tem if paper documentation					
		•	tation on paper media is chlo	orine-free:		\bowtie		
	If Yes, p	lease specify:						
	Totally c	hlorine-free						
	Element	al chlorine-free				\square		
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requ	irements of the following vol	luntary program(s):				
	ENEDO	Y STAR®	Criteria version: 8.0	Date: 2019/7/15	Product category: 2			
	Eco-labe		Criteria version:	Date: 2019/1/13	Product category: 2			
	Eco-labe		Criteria version:	Date:	Product category:			
P15		nal information (Se						
P9	Energy	consumption of s	pecific configuration may	vary; description of the	tested product configura	tion:		
			epresentations, guarantees,				g the	
			s document. All information p					
			time of completion, and supp					ion
			te and provided for informati	onal purposes only. See	a Lenovo Account Represe	intative for r	nore	
P9	informati		Notebooks & Tablet Compute	are for the latest informat	ion:			
1 9			//www.energystar.gov/produ					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion 5 17IMH05H	Logo	
Model number *	81Y8		Lonovo
Issue date *	2020-4-3		Lenovo.
Additional information			

d)	Year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		, , , ,	16	
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	yes (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			13.53	
g)	Idle state power demand (Watts);	<u> </u>	<u> </u>	<u> </u>	3.79
h)	Sleep mode power demand (Watts);				0.65
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.65
)	Off mode power demand (Watts);				0.41
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.41
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appl	icable)*:			
	Average active efficiency: 88.15% 88.2	20%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information men	tioned in points (I) - i	nternal PSU efficiency	
p-2)	Measurement methodology used to dete	ermine information men 63:2011 measuremen	tioned in points (m) -	external PSU efficiend	cy:

Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT ECO Declaration:	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology					
(r) Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology (s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode (l) Duration of idle state condition before the computer automatically reaches sleep mode or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 (w) Information on the energy-saving potential of power management functionality: refer to user manual (x) User information on how to enable the power management functionality: refer to user manual (z) Test parameters for measurements:— test voltage in V and frequency in Hz,— total harmonic distortion of the electricity supply system,— information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[les] not user replaceable The battery[les] not user set placeable The battery[les] no	(p-4)	power as defined in Point P9.1 in the Product IT Eco Declaration:				
(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode (t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Information on the energy-saving potential of power management functionality:	(q)					
(t) Duration of idle state condition before the computer automatically reaches sleep mode (t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time after a period of user inactivity in which the computer automatically reaches a power mode (in minutes): (v) Length of time after a period of user inactivity in which the computer automatically reaches a power mode (in minutes): (v) Length of time after a period of user inactivity in which the computer automatically reaches a power mode (in minutes): (v) Length of time after a period of user inactivity in which the computer automatically reaches a power mode (in minutes): (v) Length of time after a period of user inactivity in which the computer automatically reaches a power management functionality: (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in m	(r)					
condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (w) Information on the energy-saving potential of power management functionality: **refer to user manual** (x) User information on how to enable the power management functionality: **refer to user manual** (x) User information on how to enable the power management functionality: **refer to user manual** (z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: **230V, 50GHz, Total Harmonic Distortion <2 %** **Additional Notebook Battery Information:** Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaceable and prepared by users themselves. 1) Internal/built-in Battery Internal/detachable Battery Bios Backup Battery The did the computer automatical reactive after user inactivity (in minutes): **NA** **NA** **NA** **NA** **NA** **NA** **NA** **NA** **NA** **NA** **NA** **NA** **NA**	off mode:					
mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (w) Information on the energy-saving potential of power management functionality:		condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
Column C	(u)				NA	
(w) Information on the energy-saving potential of power management functionality: refer to user manual (x) User information on how to enable the power management functionality: refer to user manual (z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Additional information	(v)				10	
Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Additional information						
the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Additional information						
Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Additional information	the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Additional information						
Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Additional information			Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
External/detachable Battery			The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Bios Backup Battery Other: Additional information	Internal/built-in Battery					
Other: Additional information	External/detachable Battery					
Additional information	Bios Backup Battery					
	Other:					
	Additio	nal information			•	
)					

./ The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Τασύαβα θε αστο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.