



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter						
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	Desktop Computer						
Commercial name *	Lenovo Legion T7/Legion CT7						
Model number *	90Q8, 90Q9, 90QA, 90R4/90QN, 90QQ						
Issue date *	2020/6/3						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Woderna	IIIDEI	90Q8, 90Q9, 90QA, 90R4/90QN, 90QQ	Logo	Lend	21/	
Issue dat	e *	2020/6/3		Leik		тн
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro concentr	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values.	naximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	Parts wit (see lega Commer	K				
P1.7*	REACH	nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail tatic.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disc.				
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	nium. (See lega	I 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) delaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar		\boxtimes		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5	Product	packaging	23 accidiation			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	v. cadmium ar	nd 🔀		
	hexavale	ent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	·			
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

P6 P6.1*

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

Model number *	90Q8, 90Q9, 90QA, 90R4/90QN, 90QQ	Logo	Lonovo
Issue date *	2020/6/3		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS PC550K Material type: PC LUPOY EF1006FH Material type: ER5001R.	F-K1969		
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		Ħ	
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS-FR(40)<	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(17)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: Bisphenol A diphosphate , CAS #: 181028-79-5 (See NOTE B4)	\boxtimes		
	2. Chemical name: 1,1,2,2,3,3,4,4,4-Nonafluoro-0-butanesulfonic acidpotassium salt , CAS #: 29420-49-3 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; R20/22 and Hazard statements: H302+H332	\boxtimes		
	The source(s) for these classifications is/are found at (add URL(s)): https://www.msds-europe.com/r-			
D7 00*	phrases-s-phrases/, https://www.msds-europe.com/h-statements/ (See note B5)		_	
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 3.2 %. or b) The weight of recycled material is 53.9 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	ber * 90Q8, 90Q9, 90QA, 90R4/90QN, 90QQ			Logo	Long	enovo.					
Issue date	*	2020/6/3							Lenc	JVC	TH	
Product	environn	nental at	tributes	- Market re	quiren	nents (conti	nued)			Require	emen	t met
Item					_	•	•			Yes	No	n.a.
	Material	and subs	tance re	quirements	(continu	ıed)						
P7.21*	Biobased	d plastic m	aterial co	ontent is used	in the p	roduct (See N	OTE B7):				\boxtimes	
P7.22*	Light sou	irces are f	ree from	mercury, i.e.	less than	n 0,1 mg/lamp.					$\overline{\sqcap}$	
			specify: I	Number of lan	nps:	and maxim	um merc	ury content pe	r lamp: m	ıg		
P8	Batteries											
P8.1*												
P9				NOTE B8)								
P9.1		roduct the		g power level: er level at		rgy consumption		eported: ver level at	Deference/Cto	ndord for an		
Energy mo	ue			er ieverat OVAC		15 V AC		30 V AC	modes and tes	ndard for en	ergy	Ш
Peak (On-	max)			N		W		N	Full load	, , , , , , , , , , , , , , , , , , ,		
0-1	· D0											
Categor	<u>y D2</u>											
Short Idle	State - W	OL	41.6	W	41.9	W	42.7	W	Use for ENER	RGY STAR V8		
Enabled									registration (l	Pidle)		
Long Idle	State - Wo	OL	40.1	W	40.4	W	40.3	W	Use for ENER	RGY STAR V8		
Enabled		_	1011				10.0		registration (
Sleep (S3)	- WOL E	nabled	1.7	W	1.7	W	1.8	W	Use for ENER			
									registration (I	Psleep)		
Off (S5) - V	NOL Enal	oled	0.6	W	0.6	W	0.7	W	Use for ENER	RGY STAR V8		
									registration (l	P _{off})		
Off (S5) - V	NOL Disa	bled	\	V	,	W	0.56 W		Use for ErP			-
EPS No-loa	ad		١	V	,	W	· ·	N				
(External power s	supply / charger	plugged in the	,	•		• •	'	•				
wall outlet but dis	connected from	the product.)	١	V	,	W	,	N				
Typical En	erav Cons	umption	'	v		VV	· '	, v				\boxtimes
ETEC *	orgy corre	up.a.o	151.8	kWh/year	152.8	kWh/year	155.4 k\	Vh/year	E _{TEC} = (8760/1	1000) x (P _{off} x 0	.15	
Annual En	ergy Cons	umption		-						+ Plong_ldle x 0.1	0+	
				OF M- 4- (0	(F) 14(O)	English B	. 01 11	(C2) IMOI	P _{short_Idle} x 0.3			
External Po	ower Supr	ly Efficien				cy Marking Pro			Enabled; P _{idle} : Id	ie State - WOL E	nabied	
Display res		•	egapixels	•		o,ag						\overline{X}
. ,			• .	: 25 minutes								
P9.2*					on ic pro	vided with the	product			$\overline{\square}$	$\overline{}$	-
P9.3				<u> </u>	on is pro	videa with the	product.		1			\square
P10			iass (iiic	nitors only):								
PIU	P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9)											
P10.1	Mode		lode des		130 32	90 (See NOTE		ical upper limit	A-weighted sou	and power level	. Lwa c	(B)
	Idle	*	HDD:Ic				* 3.9			. p =o0701	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u>\-/</u>
	Operation * HDD: Operating			* 4.3					$\overline{}$			
	Other mode $\begin{array}{c} \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ \textbf{Declared A-weighted sound pressure level (dB)} \ L_{pAr} \\ Declared A-$						(operator positi	ion desktop – idle	 e)			
	Other mo					e level (dB) L_{pAm}		• • •	ion desktop – ope	<u>, </u>		
					•		20.3	(operator positi	ion desktop – ope	erauriy)		
	Measure	d accordir	ng to: 🔀	ISO 7779	ECMA-							
	Other (only if not covered by ECMA-74)											

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Product environmental attributes - Market requirements (continued) Item	ogo L opovo		QQ	R4/90QN, 900	90Q8, 90Q9, 90QA, 90	number *	Model n
Electromagnetic emissions	Lenovo				2020/6/3	date *	Issue da
Electromagnetic emissions	Requirement me	ontinued)	ements (c	rket require	mental attributes - M	uct environn	Produc
P10.4 Computer display meets the requirement for low frequency electromagnetic fields of the following program(s): P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Papers (Cartons, Pulp, Accessory box, Card Board, etc.) weight (kg): 1.772 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): 0.511 Product packaging material type(s): weight (kg): 0.511 Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of consumer recovered fiber content: 98 % P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Product c	Yes No n.a	•	•				Item
P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Papers (Cartons, Pulp, Accessory box, Card Board, etc.) Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): weight (kg): 0.511 Product packaging in the formpation of packaging packaging packaging pa							
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Papers (Cartons, Pulp, Accessory box, Card Board, etc.) weight (kg): 1.772 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): weight (kg): 0.511 Product primary packaging is free from PVC. P13.3* For product primary packaging, specify the contained percentage of consumer recovered fiber content: 98 % P13.4* Specify media for user and product documentation (tick box): □ Electronic, □ Paper, □ Other P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: B.0 Date: Product cate Eco-label: Criteria version: Date: Product cate	ing voluntary	electromagnetic fields of the follow	w frequency		(s):	program	
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Papers (Cartons, Pulp, Accessory box, Card Board, etc.) weight (kg): 1.772 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): weight (kg): weight (kg): 0.511 Product packaging material type(s): weight (kg): 0.511 Product packaging material type(s): weight (kg): product packaging material type(s): weight (kg): product packaging material type(s): weight (kg): 0.511 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging in trief							
P13.1* Product packaging material type(s): Papers (Cartons, Pulp, Accessory box, Card Board, etc.) Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): Weight (kg): Weight (kg): 0.511 Product packaging material type(s): Weight (kg): Weight (kg): 0.511 Product plastic primary packaging is free from PVC. P13.2* Product plastic primary corrugated fiberboard packaging, specify the contained percentage of consumer recovered fiber content: 98 % P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested production of the Eco-label P16 Energy consumption of specific configuration may vary; description of the tested produ				•	•	•	
P13.1* Product packaging material type(s): Papers (Cartons, Pulp, Accessory box, Card Board, etc.) weight (kg): 1.772 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): weight (kg): 0.511 Product packaging material type(s): weight (kg): 0.511 Product plastic primary packaging is free from PVC. P13.2* Product primary corrugated fiberboard packaging, specify the contained percentage of consumer recovered fiber content: 98 % P13.4* Specify media for user and product documentation (tick box): Electronic, ☑ Paper, ☑ Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether expirinformation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update sprovided here is approximate and provided for informational purposes only. See a Lenovo Acceleration and provided for informational purposes only. See a Lenovo Acceleration and provided by supplier in the second provided by supplier in the product cate provided for informational purposes only. See a Lenovo Acceleration and provided for informational purposes only. See a Lenovo Acceleration and provided for informational purposes only. See a Lenovo Acceleration and provided for informational purposes		995 and ISO 9241-410.	nts of ISO	ne requireme			
Cartons, Pulp, Accessory box, Card Board, etc. weight (kg): 1.772 Product packaging material type(s): Plastic (PE bags, etc.) weight (kg): 0.511 Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg): Product plastic primary packaging is free from PVC. P13.3* Product primary corrugated fiberboard packaging, specify the contained percentage of consumer recovered fiber content: 98 % P13.4* Specify media for user and product documentation (tick box):							
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of consumer recovered fiber content: 98 % P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested production NOTE: Supplier makes no representations, guarantees, assurances or warranties whether expininformation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update sprovided here is approximate and provided for informational purposes only. See a Lenovo Acceleration of the tested provided for informational purposes only. See a Lenovo Accelerations and provided for informational purposes only. See		c.) weight (kg): 0.511	PE bags, e	Card Board, s): Plastic (s, Pulp, Accessory box packaging material type	(Cartons Product	P13.1*
consumer recovered fiber content: 98 % P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other			PVC.	is free from l	plastic primary packagir	Product	P13.2*
P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether expininformation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update seprovided here is approximate and provided for informational purposes only. See a Lenovo Accession.	minimum post-	ecify the contained percentage o	ckaging, s				P13.3*
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether exprise information contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update seprovided here is approximate and provided for informational purposes only. See a Lenovo Acceleration in the completion of		x):	tion (tick bo				P13.4*
Elemental chlorine-free Processed chlorine-free P14 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether expiniformation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update sprovided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only.					d product documentation	Ùser and	P13.5
P14 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether expininformation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update supprovided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only.						,	
P14.1 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether explication information contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update a provided here is approximate and provided for informational purposes only. See a Lenovo According to the following voluntary program(s):	Ц						
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether experimformation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update as provided here is approximate and provided for informational purposes only. See a Lenovo According to the following provided here is approximate and provided for informational purposes only. See a Lenovo According to the following provided here is approximate and provided for informational purposes only.							
ENERGY STAR® Criteria version: 8.0 Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether explication information contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update a provided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only. See a Lenovo According to the provided here is approximate and provided for informational purposes only.		()					
Eco-label: Criteria version: Date: Product cate Eco-label: Criteria version: Date: Product cate P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether explication information contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update a provided here is approximate and provided for informational purposes only. See a Lenovo Access		ary program(s):	owing volun	nts of the folio	duct meets the requirem	The proc	P14.1
P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether explication information contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update a provided here is approximate and provided for informational purposes only. See a Lenovo According to the tested production of the tested production information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update a provided here is approximate and provided for informational purposes only. See a Lenovo According to the tested production of the tested production in the tested productio			8.0				
P9 Energy consumption of specific configuration may vary; description of the tested product NOTE: Supplier makes no representations, guarantees, assurances or warranties whether explication information contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update supprovided here is approximate and provided for informational purposes only. See a Lenovo Accordance in the tested production of the tested production.	egory:	Date: Product ca		eria version:	el: Cr	Eco-labe	
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether exprisinformation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update sprovided here is approximate and provided for informational purposes only. See a Lenovo According to the control of the contro					,		
information contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to update sprovided here is approximate and provided for informational purposes only. See a Lenovo According to the contraction of the	ıct configuration:	r; description of the tested prod	on may va	configurati	consumption of specif	Energy	P9
information.	s provided based on supplier's such information. The information	ided by supplier in this document shall have no obligation to update	rmation pro	ment. All info completion,	ion contained in this doc ge available at the time I here is approximate an	informati knowled provided	l
P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_cod	de=CO	for the latest information: oduct.showProductGroup&pgw_co	Computers n=find_a_p	oks & Tablet fm?fuseactio	ergy Star Qualified Noteb vw.energystar.gov/index	See Ene http://ww	P9

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion T7/Legion CT7	Logo	
Model Number	90Q8, 90Q9, 90QA, 90R4/90QN, 90QQ		Longva
Issue Date	2020/6/3		Lenovo
Additional information			

i)	year of manufacture:				2020				
)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) at enable									
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]		,		62				
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)				
adjustm ring tee	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)				
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)				
app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)				
	Category of discrete graphics Card(s)				G7				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)								
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				153.39				
)	Idle state power demand (Watts);	<u> </u>	l	<u> </u>	42.77				
)	Sleep mode power demand (Watts);				0.8				
	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.89				
	Off mode power demand (Watts);				0.56				
)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.65				
	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):					
າ)	FSP650-70ALA 10% 89.56% 20% 91 External power supply efficiency (if appl		100% 87.79% Aver	age 90.51%					
'')	Average active efficiency: NA								
)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):								
p-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) – i	nternal PSU efficiency	•				

(p-2)	(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						
	EN 50563:2011 E	xternal a.c.—d.c. and a.c.—a.c. power supplies — and average efficiency of active mod					
(p-3)	Measurement metho	dology used to determine information mentioned in p	points (o) – loading cycles batteries:				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode				
		EGULATION (EU) No 617/2013 of 26 June 2013 im arliament and of the Council with regard to ecode and computer servers:					
		ANNEX II Ecodesign requirements and time	etable:				
(p)	Sequence of steps for	or achieving a stable condition with respect to power	demand:				
	EN 62623:201	3 — Desktop and notebook computers — Measur	rement of energy consumption:				
		5.2. Test setup; 5.3.2. Measuring off mode;					
		5.3.3. Measuring sleep mode; 5.3.4. Measuring long idle mode.					
(r)	Description of how s	leep and/or off mode was selected or programmed:					
, ,	EN 62623:201	3 — Desktop and notebook computers — Measur	rement of energy consumption:				
		5.2. Test setup; 5.3.2. Measuring off mode.					
		5.3.3. Measuring sleep mode.					
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
	ENERGY STAR	Program Requirements Product Specification	for Computers, Eligibility Criteria				
		Version 6.0, Rev. Oct-2013: 1.D.4 Sleep Mode.					
(t)		te condition before the computer automatically re s not exceed the applicable power demand requirement		30			
(u)	Length of time after	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in	r automatically reaches a power	10			
(v)	Length of time before	re the display sleep mode is set to activate after	user inactivity (in minutes):	10			
(w)	Information on the er	nergy-saving potential of power management functio	nality:				
	http://v	www.energystar.gov/index.cfm?c=power_mgt.pr_	_power_mgt_users				
(x)	User information on	how to enable the power management functionality:					
	http://v	www.energystar.gov/index.cfm?c=power_mgt.pr_	_power_mgt_users				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:					
		Chroma 6530 (Ac Source) YOKOGAWA WT210 (Digital Meter)					
Addition	nal Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/	built-in Battery						
External	External/detachable Battery						
Bios Bao	ckup Battery						
Other:							
Addition	al information			•			

1)
The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08