



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Portable Computer Tablet						
Commercial name *	Lenovo Tab P11 Pro						
Model number *	ZATC, ZATD						
Issue date *	2020.9.25						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other Russia, Serbia, Tunisia,						
	Ukraine						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	ZA7C, ZA7D	Logo	Lan		
Issue dat	e *	2020.9.25		Lend	DVC	D _{TM}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	ne 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/weϵ	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with l Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) at large legal requirements (see legal r		\boxtimes		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/ea/	aco-declaration			
P5	Droduct		eco-ueciaralioi	1		
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium a	nd 🔀		

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).

The product packaging material is free from ozone depleting substances as specified in the Montreal

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

hexavalent chromium by weight of these together.

Treatment information

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

P5.2*

P6

P6.1*

Model number *	ZA7C, ZA7D	Logo	Lonovo
Issue date *	2020.9.25		Leliovo"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	· · · · · · · · · · · · · · · · · · ·	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9	Spare parts are available after end of production for: 2 years			
P7.10	Service is available after end of production for: 2 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: AL6013 Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	<u></u> _		
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		\boxtimes	
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	' 🔀	Ш	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):]
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 35948-25-5	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	_		
	according ISO 1043-4:			\bowtie
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1		
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\overline{}$	Ħ	
	assigned the following Risk phrases; and Hazard statements:		ш	
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	mber *	ZA7C, Z	A7D			Lopovo						
Issue date	*	2020.9.2	5			Lenovo						
Product	environn	nental at	tributes - Market r	equirements (conti	nued)	Requirement met						
Item				•	•	Yes No n.a.						
	Material	and subs	stance requirements	(continued)								
P7.21*	Biobased	d plastic m	naterial content is used	d in the product (See No	OTE B7):							
P7.22*			ree from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp. mps: and maxim	um mercury content pe	er lamp: mg						
P8												
P8.1*	Battery of	chemical c	omposition: Li-ion Po	lymer								
P9	P9 Energy consumption (See NOTE B8)											
P9.1	For the p	product the		ls or energy consumption	ons are reported:							
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *						
Peak (On-	max)		20 W	20 W	20 W	Full load						
Categor	<u>y2</u>											
Short Idle Enabled	State - W	OL	3.32 W	3.33 W	3.45 W	Use for ENERGY STAR V8.0 registration (P _{idle})						
Long Idle State - WOL Enabled		OL	0.72 W	0.72 W	0.78 W	Use for ENERGY STAR V8.0 registration (P _{idle})						
Sleep (S3)	- WOL E	nabled	0.72 W	0.72 W	0.78 W	Use for ENERGY STAR V8.0 registration(P _{sleep})						
Off (S5) - I	WOL Enal	bled	0.27 W	0.27 W	0.31 W	Use for ENERGY STAR V8.0 registration(Poff) Use for ErP						
EPS No-loa (External power s wall outlet but dis	supply / charger	plugged in the	0.0225 W	0.0228 W	0.0549 W							
PTEC * Typical En			W	W	W							
ETEC * Annual Ene			13.1 kWh/year	13.13 kWh/year	13.78 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+						
			D + Off Mada(CE) W	Ol Frahladi B Class	Mada(C2) MOL Frakli	P _{short_Idle} x 0.30)						
External D	ower Supr	dy Efficies		OL Enabled; P _{sleep} : Sleep		ed; P _{idle} : Idle State - WOL Enabled						
		•	· '	il Efficiency Marking Fit	, VI	<u> </u>						
Display res			* .			<u> </u>						
			ve mode: 0.5 minutes									
P9.2*	Information about the energy save function is provided with the product.											
P9.3	Energy efficiency class (monitors only):											
P10			Declared according to	o ISO 9296 (See NOTE	B9)							
P10.1	Mode		Node description	0.00 0200 (000 140 1		t A-weighted sound power level, L _{WA,c} (B)						
	Idle	*	•		*	× 3 × × × × × × × × × × × × × × × × × ×						
	Operatio				*							
	Other mo	ode D	eclared A-weighted sour	ad pressure level (dB) $L_{p{ m Am}}$	(operator po	sition desktop – idle)						
	Other mo	ode D	eclared A-weighted sour	ad pressure level (dB) L_{pAm}	(operator po	sition desktop – operating)						
	Measure	d according	ng to: SO 7779	ECMA-74	·							
			Other	(only if not covered by	ECMA-74)	Other (only if not covered by ECMA-74)						

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model n		ZA7C, ZA7D			Logo	Leno	VO	
Issue da	ite *	2020.9.25				Leilo	VO.	м
Produc	t environr	nental attribut	es - Market requirements	(continued)		Require	ment	met
Item						Yes	No	n.a.
		nagnetic emissi						
P10.4	Compute program		the requirement for low frequen	cy electromagnetic fiel	ds of the following volunta	ary 🔀		
P12		mics for comput						
P12.1*	The disp	lay meets the ere	gonomic requirements of ISO 92	241-307 for visual disp	lay technologies.	\boxtimes		
P12.2*	The phys	sical input device	meets the requirements of ISC	9995 and ISO 9241-4	10.			
P13	Packagi	ng and docume	ntation					
P13.1*	Product		ial type(s): box weigh ial type(s): paper(manual) ial type(s): Cushion (cardboa	nt (kg): 0.348 weight (kg): 0.007 rd) weight (, (kg): 0.0478			
P13.2*	Product	plastic primary pa	ackaging is free from PVC.		· •	\boxtimes		\Box
P13.3*								
P13.4*	Specify i		nd product documentation (tick l	oox):				
P13.5	Ùser and		s item if paper documentation uentation on paper media is chlo					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1	•	Y STAR® el:	quirements of the following volu Criteria version: 8.0 Criteria version: Criteria version:	untary program(s): Date: 2020-4 Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (Date.	1 Toduct category.			
P9			specific configuration may v	arv: description of th	e tested product config	uration:		
P9	NOTE: S informati knowled provided informati	Supplier makes no contained in to ge available at the here is approximon.	o representations, guarantees, his document. All information pre time of completion, and supponate and provided for information. Motebooks & Tablet Compute	assurances or warrant rovided by supplier in t lier shall have no oblig- onal purposes only. Sec	ies whether express or im his document is provided ation to update such infor e a Lenovo Account Repres	plied, regarding based on supp mation. The inf	olier's format	on
-			v/index.cfm?fuseaction=find_a_					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab P11 Pro	Logo
Model Number	ZA7C, ZA7D	Lenovo
Issue Date	2020.9.25	Leliovo.
Additional information		

	Product environmental attributes				
(d)	Year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	6			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.13			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	•	•	1	3.33
(h)	Sleep mode power demand (Watts);				0.72
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
(j)	Off mode power demand (Watts);				0.27
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		-
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 86.8%				
	*internal note: show values for all available external po	ower supplies			
(o)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to r	notebook computers):	800cls , ≥70% o capacity
(p-1)	Measurement methodology used to dete	rmine information mer NA	ntioned in points (I) – i	nternal PSU efficiency	:
(p-2)	Measurement methodology used to dete Measuring the Energy Consumption				

Measurement metho	dology used to determine information mentioned in p 0.5C Charge/Discharge	points (o) – loading cycles batteries:						
(p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: **ENERGY STAR Final Test Method for Computers, Rev. October 2019**								
Sequence of steps for achieving a stable condition with respect to power demand: ENERGY STAR Final Test Method for Computers, Rev. October 2019								
(r) Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode:								
(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
		<u>-</u>						
condition which does	not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	1					
			NA					
Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	1					
Information on the er	nergy-saving potential of power management functio refer to user manual	nality:						
User information on h	now to enable the power management functionality: refer to user manual							
the electricity supply	system, — information and documentation on the in sting:	strumentation, set-up and circuits						
al Notebook Batter	y Information:							
ai Notebook Batter		Battervlies] user replaceable	n/a					
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)	, , , , , , , , , , , , , , , , , , ,						
uilt-in Battery								
detachable Battery								
cup Battery								
Information								
ата[ите] батерия[и] в този и e este producto no pueden ic/baterií v tomto výrobku by ikke uden videre udskifte ba kkkus dieses Produkts kann aa selle toote akut/akusid is g] στο προϊόν αυτό δεν μπο (s présente(s) dans ce prod ože lako zamijeniti Bateriju s oatterie in questo prodotto n evar nomainīt šā ražojuma aterijos [baterijų] pats vartot mulátorát/akkumulátorait a eriji f'dan il-prodott ma tista: i dette produktet kan ikke le in dit product is (zijn) door e može sam w łatwy sposób as deste produto não poder	продукт не може да се замени[ят] лесно от самите потребить ser sustituidas făcilmente por los propios usuarios. γ neměli provádět sami uživatelé. Itteriet/batterierne i dette produkt. //können nicht ohne weiteres vom Benutzer selbst ausgetauscht e hölpsasti asendada. poúv να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). jas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. //jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. stt erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. o wymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores.	werden.						
	Measurement metho power as defined in FEN Sequence of steps for EN Description of how si refer to power man Sequence of events off mode: refer to power man Sequence of events off mode: refer to power man Sequence of events off mode: refer to power man Sequence of events off mode: refer to power man Length of time after mode that has a low Length of time before Information on the error the electricity supply used for electrical test of the elec	Measurement methodology used to determine information mentioned in power as defined in Point P9.1 in the Product IT Eco Declaration: ENERGY STAR Final Test Method for Computers, I Sequence of steps for achieving a stable condition with respect to power ENERGY STAR Final Test Method for Computers, I Sequence of steps for achieving a stable condition with respect to power ENERGY STAR Final Test Method for Computers, I Possible of the Power Method For Computers, I Sequence of events required to reach the mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s Sequence of events required to reach the mode where the equipment au off mode: Power management, Imins automatically recondition which does not exceed the applicable power demand requirement Length of time after a period of user inactivity in which the computer mode that has a lower power demand requirement than sleep mode (in Length of time after a period of user inactivity in which the computer mode that has a lower power demand requirement than sleep mode (in Length of time before the display sleep mode is set to activate after Information on the energy-saving potential of power management function refer to user manual User information on how to enable the power management functionality: refer to user manual Test parameters for measurements: — test voltage in V and frequency in the electricity supply system, — information and documentation on the in used for electrical testing: 200/SOHZ-2%-Edition 2.0, 2011-01, Section 4 and Section 1 and	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P3.1 in the Product IT Eco Declaration: ENERGY STAR Final Test Method for Computers, Rev. October 2019 Sequence of steps for achieving a stable condition with respect to power demand: ENERGY STAR Final Test Method for Computers, Rev. October 2019 Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 (soft off) state Sequence of events required to reach the mode where the equipment automatically reaches sleep mode. Tefer to power management, Imins automatically reaches sleep mode (in minutes): Tefer to power management, Imins automatically reaches sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: refer to user manual User information on how to enable the power management functionality: refer to user manual Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 200450H2_2%-Edition 2.0, 2011-01, Section 4, IEC62301 Battery[ies] in this product cannot be easily replaced by users themselves. Information Battery information: Battery which is a product to a provide that a microbial parameter and to produce a construction of the electrical testing: 1 on this					