



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Lenovo  | Logo     |
|------------------------|---|----------|
| Company name *         | Lenovo  | <u> </u> |
| Contact information *  | Lenovo Global Environmental Affairs                           | Lenovo   |
| e-mail address         | Alvin L Carter  | LEITOVO  |
|                        | alcarter@lenovo.com   |          |
| Internet site *        | http://www.lenovo.com/social_responsibility/us/en/environment | .html    |
| Additional information | The latest version of this document can be found at:          |          |
|                        | http://www.lenovo.com/ecodeclaration                          |          |

| The company declares (   | The company declares (based on product specification or test results based obtained from sample testing), that the product |  |  |  |  |  |  |
|--------------------------|--|--|--|--|--|--|--|
| conforms to the statemen | conforms to the statements given in this declaration.  |  |  |  |  |  |  |
| Type of product *        | Portable Computer Tablet   |  |  |  |  |  |  |
| Commercial name *        | Lenovo Tab P11 / LTE   |  |  |  |  |  |  |
| Model number *           | ZATR, ZATS, ZATT, ZATX, ZATY, ZA82, ZA83   |  |  |  |  |  |  |
| Issue date *             | 2020.11.6  |  |  |  |  |  |  |
| Intended market *        | ☐ Global 区 Europe ☐ Asia, Pacific & Japan 🛛 Americas 🖂 Other   |  |  |  |  |  |  |
| Additional information   |  |  |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

| Model number * | ZA7R, ZA7S, ZA7T, ZA7X, ZA7Y, ZA82, ZA83 | Lanova     |
|----------------|--|------------|
| Issue date *   | 2020.11.6                                | Leliovo, R |

| Product            | environmental attributes - Legal requirements  | Require     | men | t met |
|--------------------|--|-------------|-----|-------|
| Item               | <u> </u>   | Yes         | No  | n.a.  |
| P1                 | Hazardous substances and preparations  |             |     |       |
| P1.1*              | Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)   | $\boxtimes$ |     |       |
| P1.2*              | Products do not contain Asbestos (see legal reference).  | $\boxtimes$ |     |       |
|                    | Comment: Legal reference has no maximum concentration value.   |             |     |       |
| P1.3*              | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),   | $\boxtimes$ | Ш   |       |
|                    | hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum  |             |     |       |
|                    | concentration values.  |             |     |       |
| P1.4*              | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated   | $\square$   |     |       |
| 1 1.4              | terphenyl (PCT) in preparations (see legal reference).   |             | ш   |       |
| P1.5*              | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the   | • 🛛         |     |       |
|                    | chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  |             |     |       |
| P1.6*              | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 $\mu g/cm^2/week$   |             |     |       |
|                    | (see legal reference).   |             |     |       |
| P1.7*              | Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):  |             | _   |       |
| P1.7"              | https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure  | $\boxtimes$ | Ш   |       |
| 20                 | · · · · · · · · · · · · · · · · · · ·  |             |     |       |
| P2                 | Batteries (1) Control of the Control |             | _   |       |
| P2.1*              | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)   |             | Ш   | Ш     |
| P2.2*              | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal   | $\boxtimes$ | П   |       |
|                    | reference)   |             | ш   |       |
| P2.3*              | Batteries and accumulators are readily removable. (See legal reference)  | $\boxtimes$ |     |       |
| P3                 | Conformity verification & Eco design (ErP)   |             |     |       |
| P3.1*              | The product is CE-marked to show conformance with applicable legal requirements (see legal reference).   | $\boxtimes$ |     |       |
|                    | The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc  |             |     |       |
| P3.2*              | The product complies with the Eco design requirements for energy-related products,   | $\boxtimes$ |     |       |
|                    | (see legal reference).   |             |     |       |
|                    | Required information is; given in item P15 or added to this document,  |             | ш   | ш     |
| DC                 | available at: https://www.lenovo.com/us/en/compliance/eco-declaration  |             |     |       |
| <b>P5</b><br>P5.1* | Product packaging  | <u> </u>    | _   |       |
| F3.1               | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  | d 🔀         | Ш   |       |
| P5.2*              | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s  | )           |     |       |
|                    | used (see legal reference).  |             |     |       |
| P5.3*              | The product packaging material is free from ozone depleting substances as specified in the Montrea   | ıl 🔀        |     |       |
|                    | Protocol (see legal reference).  |             |     |       |
| DC                 | Comment: Legal reference has no maximum concentration values.  |             |     |       |
| <b>P6</b> P6.1*    | Treatment information  Information for recyclers/treatment facilities is available (see legal reference)   |             |     |       |
| F0.1               | Information for recyclers/treatment facilities is available (see legal reference).   |             |     |       |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | ZA7R, ZA7S, ZA7T, ZA7X, ZA7Y, ZA82, ZA83 | Logo | Lono  | <b>10</b>         |
|----------------|--|------|-------|-------------------|
| Issue date *   | 2020.11.6                                |      | Lello | V O <sub>TM</sub> |

| Product | environmental attributes - Market requirements (See General NOTE GN below)  |             |             |             |
|---------|---|-------------|-------------|-------------|
|         | - Environmental conscious design  | equire      | ment        | met         |
| Item    | *=mandatory to fill in. Additional information regarding each item may be found under P14.  | Yes         | No          | n.a.        |
| P7      | Design, Disassembly, recycling  |             |             |             |
| P7.1*   | Parts that have to be treated separately are easily separable   |             |             |             |
| P7.2*   | Plastic materials in covers/housing have no surface coating.  |             |             |             |
| P7.3*   | Plastic parts > 100 g consist of one material or of easily separable materials.   |             |             | $\boxtimes$ |
| P7.4*   | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.   | $\boxtimes$ |             |             |
| P7.5    | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  | $\boxtimes$ |             |             |
| P7.6*   | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).   | $\boxtimes$ |             |             |
|         | Product lifetime  |             |             |             |
| P7.7*   | Upgrading can be done e.g. with processor, memory, cards or drives  |             | $\boxtimes$ |             |
| P7.8*   | Upgrading can be done using commonly available tools  |             | $\boxtimes$ |             |
| P7.9    | Spare parts are available after end of production for: 1 years  |             |             |             |
| P7.10   | Service is available after end of production for: 1 years   |             |             |             |
|         | Material and substance requirements   |             |             |             |
| P7.11*  | Product cover/housing material type (e.g. plastics, metal, aluminum):   |             |             |             |
| D7.40   | Material type: PC+20%GF Material type: PC Material type:  |             |             |             |
| P7.12   | Insulation materials of external electrical cables are PVC free.  |             | <u>X</u>    |             |
| P7.13   | Insulation materials of internal electrical cables are PVC free.  |             | $\boxtimes$ |             |
| P7.14   | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%   |             | $\boxtimes$ |             |
|         | weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts |             |             |             |
|         | containing more than 25% post-consumer recycled content.  |             |             |             |
| P7.15   | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)   | $\boxtimes$ |             |             |
| P7.16   | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:   |             |             | X           |
|         | Marking:  |             |             |             |
| P7.17   | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  |             |             |             |
|         | TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>DOPO</b> , CAS #: <b>35948-25-5</b>   | $\boxtimes$ | Ш           | Ш           |
|         | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g   |             |             |             |
|         | according ISO 1043-4:   |             | Ш           |             |
| P7.18   | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in  |             |             |             |
|         | concentrations above 0,1%:  | $\boxtimes$ |             |             |
|         | 1. Chemical name: <b>BDP</b> , CAS #: <b>181028-79-5</b> (See NOTE B4) 2. Chemical name: , CAS #: "   |             |             |             |
|         | 3. Chemical name: , CAS #: "  |             |             |             |
|         | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:   |             |             | $\boxtimes$ |
| P7.19   | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been  |             | Ħ           |             |
|         | assigned the following Risk phrases; 4 and Hazard statements:   |             |             |             |
|         | The source(s) for these classifications is/are found at (add URL(s)):   |             |             |             |
|         | http://www.chemnet.com/cas/supplier.cgi?terms=181028-79-  |             |             |             |
| D= 00t  | 5&l=&exact=dict&f=plist&mark=&submit.x=24&submit.y=19, (See note B5)  |             |             |             |
| P7.20*  | Postconsumer recycled plastic material content is used in the product (See Note B6):  |             | $\boxtimes$ |             |
|         | If YES; at least one of the two alternatives below shall be answered;   |             |             |             |
|         | a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as   |             |             |             |
|         | a percentage of total plastic by weight) is %.  |             |             |             |
|         | Of  |             |             |             |
|         | b) The weight of recycled material is g.  |             |             |             |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model nu |            | ZA7R, ZA7S, ZA7T, ZA7X, ZA7Y, ZA82, ZA83 Logo 2020.11.6          | L        | en    | OVO         | <b>)</b> |
|----------|------------|--|----------|-------|-------------|----------|
| Product  | t environr | nental attributes - Market requirements (continued)              | R        | equir | remer       | nt met   |
| Item     |            |  |          | Yes   | No          | n.a.     |
|          | Material   | and substance requirements (continued)                           |          |       |             |          |
| P7.21*   | Biobase    | d plastic material content is used in the product (See NOTE B7): |          |       | $\boxtimes$ |          |
|          |            | at least one of the two alternatives below shall be answered;    | rcentage |       |             |          |

|                                  | Material and sub   | ostance requirements   | (continued)                            |                            |  |
|----------------------------------|--|--|--|----------------------------|--|
| P7.21*                           | Biobased plastic   | material content is used   | d in the product (See N                | OTE B7):                   |  |
|                                  | a) Of total plas   | ne of the two alternative<br>stic parts' weight > 25 g<br>ic by weight) is | , the biobased plastic                 |                            | ulated as a percentage   |
|                                  | or<br>b) The weight of   | of the biobased plastic  | motorial is                            |                            |  |
| P7.22*                           | .,   | free from mercury, i.e.  |  |                            |  |
| 1 7.22                           |  | d specify: Number of lar   |  | um mercury content pe      |  |
| P8                               | Batteries  | · · ·  | •                                      |                            |  |
| P8.1*                            | Battery chemical   | composition: Li-ion Po   | lymer                                  |                            |  |
| P9                               | Energy consum  | ption (See NOTE B8)  |  |                            |  |
| P9.1                             |  | ne following power leve  |  |                            |  |
| Energy mo                        | ode *  | Power level at<br>100 V AC   | Power level at 115 V AC                | Power level at<br>230 V AC | Reference/Standard for energy modes and test method *  |
| Peak (On-                        | max)   | <b>20</b> W  | <b>20</b> W                            | <b>20</b> W                | Full load  |
| Categor                          | <u>y2</u>  |  |  |                            |  |
| Short Idle<br>Enabled            | State - WOL  | 2.46 W   | 2.49 W                                 | 2.62 W                     | Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )   |
| Long Idle State - WOL<br>Enabled |  | 0.41 W   | 0.41 W                                 | 0.45 W                     | Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )   |
| Off (S5) - I                     | WOL Enabled  | 0.22 W   | 0.22 W                                 | 0.27 W                     | Use for ENERGY STAR V8.0 registration(P <sub>off</sub> ) Use for ErP   |
| EPS No-los<br>(External powers   | ad<br>supply / charger plugged in the<br>sconnected from the product.) | <b>0.0225</b> W  | <b>0.0228</b> W                        | 0.0549 W                   |  |
| PTEC *                           | ergy Consumption   | W  | W                                      | W                          |  |
| ETEC *                           | ergy Consumption   | 7.58 kWh/year  | 7.65 kWh/year                          | 8.22 kWh/year              | E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25<br>+ P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+<br>P <sub>short_idle</sub> x 0.30) |
|                                  |  | Poff: Off Mode(S5) - W   | OL Enabled; P <sub>sleep</sub> : Sleep | Mode(S3) - WOL Enable      | ed; Pidle: Idle State - WOL Enabled  |
| External Po                      | ower Supply Efficie  | ncy Level (Internationa  | l Efficiency Marking Pro               | otocol) * : V/             |  |
| Display res                      | solution * : 2.4 meg   | apixels  |  |                            |  |
| Default tim                      | e to enter energy s  | ave mode: 0.5 minutes  |  |                            |  |
| P9.2*                            | Information about  | t the energy save functi   | on is provided with the                | product.                   |  |
| P9.3                             |  | class (monitors only):   | •                                      |                            |  |
| P10                              | Emissions  | , , , , , , , , , , , , , , , , , , ,                                      |  |                            |  |
|                                  |  | <ul> <li>Declared according to</li> </ul>                                  | o ISO 9296 (See NOTE                   | B9)                        |  |
| P10.1                            |  | Mode description   | •                                      | Statistical upper lim      | it A-weighted sound power level, LwA,c (B)   |
|                                  | Idle   | *  |  | *                          |  |
|                                  | Operation  | *  |  | *                          |  |
|                                  |  | Declared A-weighted soun   |  |                            | sition desktop – idle)   |
|                                  | Other mode   | Declared A-weighted soun   | od pressure level (dB) $L_{p  m An}$   | (operator po               | sition desktop – operating)  |
|                                  | Measured accord  | ling to: SO 7779   | ECMA-74                                |                            |  |
|                                  |  | Other  | (only if not covered by                | ECMA-74)                   |  |

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

| Model nu   | ımber *                                     | ZA7R, ZA7S, Z  | A7T, ZA7X, ZA7Y, ZA82, ZA83  | 3  | Log   | 0                        | Long                         | 1/0                |             |
|------------|---|--|--|--|---|--------------------------|------------------------------|--------------------|-------------|
| Issue da   | te *  | 2020.11.6  |  |  |   |                          | Leno                         | VO,                | EM.         |
| Product    | t environr                                  | nental attribut  | es - Market requirements (   | (continued)  |   |                          | Require                      | ment               | met         |
| Item       |   |  |  |  |   |                          | Yes                          | No                 | n.a.        |
|            |   | nagnetic emissi  |  |  |   |                          |                              |                    |             |
| P10.4      | Compute                                     |  | the requirement for low frequen  | cy electromagnetic field   | ds of the following                                       | voluntary                |                              |                    |             |
| P12        | Ergono                                      | nics for compu   | ting products  |  |   |                          |                              |                    |             |
| P12.1*     | The disp                                    | lay meets the er   | gonomic requirements of ISO 92   | 241-307 for visual displ   | ay technologies.  |                          | $\boxtimes$                  |                    |             |
| P12.2*     | The phy                                     | sical input device   | meets the requirements of ISC  | 9995 and ISO 9241-4  | 10.   |                          |                              |                    |             |
| P13        | Packagi                                     | ng and docume  | ntation  |  |   |                          |                              |                    |             |
| P13.1*     | Product                                     |  | ial type(s): <b>box</b> weigh<br>ial type(s): <b>paper(manual)</b><br>ial type(s): <b>Cushion(Cardboar</b> | nt (kg): <b>0.349</b><br>weight (kg): <b>0.03</b><br><b>d)</b> weight (kg): <b>0.043</b> |   |                          |                              |                    |             |
| P13.2*     | Product                                     | plastic primary p  | ackaging is free from PVC.   |  |   |                          | $\boxtimes$                  |                    |             |
| P13.3*     | For proc                                    | duct primary correr recovered fibe                                     | rugated fiberboard packaging,<br>r content: %  | specify the contained  | percentage of m   | inimum po                | ost-                         |                    | $\boxtimes$ |
| P13.4*     | Specify                                     |  | nd product documentation (tick b   | oox):  |   |                          |                              |                    |             |
| P13.5      | Ùser and                                    |  | is item if paper documentation uentation on paper media is chlor   |  |   |                          |                              |                    |             |
|            | Totally o                                   | hlorine-free   |  |  |   |                          | $\boxtimes$                  |                    |             |
|            | •   | al chlorine-free   |  |  |   |                          | Ħ                            |                    |             |
|            | Process                                     | ed chlorine-free   |  |  |   |                          | П                            |                    |             |
| P14        | Volunta                                     | ry programs  |  |  |   |                          |                              |                    |             |
| P14.1      | The prod                                    | duct meets the re  | quirements of the following volu   | untary program(s):   |   |                          |                              |                    |             |
|            | Eco-labe                                    | • • •  | Criteria version: <b>8.0</b> Criteria version:   | Date: <b>2020-4</b><br>Date:   | Product category  | ory:                     |                              |                    |             |
| D45        | Eco-labe                                    |  | Criteria version:  | Date:  | Product categor   | ory:                     |                              |                    |             |
| <b>P15</b> |   |  | See NOTE B10)  | rom v dooowintion of the   | . 441   |                          | 41                           |                    |             |
| F 9        |   |  | specific configuration may volume or representations, guarantees,  |  |   |                          |                              | a the              |             |
|            | informat<br>knowled<br>provided<br>informat | ion contained in t<br>ge available at th<br>I here is approxin<br>ion. | this document. All information properties time of completion, and supplemate and provided for information  | rovided by supplier in the<br>lier shall have no obligational purposes only. See         | nis document is p<br>ation to update su<br>a Lenovo Accou | rovided ba<br>ch informa | sed on supp<br>tion. The inf | olier's<br>formati | ion         |
| P9         |   |  | d Notebooks & Tablet Compute v/index.cfm?fuseaction=find_a_  |  |   | =CO                      |                              |                    |             |
|            |   |  |  |  |   |                          |                              |                    |             |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

| Reference   | Declaration item       |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.   | P1.1                   |
| Regulation (EC) 1907/2006(REACH, Annex XVII   | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)   | P1.3, P5.3             |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002  | P1.5                   |
| Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.              | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive)  | P3.1                   |
| Directive 2004/108/EC (EMC Directive)   | P3.1                   |
| Directive 1999/5/EC (R&TTE Directive)   | P3.1                   |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2             |
| Regulation (EC) No 1272/2008 (CLP Regulation)   | P7.19                  |
| Directive 2004/12/EC ( Packaging Directive)   | P5.1                   |
| Decision 97/129/EC (Secondary packaging legislation)  | P5.2                   |
| Directive 2012/19/EU (WEEE directive)   | P6.1                   |

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name        | Lenovo Tab P11                           | Logo   |
|------------------------|--|--------|
| Model Number           | ZA7R, ZA7S, ZA7T, ZA7X, ZA7Y, ZA82, ZA83 | Lopovo |
| Issue Date             | 2020.11.6                                | Lenovo |
| Additional information |  |        |

|  | Product environmental attributes   |                                     |                                     |                                     |                                     |
|--|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| (d)  | Year of manufacture:   |                                     |                                     |                                     | 2020                                |
| (e)  | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with  |                                     |                                     |                                     | cards (dGfx) are                    |
| (f)  | Etec value (kWh) per ErP Lot 3 Categorenable   | ry and capability adjust            | ments applied when                  | all discrete graphics               | cards (dGfx) are                    |
|  |  | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |
|  | Memory over base [GB]  | 6                                   |                                     |                                     |                                     |
| ents   | Additional internal storage  | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          | (Yes / No)                          |
| capability adjustments<br>applied during testing | Discrete television tuner  | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          | (Yes / No)                          |
| ability a<br>lied du                             | Discrete Audio Card  | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          | (Yes / No)                          |
| cap  | Discrete graphics Card(s) [number / #]   | No #:<br>(Yes / No)                 | #:<br>(Yes / No)                    | #:<br>(Yes / No)                    | #:<br>(Yes / No)                    |
|  | Category of discrete graphics Card(s)  | No                                  |                                     |                                     |                                     |
| saults   | Etec Value (kWh) - dGfx disabled<br>all discrete graphics cards (dGfx) are disabled/<br>UMA is active for switchable graphics/<br>product has no graphics cards (dGfx) | 7.65                                |                                     |                                     |                                     |
| Test results                                     | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled   |                                     |                                     |                                     |                                     |
| (g)  | Idle state power demand (Watts);   | <u> </u>                            | <u> </u>                            |                                     | 2.49                                |
| (h)  | Sleep mode power demand (Watts);   |                                     |                                     |                                     | 0.41                                |
| (i)  | Sleep mode with WOL enabled power do   | emand (Watts) (where                | enabled);                           |                                     |                                     |
| (j)  | Off mode power demand (Watts);   |                                     |                                     |                                     | 0.22                                |
| (k)  | Off mode with WOL enabled power dem  | and (Watts) (where en               | abled);                             |                                     |                                     |
| (1)  | Internal power supply efficiency at 10 %   | , 20 %, 50 % and 100 °              | % of rated output pow               | ver (if applicable):                |                                     |
|  | 10% 20% 50%  | 100% Avera                          | age                                 |                                     |                                     |
| (m)  | External power supply efficiency (if appli   | cable)*:                            |                                     |                                     |                                     |
|  | Average active efficiency: 86.8%   |                                     |                                     |                                     |                                     |
| (0)  | *internal note: show values for all available external p<br>Minimum number of loading cycles that t  |                                     | tand (applies only to r             | notebook computers):                | 800cls , ≥70% o<br>capacity         |
| (p-1)  | Measurement methodology used to dete   | ermine information mer<br><b>NA</b> | ntioned in points (I) – i           | nternal PSU efficiency              |                                     |
| (p-2)  | Measurement methodology used to dete<br>Measuring the Energy Consumption   |                                     | . ,                                 |                                     | •                                   |

| (p-3)  | Measurement metho  | dology used to determine information mentioned in p<br>0.5C Charge/Discharge   | points (o) – loading cycles batteries: |     |  |
|--|--|--|--|-----|--|
|  | Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  **ENERGY STAR Final Test Method for Computers, Rev. October 2019**  |  |  |     |  |
| (q)  | Sequence of steps for achieving a stable condition with respect to power demand:  ENERGY STAR Final Test Method for Computers, Rev. October 2019   |  |  |     |  |
| (r)  | Description of how sleep and/or off mode was selected or programmed:  refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode:   |  |  |     |  |
|  | ACPI system level G2/S5 ('soft off') state   |  |  |     |  |
|  | (s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  **refer to power management, 1mins automatically reaches sleep mode**   |  |  |     |  |
|  | (t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  |  |  |     |  |
| (u) Length of time after a period of user inactivity in which the computer automatically reaches a power   |  |  |  | NA  |  |
| mode that has a lower power demand requirement than sleep mode (in minutes):  (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  |  |  | 1                                      |     |  |
|  |  |  |  |     |  |
| (x) User information on how to enable the power management functionality:  *refer to user manual*  |  |  |  |     |  |
| (z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301   |  |  |  |     |  |
| Additional Notebook Battery Information:   |  |  |  |     |  |
|  |  | Battery[ies] not user replaceable  | Battery[ies] user replaceable          | n/a |  |
|  |  | The battery[ies] in this product cannot be easily replaced by users themselves. $^{\rm 1)}$  |  |     |  |
| Internal/built-in Battery  |  |  |  |     |  |
| External/detachable Battery  |  |  |  |     |  |
| Bios Backup Battery  |  |  |  |     |  |
| Other:   |  |  |  |     |  |
| Additional information   |  |  |  |     |  |
|  |  |  |  |     |  |
| 1)   |  |  |  |     |  |
| Akymynarophat<br>Las baterías de<br>Výměnu baterie<br>Brugeren kan ik<br>Der Akku/die Ak<br>Kasutajad ei sa:<br>H μπαταρία[-ες]<br>La/les batterie(s<br>Korisnik ne mož<br>La batteria/le b<br>Lietotäji paši ne<br>Šio gaminio bat<br>A termék akkum<br>Il-batterija/battel<br>Batteriet [ene] i<br>De batterij(en) ii<br>Užytkownik nie<br>A ou as baterias<br>Bateria (bateriile<br>Batériu(-ie) v to<br>Baterij/baterije v<br>Tämän tuotteen<br>Det är inte enke | a[μτe] Θατερμя[μ] в τοзи ι este producto no pueden /baterií v tomto výrobku by ke uden videre udskifte batkus dieses Produkts kanna a selle toote akut/akusid isor présente(s) dans ce producto akut/akusid isor présente(s) dans ce producto akutarie in questo prodoto no var nomainīt šā ražojuma erijos [bateriju] pats vartot nulátorát/akkumulátorait a riji f'dan il-prodott ma tistav dette produktet kan ikke len dit product is (zijn) door omože sam w latwy sposób s deste produto não poden s) din acest produs nu poamto výrobku nemôže vymi t tem izdelku uporabniki sa akku [akut] ei[vät] ole help It för kunden att själv byta | ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs ei am u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. (/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. tt erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. uymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores. te (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. eñat používatel. umi ne morejo zlahka zamenjati. posti käyttäjän vaihdettavissa. | werden.                                |     |  |