

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	ODOV/O			
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com	and the second second second second second second			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product								
conforms to the statemer	conforms to the statements given in this declaration.							
Type of product *	Notebook							
Commercial name *	Lenovo V14 Gen 2 ITL							
Model number *	82KA, 82NA							
Issue date *	2021-1-4							
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82KA, 82NA Logo	Lam			
Issue date *		2021-1-4	Lend	Lenovo		
Produc	t environ	mental attributes - Legal requirements	Require	ment	met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\boxtimes$			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	$\square$			
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): <pre>www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</pre>	$\boxtimes$			
P2	Batterie	S	÷			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega e)	al 🖂			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	$\square$			
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at: <i>https://www.lenovo.com/us/en/compliance/eu-doc</i>				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$			
	Require	d information is; A given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	$\boxtimes$			
DE	Dradue					
P5.1*		t <b>packaging</b> ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar	nd 🔽			
	hexaval	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material( ee legal reference).				
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀			
P6		nt information				
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).		_	_	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82KA, 82NA	Logo	Lon	-	
Issue da	te *	2021-1-4		Len	ove	2
Product		mental attributes - Market requirements (See General NOTE GN		_		
		onmental conscious design tory to fill in. Additional information regarding each item may be found under P14.		Require		
Item			Yes	No	n.a.	
<b>P7</b> P7.1*		Disassembly, recycling thave to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\square$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*		ng can be done using commonly available tools		$\square$		
P7.9	Spare pa	arts are available after end of production for: <b>5</b> years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements		•		
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
57.40		type: PC+ABS Material type: AL-Mg				
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.			$\square$	
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, an	d 🗖		
P7.15		ircuit boards, PCBs (without components) are low halogen: all	are low haloge	n 🗌	$\square$	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\boxtimes$		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	TBBF 26265-08	PA (additive),TBBPA (reactive) (See NOTE B3), ⊠Other: <i>Brominated Epoxy</i> 8-7	Resins, CAS #:	$\square$		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			$\square$
P7.18	concentr 1. Chemi	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: , CAS #: ical name: CAS #:	s/preparations i	n 🗌		
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR		$\boxtimes$		
P7.19	assigned	: parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	n have been			
D7 cot			e note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			$\bowtie$	
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <b>0%</b> .	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	82KA, 82	2NA			Logo	Longue
Issue date	*	2021-1-4	l .				Lenovo
Product e	environm	ental at	ttributes - Market ı	requirements (conti	nued)		Requirement met
Item							Yes No n.a.
	Material	and subs	stance requirements	(continued)			
P7.21*				d in the product (See No	OTE B7):		
	If YES: at	least one	e of the two alternative	es below shall be answe	ered:		
				, the biobased plastic m		ted as a percentag	je of
	total	plastic by	y weight) is 0 %				
	or b) The	weight of	the biobased plastic	material is a			
P7.22*	b) The weight of the biobased plastic material is       g.         Light sources are free from mercury, i.e. less than 0,1 mg/lamp.       Image: Comparison of the biobased plastic material is						
	0		specify: Number of la	, 0 1	um mercury content pe	r lamp: mg	
P8	Batteries						
P8.1*			•	olymer battery and lith	nium-metal battery		<u>_</u>
<b>P9</b> P9.1			tion (See NOTE B8)	ls or energy consumption	one are reported:		
Energy mod			Power level at	Power level at	Power level at	Reference/Stan	dard for energy
			100 V AC	115 V AC	230 V AC	modes and test	
Peak (On-r	nax)		65 W	65 W	65 W	Full load	
Category	<u>/ 1</u>						
Short Idle	State - WO	DL	5.01 W	5.06 W	5.23 W	Use for ENERG	Y STAR V8.0
Enabled						registration (Pid	11e)
Long Idle S	State - WC	)L	2.65 W	2.75 W	2.96 W	Use for ENERG	Y STAR V8.0
Enabled						registration (Pid	fle <mark>)</mark>
Sleep (S3)	WOL En	abled	0.43 W	0.44 W	0.51 W	Use for ENERG	V STAD V/2 0
Sieep (33)		ableu	0.45 W	0.44 VV	0.01 W	registration(P <sub>sl</sub>	
Off (S5) - V	VOL Enab	lod	0.25 W	0.25 W	0.32 W	Use for ENERG	V STAD VR 0
011 (33) - V		leu	0.25 W	0.25 VV	0.52 W	registration(P <sub>of</sub>	
Off (S5) - V		lad	0.25 W	0.25 W	0.32 W	Use for ErP	·
		neu				USE IOI LIF	
EPS No-loa (External power set		lugged in the	0.107 W	0.108 W	0.108 W		
wall outlet but disc	connected from the	ne product.)					
PTEC * Typical Ene	aray Consi	Imption	W	W	W		$\boxtimes$
ETEC *	igy conse	Inplon	17.35 kWh/year	17.60 kWh/year	18.60 kWh/year	$E_{TEC} = (8760/10)$	00) x (P <sub>off</sub> x 0.25
Annual Ene	ergy Consu	mption				+ P <sub>sleep</sub> x 0.35 +	P <sub>long_ldle</sub> x 0.10+
			R: Off Mode(S5) - W	OL Enabled; P <sub>sleep</sub> : Sleep	Mode(S3) - WOL Enable	P <sub>short_Idle</sub> x 0.30)	WOL Enabled
External Po	wer Suppl	v Efficien		al Efficiency Marking Pro			
Display res		-	•	, ,	,		<u></u> _
			ve mode: 10 minutes				
P9.2*	Informatio	on about t	the energy save funct	ion is provided with the	product.		
P9.3			class (monitors only):	-			
P10	Emission	IS					
				o ISO 9296 (See NOTE			
P10.1	Mode	N.	Node description			t A-weighted soun	d power level, <i>L<sub>WA,c</sub></i> (B)
	Idle		HDD: Operating		* 2.8		<u>L</u>
	Operation		HDD: Operating	nd pressure level (dB) L <sub>pAm</sub>	* 4.4	line dealers of the	
	Other mo						
	Other mo	ae D	eciared A-weighted sour	nd pressure level (dB) L <sub>pAm</sub>	34.2 (operator posit	tion desktop – opera	iting)
	Measured	l accordir	ng to: 🔀 ISO 7779 [	ECMA-74			
			Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	imber *	82KA, 82NA			Logo	Long			
ssue dat	te *	2020-1-18				Leno	vo		
Product	environr	nental attribu	es - Market requirements (	continued)		Require	ment n	net	
ltem	_					Yes	No	n.a.	
		nagnetic emiss							
P10.4	program	(s): MPR-II(3 pi	the requirement for low frequen AC adapter only)	cy electromagnetic field	s of the following volunt	ary 🔀			
P12		mics for compu						_	
P12.1*	-	•	gonomic requirements of ISO 92						
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packagi	ing and docume	entation						
P13.1*	Product Product Product	Product packaging material type(s): CARTON       weight (kg): 0.303         Product packaging material type(s): paper(manual)       weight (kg): 0.045         Product packaging material type(s): corner paper       weight (kg): 0.038         Product packaging material type(s): EPE       weight (kg): 0.072							
P13.2*			ackaging is free from PVC.			$\boxtimes$			
P13.3*	For proc	duct primary cor er recovered fibe	rugated fiberboard packaging, r content: <b>100</b> %	specify the contained	percentage of minimum	ı post-			
P13.4*		media for user a ic 🔀, Paper 🔀	nd product documentation (tick b , Other	pox):					
P13.5	Úser and		is item if paper documentation u entation on paper media is chloi						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14		ry programs							
P14.1	The proc	duct meets the re	equirements of the following volu	intary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: <b>2021-1-4</b> Date: Date:	Product category: <b>1</b> Product category: Product category:				
P15			(See NOTE B10)						
P9			f specific configuration may v						
	informat knowled	ion contained in ge available at tl I here is approxii	o representations, guarantees, a this document. All information p the time of completion, and suppl nate and provided for informatio	ovided by supplier in th ier shall have no obliga	is document is provided tion to update such infor	based on supp mation. The inf	olier's formatio	'n	
P9	See Ene https://w	ergy Star Qualifie ww.energystar.g	d Notebooks & Tablet Compute ov/products/office_equipment/co	rs for the latest information omputers	tion:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V14 2 <sup>nd</sup> Gen ITL	Logo
Model number *	82KA, 82NA	Lonovo
Issue date *	2021-1-4	Lenovo
Additional information		

P7.1.1	Product environmental attributes									
(d)	Year of manufacture:				2020					
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are					
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable									
	Category A (according to ErP Lot 3)Category B (according to ErP Lot 3)Category C (according to ErP Lot 3)Category C 									
	Memory over base [GB]	12	12							
nents sting	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)					
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
ability a	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)					
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)					
	Category of discrete graphics Card(s)	N/A	G3							
stluse	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.43								
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		14.31							
(g)	Idle state power demand (Watts);				A: 4.7; B: 3.56					
(h)	Sleep mode power demand (Watts);				A: 0.49; B: 0.41					
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.49; B: 0.41					
(j)	Off mode power demand (Watts);				A: 0.29; B: 0.25					
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.29; B: 0.25					
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output pow	er (if applicable):						
	10% 20% 50%	100% Avera	age S							
(m)	External power supply efficiency (if appli	cable)*:								
	Average active efficiency: <b>88.62%</b>									
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (applies only to n	otebook computers).						
. ,				. ,	300 CYCLES					
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA									
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology									

1.								
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	EN 62623:2013 measurement methodology							
(q)	Sequence of steps for achieving a stable condition with respect to power demand:							
(4)	EN 62623:2013 measurement methodology							
(r)	Description of how sl	eep and/or off mode was selected or programmed:						
		EN 62623:2013 measurement methodo	blogy					
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
	refe	er to power management, 30mins automatically re						
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		30				
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10				
(w)	Information on the er	nergy-saving potential of power management function refer to user manual	nality:					
(x)	User information on I	how to enable the power management functionality: refer to user manual						
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits					
Additio	nal Notebook Batter							
Auditio	That NOLEDOOK Baller	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily						
		replaced by users themselves. 1)						
Internal/	/built-in Battery	$\boxtimes$						
Externa	l/detachable Battery							
Bios Ba	ckup Battery							
Other:								
Addition	al information							
) he battervlie	esl in this product cannot be e	asily replaced by users themselves.						
кумулаторн	ата[ите] батерия[и] в този п	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.					
ýměnu bater	rie/baterií v tomto výrobku by	neměli provádět sami uživatelé. teriet/batterierne i dette produkt.						
er Akku/die	Akkus dieses Produkts kann/	können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.					
Ι μπαταρία[-ε		ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες						
orisnik ne m	nože lako zamijeniti Bateriju sa		x-mêmes.					
	batterie in questo prodotto no nevar nomainīt šā ražojuma a	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us).						
	oaterijos [baterijų] pats vartotoj umulátorát/akkumulátorait a fe	jas negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni.						
	tteriji f'dan il-prodott ma tistax/ ] i dette produktet kan ikke let	'jistgħux tiģi/jiģu sostitwita/i mill-utenti stess. t erstattes av brukerne selv.						
De batterij(en	) in dit product is (zijn) door d	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.						
ou as bateri	ias deste produto não podem	ser facilmente substituídas pelos próprios utilizadores.						
Batériu(-ie) v	tomto výrobku nemôže vymie							
ämän tuotte	en akku [akut] ei[vät] ole help							
	ıkelt för kunden att själv byta u batarya(lar) kullanıcılar tarafır							