



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:	document can be found at:				
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Tablet PC				
Commercial name *	Yoga Duet 7 13				
Model number *	82AS				
Issue date *	2020/5/13				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		82AS	Logo	Lone	27.14	
Issue dat	e *	2020/05/13		Lend		J _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)			
P1.2*		do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		s duct contains a battery or an accumulator, the battery/accumulator is labeled with	the diaposal		_	
	symbol.	Information on proper disposal is provided in user manual. (See legal reference)	•		Ш	
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) (see legal requirements				
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).				
	, ,	f information is; given in item P15 or added to this document,		\boxtimes		
	•	available at: https://www.lenovo.com/us/en/compliance/ed	co-declaration	_		
P5	Product	packaging				
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material(s) 🔀		
P5.3*	The prod	luct packaging material is free from ozone depleting substances as specified in the Nal reference). It reference).	Montreal Protoc	ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				П

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82AS	Logo	Lono	/0	
Issue date *	2020/05/13		Lello	O _{th}	

issue date	2020/00/10			
	nvironmental attributes - Market requirements (See General NOTE GN below)			
	Environmental conscious design Requir			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7 P7.1*	Design, Disassembly, recycling Parts that have to be treated separately are easily separable			
		<u> </u>		-
P7.2*	Plastic materials in covers/housing have no surface coating.	- -		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Щ.	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS+15%Talc Material type: PC+ABS Material type: AL5052			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS<, >PC+ABS-TD15FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: BDP, CAS #: 181028-79-5 (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>Confidential</i>			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.3%. or			
	b) The weight of recycled material is 13.7 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

	82AS	Logo	Lanava
Issue date *	2020/05/13		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		ostance requirements				
P7.21*	Biobased plastic	material content is use	d in the product (See	NOTE B7):		
P7.22*		free from mercury, i.ed specify: Number of la			or lamp; mg	
P8	Batteries	a specify. Number of la	ilips. and maxi	mum mercury content p	er lamp: mg	
P8.1*		composition: Lithium	ion			
P9		ption (See NOTE B8)	1011			<u> </u>
P9.1		ne following power leve	als or energy consumn	ations are reported:		
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	·max)	45 W	45 W	45 W	Full load	
Categor	<u>y 1</u>					
Short Idle Enabled	State - WOL	3.95W	3.81W	4.00 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Long Idle Enabled	State - WOL	2.56W	2.51W	2.66W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Sleep (S3)) - WOL Disabled	0.74 W	0.69 W	0.81 W	Use for ENERGY STAR V8.0 registration (P _{sieep})	
Off (S5) -	WOL Disabled	0.34 W	0.34 W	0.39 W	Use for ENERGY STAR V8.0 registration (P _{off}) Use for ErP	
EPS No-lo (External power wall outlet but dis	oad supply / charger plugged in the sconnected from the product.)	0.062 W	0.065 W	0.134 W		
PTEC *	ergy Consumption	W	W	W		\boxtimes
ETEC *	ergy Consumption	15.6 kWh/year	15.1 kWh/year	16.2 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sle	ep Mode(S3) - WOL Enabl	led; P _{idle} : Idle State - WOL Enabled	
External P	ower Supply Efficie	ency Level (Internationa	al Efficiency Marking F	Protocol) * : V/		
Display res	solution * : 1920*1	080 megapixels				
Default tim	ne to enter energy s	save mode: 30 minutes	S			Ħ
P9.2*		t the energy save funct		e product.		\dashv
P9.3		class (monitors only):		•		X
P10	Emissions	,				
1 10		- Declared according t	to ISO 9296 (See NO	TE B9)		
P10.1		Mode description	(000,000		nit A-weighted sound power level, L _{WA,c}	(B)
	Idle	* System Idle		* 2.8	<u> </u>	
	Operation	* CPU;Operation		* 3.7		市
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 19 (operator position desktop – idle)					
	Other mode	Declared A-weighted soul			on desktop – operating)	
	Measured accord	ling to: 🔀 ISO 7779	ECMA-74	1		
		Other	(only if not covered by	oy ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	82AS	Logo	Lanava
Issue date *	2020/05/13		LEI IOVO

Product 6	environmental attributes - Market requirements (continued)	Req	uirer	nent ı	net
Item		١	es/	No	n.a.
	Electromagnetic emissions				
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following volunta	ıry	\boxtimes		
	program(s): MPR-II(3 pin AC adapter only)				
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.283kg Product packaging material type(s): Polyethylene Cushions weight (kg): 0.076kg Product packaging material type(s): Others weight (kg): 0.068				
P13.2*	Product plastic primary packaging is free from PVC.		X		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum consumer recovered fiber content: 70%	post-			
P13.4*	Specify media for user and product documentation (tick box): Electronic, Paper, Other				
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:	I			
	Totally chlorine-free		\boxtimes		
	Elemental chlorine-free				
	Processed chlorine-free				
P14	Voluntary programs				
P14.1	The product meets the requirements of the following voluntary program(s):				
	ENERGY STAR® Criteria version: 8.0 Date: 2020-05-06 Product category: 1 Eco-label: Criteria version: Date: Product category: Eco-label: Date: Product category: Product category:				
P15	Additional information (See NOTE B10)				
P9	Energy consumption of specific configuration may vary; description of the tested product configuration	uration:			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or im information contained in this document. All information provided by supplier in this document is provided knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representation.	plied, rega based on mation. Th	supp ne info	lier's ormatio	n
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Duet 7 13IML05	Logo		
Model Number	82AS		Lonovo	
Issue Date	2020/05/27		Lenovo.	
Additional information				

d)	Year of manufacture:				2019		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	ıll discrete graphics (cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
capability adjustments applied during testing	Memory over base [GB]	32GB					
	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
Test results	Category of discrete graphics Card(s)	NA					
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	18.5					
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
3)	Idle state power demand (Watts);	1	1	1	1.8		
h) Sleep mode power demand (Watts);					0.3		
)	Sleep mode with WOL enabled power do	mand (Watts) (where enabled);			NA		
)	Off mode power demand (Watts);	0.2					
k)	Off mode with WOL enabled power dem	NA					
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50% 100% Average						
n)	External power supply efficiency (if applicable)*:						
	Average active efficiency: 88.45%, 88.	64%, 88.53%, 89.42	%, 89.44%				
	*internal note: show values for all available external power supplies						
0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles						
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – ir	nternal PSU efficiency:	:		

(p-2)		dology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623							
(q)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*							
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Transport of the sleep and sleep and sleep are sleep or off mode** **Transport of the sleep and slee							
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA							
(4)	Duration of idle ato	to a mulitian hafaya tha a ammutay automatically y	and a slave words or coathor					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):							
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):							
(w)	Information on the energy-saving potential of power management functionality: **Refer to User Guide**							
(x)	User information on how to enable the power management functionality: **Refer to User Guide**							
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301					
Addition	nal Notebook Batter	y Information:						
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery								
External/detachable Battery								
Bios Backup Battery								
Other:								
Addition	al information			1				
				_				
)								

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.