



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0			
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenov				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	Type of product * Notebook						
Commercial name *	mmercial name * ThinkBook 14 G3 ITL, Zhaoyang E4-ITL, Zhaoyang K4e-ITL						
Model number *	21A3, 82NY, 82Q1						
Issue date *	2021/5/10						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		21A3, 82NY, 82Q1	Logo	Long		
Issue dat	e *	2021/5/10		Lend	JVC) _m
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations			<u> </u>	
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetract ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychel (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadre)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le laration of Conformity can be requested at: https://www.lenovo.com/us/en/comp				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is; Signer in item P15 or added to this document,	/			
	declarat	available at: https://www.lenovo.com/us/en/complian	ce/eco-			
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material	(s)		
P5.3*	The pro- Protocol Commer	duct packaging material is free from ozone depleting substances as specified (see legal reference). ht: Legal reference has no maximum concentration values.	in the Montre	eal 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		21A3, 82NY, 82Q1 Logo	on			
Issue dat	te *	2021/5/10	.en	DVC	TH.	
Product	environ	mental attributes - Market requirements (See General NOTE GN below)				
	- Enviro	onmental conscious design Re	quirer	ment i	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable	\boxtimes	<u>Ш</u>	<u>Ш</u>	
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgradir	ng can be done using commonly available tools	\boxtimes			
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>Aluminum</i> Material type: <i>PC+ABS</i> Material type:				
P7.12		n materials of external electrical cables are PVC free.		\square		
P7.13	Insulatio		Ħ	Ħ		
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		Ħ	Ħ	
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts				
D7.45		ng more than 25% post-consumer recycled content.				
P7.15	halogen	circuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☐ are low as defined in IEC 61249-2-21. (See 1NOTE B2)				
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	\boxtimes			
		•		ш	ш	
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR(16)</i>				
P7.18	<u>Alt. 1: </u> FI	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in				
		ations above 0,1%:				
		ical name: , CAS #: (See NOTE B4)				
		ical name: , CAS #: " ical name: , CAS #: "				
		•				
P7.19		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:>FR(40) c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<u> </u>		╬	
P7.19	-	I the following Risk phrases; and Hazard statements:	Ш		Ш	
	Ü	•				
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): Postconsumer recycled plastic material content is used in the product (See Note B6): (See note B5)					
		t least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 4.79 %.				
	or a po	Stocklage of total places by weight is 4.70%.				
	b) The weight of recycled material is 11.5 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	odel number * 21A3, 82		NY, 82Q1			Logo	Longvo			
Issue date	ue date * 2021/5/10						Lenovo.			
Product e	environn	nental at	tributes - Market re	equirements (contin	nued)		Requirement met			
Item				(0011011			Yes No n.a.			
	Material	and subs	tance requirements	(continued)						
P7.21*	Biobased	l plastic m	aterial content is used	in the product (See No	OTE B7):					
	If YES; a	t least one	of the two alternative	s below shall be answe	ered;					
					material content (calculat	ed as a percenta	ige			
	of to	otal plastic	by weight) is %							
		weight of	the biobased plastic n	naterial is g.						
P7.22*				less than 0,1 mg/lamp.						
P8	If mercur	f mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8.1*			omposition: <i>Li-polyme</i>	er						
P9			tion (See NOTE B8)	<u>*</u>						
P9.1	For the p	roduct the	following power levels	s or energy consumption	ons are reported:					
Energy mo			Power level at	Power level at	Power level at I	Reference/Standa				
Peak (On-i			100 V AC	115 V AC	230 V AC	modes and test m	ethod *			
Peak (On-I	пах)		65 W	03 VV	05 VV	Full load				
Category	<u>/ 2</u>									
Short Idle	State - W	OL	7.72 W	7.76 W	7.31 W	Use for ENERGY	STAR V8			
Enabled						registration (P _{idle})			
Long Idle	State - WO	DL .	1.49 W	1.49 W	1.56 W	Use for ENERGY	STAR V8			
Enabled		_				registration (P _{idle}	•			
			4 40 104	4.40.11	4.50.04					
Sleep (S3) Disabled	- WOL Er	nabled /	1.49 W	1.49 W		Use for ENERGY registration(P _{slee}				
Off (S5) - V	VOL Enat	led	0.29 W	0.29 W		Use for ENERGY registration(P _{off})	STAR V8			
0.55 (0.5)										
Off (S5) - V	VOL DISA	bied	0.29 W	0.29 W	0.32 W	Use for ErP				
EPS No-loa			0.13 W	0.13 W	0.14 W					
(External power s wall outlet but disc	upply / charger connected from	olugged in the the product.)								
PTEC *	ray Cana	ımation	W	W	W					
Typical Ene	ergy Coris	иприоп	24.07 kWh/year	24.16 kWh/year	23.54 kWh/year	E _{TEC} = (8760/100	0) x (P _{o#} x 0.25			
Annual Ene	ergy Consi	umption	2			+ P _{sleep} x 0.35 + F				
			D - Off Mar da (OF) 14(O	V Franklada D Okaza	Mode(S3) - WOL Enabled;	P _{short Idle} x 0.30)	VOL Exchini			
External Po	wer Sunn	ly Efficien		Efficiency Marking Pro		P _{idle} : Idle State - V	VOL Enabled			
		•	negapixels	orono, manning i re						
. ,			ve mode: 10 minutes							
P9.2*				on is provided with the	product					
P9.3										
P10	Emissio		,,,							
			Declared according to	ISO 9296 (See NOTE	B9)					
P10.1	Mode		lode description		Statistical upper limit A	-weighted sound	power level, L _{WA,c} (B)			
	Idle		Idle		* 2.8					
	Operatio		CPU Operating	d management (-ID)	* 3.3					
	Other mo		eclared A-weighted sound	a pressure level (dB)	21.6 (operator position	n desktop – idle)				
	Other mo		eclared A-weighted sound	d pressure level (dB)	29.4 (operator position	n desktop – operat	ing)			
		L	p Am	7		· ·	-			
	Measure	d accordir	ng to: 🔀 ISO 7779 🔀							
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber*	21A3, 82NY, 82Q1					Logo	Long	\/O	
Issue date	*	2021/5/10						Leno	VO.	•
Product 6	environn	nental attributes	- Market requirem	ents (con	tinued)			Require	ment	met
Item			•		•			Yes	No	n.a.
	Electron	nagnetic emissions	;							
P10.4	Compute		requirement for low fr	equency el	ectromagnetic field	s of the foll	owing voluntary	У		\boxtimes
P12		nics for computing								
P12.1*	The disp	lay meets the ergon	omic requirements of	ISO 9241-3	307 for visual displa	ay technolo	gies.		\boxtimes	
P12.2*	. ,	<u> </u>	ets the requirements	of ISO 999	5 and ISO 9241-41	0.			\boxtimes	
P13		ng and documenta								
P13.1*	Product	packaging material t packaging material t packaging material t packaging material t	ype(s): EPE ype(s): corrugated	weight (kg weight (kg weight (kg weight (kg): 0.087): 0.307					
P13.2*	Product	plastic primary pack	aging is free from PV	C.				\boxtimes		
P13.3*		luct primary corruga er recovered fiber co	nted fiberboard packa	aging, spec	ify the contained p	percentage	of minimum p	oost-		
P13.4*			roduct documentatior Other	tick box):						
P13.5	Ùser and		em if paper document ition on paper media							
	•	hlorine-free al chlorine-free								
	Processe	ed chlorine-free								
P14	Voluntai	ry programs								
P14.1	The prod	luct meets the requi	ements of the following	ng voluntar	y program(s):					
	ENERGY Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:		Date: 2021/5/24\ Date: Date:	Product of Product of Product of				
P15		nal information (Se								
P9			ecific configuration							
	the information	rmation contained 's knowledge avail tion. The information	representations, gua in this document. Al able at the time of c on provided here is a r more information.	l informati ompletion,	on provided by su and supplier sha	ipplier in tl Il have no	his document i obligation to u	is provided l pdate such	based	on
P9	See Ene	rgy Star Qualified	Notebooks & Tablet index.cfm?fuseaction				o&pgw_code=(СО		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkBook 14 G3 ITL, 昭阳 E4-ITL, 昭阳 K4e-ITL	Logo
Model Number	21A3, 82NY, 82Q1	Lenovo
Issue Date	2021/5/10	reliovo.
Additional information		

(d)	Year of manufacture:							
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are			
(f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGt enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3			
	Memory over base [GB]	40	36	(according to En Ect o)	(according to 211 2010			
ents	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)			
ıdjustm ring te	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)			
caps	Discrete graphics Card(s) [number / #]	No #: NA (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)	NA	G4					
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.88						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		14.94					
g)	Idle state power demand (Watts);		l.		A:4.44; B:4.47			
h)	Sleep mode power demand (Watts);				A:1.66; B:1.6			
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:1.66; B:1.6			
j)	Off mode power demand (Watts);				A:0.34; B:0.34			
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.34; B:0.34			
1)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
(m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 65W: 91.11%	6, 91.4%, 90.24%, 92.1	1%, 90.86%, 91.14%,	91.26%				
	*internal note: show values for all available external po							
0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to r	notebook computers):	300			
(p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – i	nternal PSU efficiency				
(p-2)	Measurement methodology used to dete	ermine information mer		external PSU efficiend	cy:			

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:							
	EN 61960 measurement methodology							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	EN 61960 measurement methodology							
(q)	Sequence of steps for	r achieving a stable condition with respect to power	demand::					
		EN 61960 measurement methodolog	ay					
(r)	Description of how sl	eep and/or off mode was selected or programmed:						
		Begin menu -> Power -> Select sleep or o	ff mode					
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut	omatically changes to sleep and/or					
		base on User Guide						
(t)		e condition before the computer automatically re not exceed the applicable power demand requirement		10min				
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v)		re the display sleep mode is set to activate after		10min				
(w)		ergy-saving potential of power management function						
(x)	User information on h	now to enable the power management functionality:	Refer to User Guide					
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the ins ting:						
		230V, 50Hz, Total Harmonic Distortion	<2 %					
Addition	al Notebook Batter	v Information:						
Addition	ar Notobook Batter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)	7. 1					
Internal/b	uilt-in Battery							
External/detachable Battery								
Bios Backup Battery								
Other:								
Additional	information							
1)								

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.