



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo ThinkBook 14s-ARE, Lenovo Yang Tian S550-14-ARE, Zhaoyang K4-ARE
Model number *	20VB, 82ER, 82EQ
Issue date *	2020-4-30
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

wodei nu	mber "	20VB, 82ER, 82EQ	Logo	Long	N/C	
Issue dat	e *	2020-4-30		Lend	JVC	<b>)</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).  It: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) (see legal requirements				
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
		I information is; given in item P15 or added to this document,				
DE	Duaduat	available at: https://www.lenovo.com/us/en/compliance/e	eco-deciaration			
<b>P5</b> P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercun	, andmium a	nd 🔽	$\overline{}$	
-	hexavale	nt chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).		. ,		
P5.3*	(see lega	uct packaging material is free from ozone depleting substances as specified in the Nal reference). It reference). It: Legal reference has no maximum concentration values.	nontreal Protoc	col 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20VB, 82ER, 82EQ	Logo	Lanava
Issue date *	2020-4-30		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years	·		
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC/ABS Material type: AL Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: >PC+ABS-TD15FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated epoxy resin.</b> CAS #: 26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%:  1. Chemical name: BPADP, CAS #: 181028-79-5 (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "	n 		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\square$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\pm$	
	assigned the following Risk phrases; and Hazard statements:		ш	
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%.  or b) The weight of recycled material is 0 g.	_	_ <del>_</del>	<del></del>

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20VB, 82ER, 82EQ	Logo	П	anava	
Issue date *	2020-4-30		L		

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		bstance requirements				
P7.21*	Biobased plastic	material content is use	d in the product (See I	NOTE B7):		
P7.22*	Light sources ar	e free from mercury, i.e	. less than 0,1 mg/lam	p.	ΧП	
	If mercury is use	d specify: Number of la	mps: and maxi	mum mercury content p	per lamp: mg	
P8	Batteries					
P8.1*	Battery chemica	composition: Lithium	ion			
P9	Energy consum	ption (See NOTE B8)				
P9.1		he following power leve	els or energy consump	tions are reported:		
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	<b>65</b> W	65 W	<b>65</b> W	Full load	
Categor	y <u>11-</u>					
Short Idle Enabled	State - WOL	4.30 W	4.46 W	4.44 W	Use for ENERGY STAR V8 registration (Pidle)	
Long Idle Enabled	State - WOL	2.40 W	2.49 W	2.41 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )	
Sleep (S3)	) - WOL Disabled	0.50 W	0.50 W	0.53 W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )	
Off (S5) -	WOL Disabled	0.32 W	0.32 W	0.36 W	Use for ENERGY STAR V8 registration(P <sub>off</sub> ) Use for ErP	
EPS No-lo (External power	ad supply / charger plugged in the sconnected from the product.	<b>0.04</b> W	<b>0.04</b> W	<b>0.1</b> W		
PTEC *	sconnected from the product.	W	W	W		$\boxtimes$
	ergy Consumption	= =	**	,,		
ETEC *	ergy Consumption	15.6 kWh/year	<b>16.1</b> kWh/year	16.2 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short idle</sub> x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	led; P <sub>idle</sub> : Idle State - WOL Enabled	-
External P	ower Supply Effici	ency Level (Internationa	al Efficiency Marking P	rotocol) * : VI		
Display res	solution * : 1920*1	080 megapixels				$\overline{}$
. ,		save mode: 30 minutes				-=
P9.2*		it the energy save function		e product		+
P9.3		y class (monitors only):	lion is provided with th	e product.		
		y class (monitors only).				
P10	Emissions	- Declared according to	to ISO 0206 (See NOT	-E D0/		
P10.1	Mode	Mode description	10 130 9290 (See NOT		nit A-weighted sound power level, Lwa.c	(B)
F 10.1	Idle	* System Idle: Fan		* 19.3	ini A-weighted sound power level, LWA,c	(D)
		•		* 33.6		-#-
	Operation	* Operation: Fan				
	Other mode	Declared A-weighted soul			osition desktop – idle)	
	Other mode	Declared A-weighted soul	nd pressure level (dB) $L_{ph}$	Am (operator p	osition desktop – operating)	
	Measured accor	ding to: 🔀 ISO 7779 🛚	ECMA-74			
		Other	(only if not covered b	oy ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	nber *	20VB, 82ER, 82EQ	)				Logo	Lana	V/0	
Issue date	*	2020-4-30						Leno	VO.	
Product	environn	nental attributes	- Market requirem	nents (cont	inued)			Requirer	nent	met
Item								Yes	No	n.a.
	Electron	nagnetic emissions								
P10.4	program	(s):	requirement for low fr	requency ele	ctromagnetic fields	s of the follo	wing voluntary	́ П		
P12		nics for computing						<u></u> _		
P12.1*	The disp	lay meets the ergono	omic requirements of	f ISO 9241-3	07 for visual displa	y technolog	ies.	$\boxtimes$		
P12.2*			ets the requirements	of ISO 9995	and ISO 9241-41	0.		$\boxtimes$		
P13		ng and documentat								
P13.1*	Product	packaging material to packaging material to	ype(s): <i>paper</i>	weight (kg) weight (kg)	0.008					
P13.2*		packaging material t	ype(s): <i>EPE</i> aging is free from PV(	weight (kg)	0.0485					
		. , ,	<u> </u>							4
P13.3*	•	uct primary corruga er recovered fiber co	ted fiberboard packa ntent: <b>90</b> %	aging, specif	y the contained p	oercentage (	of minimum po	ost-		Ш
P13.4*	Electi	onic, 🔀 Paper, 🔲 (	roduct documentatior Other	,						
P13.5	Ùser and		em if paper document tion on paper media i		ee:					
	Element	nlorine-free al chlorine-free								
	Processe	ed chlorine-free								
P14		y programs								
P14.1	The proc	uct meets the requir	ements of the following	ing voluntary	program(s):					
	Eco-labe	l:	Criteria version: <b>8.0</b> Criteria version: Criteria version:		Date: <b>2020-3-20</b> Date: Date:	Product ca Product ca Product ca	ategory:			
P15		al information (See								
P9			ecific configuration							
	informati knowledg provided informati	on contained in this ge available at the tir here is approximate on.	presentations, guarar document. All informa ne of completion, and and provided for info	ation provide d supplier sh ormational pu	d by supplier in thi all have no obligat irposes only. See	is document tion to updat a Lenovo Ad	is provided bate such information	ased on supp ation. The info	lier's ormat	ion
P9			otebooks & Tablet Co dex.cfm?fuseaction=f				ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ThinkBook 14s-ARE, Lenovo Yang Tian S550-14-ARE, Zhaoyang K4-ARE	Logo
Model Number	20VB, 82ER, 82EQ	Longvo
Issue Date	2020-4-30	Lenovo
Additional information		

d)	Year of manufacture:				2020
e) f)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor	n switchable graphics r	node with UMA driving	g the display.	, ,
.,	enable	Category A	Category B	Category C	Category D
		(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)
	Memory over base [GB]	16GB			
ents	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
caps	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	19.6			
g)	Idle state power demand (Watts);	1	<u> </u>	1	5.89
1)	Sleep mode power demand (Watts);				2.6
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
j)	Off mode power demand (Watts);				0.3
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 88.93%,89.0	03%,89.34%,88.37%,8	9.04%,89.18%,89.92	%	
0)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:	

(p-2)		dology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  ≥70% of Cmin				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  *Power on -> Wait 5 minutes -> Stable condition*				
(r)	r) Description of how sleep and/or off mode was selected or programmed:  **Begin menu -> Power -> Select sleep or off mode**  **Begin menu				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  NA				
(+)	Duration of idla ata	to condition hafare the computer outemetically re	anahan alaan mada, or another		
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min	
(u)	(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10min	
(w)	v) Information on the energy-saving potential of power management functionality:  **Refer to User Guide**				
(x)	User information on how to enable the power management functionality:  **Refer to User Guide**				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301		
Addition	nal Notebook Batter	y Information:			
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Addition	al information			•	
)					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.