



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.					
Type of product *	All-in-One					
Commercial name *	ThinkCentre M70a All-in-One					
Model number *	11CK, 11CL, 11CM, 11E2, 11E3					
Issue date *	2020.03.02					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	11CK, 11CL, 11CM, 11E2, 11E3	Logo	Lon		
Issue dat	e *	2020/03/02		Len	DVC	J _{tm}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	£ B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in the	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm ² /week	K 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail tatic.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disc	,			
P2	Batterie					
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	•			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium an	d 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material(s	s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In telerence). In the Legal reference has no maximum concentration values.	Montreal Protoco	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	11CK, 11CL, 11CM, 11E2, 11E3	Logo	Lanava
Issue date *	2020/03/02		Lei IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)						
	- Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P7	Design, Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes					
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives						
P7.8*	Upgrading can be done using commonly available tools	\boxtimes					
P7.9	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: 5 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: ABS PCR65%+ABS Material type: PC+ABS Material type: Metal*3(SGCC+SUS30	1+SPCC)				
P7.12	Insulation materials of external electrical cables are PVC free.		\square				
P7.13	Insulation materials of internal electrical cables are PVC free.	Ħ	X				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #: 26265-08-7						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	一百	T				
	assigned the following Risk phrases; and Hazard statements:		ш				
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)						
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 57.7%. or b) The weight of recycled material is 767.2 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11CK, 11CL, 11CM, 11E2, 11E3	Logo	Lonovo
Issue date *	2020/03/02		LEI IOVO"

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		stance requirements					
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):						
P7.22*		ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp mps: and maxim	um mercury content pe	er lamp: mg		
P8	Batteries						
P8.1*	Battery chemical composition: Lithium Manganese Dioxide						
P9	Energy consumption (See NOTE B8)						
P9.1	For the product the	following power level	s or energy consumpti	ons are reported:			
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	·max)	154.5 W	154.5 W	154.5 W	Full load		
Categor	<u>ry 1</u>						
Short Idle Enabled	State - WOL	20.352 W	20.520 W	20.952 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle Enabled	State - WOL	9.072 W	9.288 W	9.540 W	Use for ENERGY STAR V8 registration (P _{idle})		
) - WOL Enabled	1.536 W	1.524 W	1.512 W	Use for ENERGY STAR V8 registration (P _{sleep})		
Off (S5) -	WOL Enabled	0.792 W	0.792 W	0.828 W	Use for ENERGY STAR V8 registration (P _{off})		
Lowest po	ower mode	W	W	0.358 W	Use for ErP		
Categor	<u>ry 2</u>						
Short Idle Enabled	State - WOL	20.892 W	21.036 W	21.960 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle Enabled	State - WOL	9.408 W	9.528 W	9.612 W	Use for ENERGY STAR V8 registration (Pidle)		
Sleep (S3)) - WOL Enabled	1.524 W	1.548 W	1.488 W	Use for ENERGY STAR V8 registration (P _{sleep})		
Off (S5) -	WOL Enabled	0.804 W	0.828 W	0.840 W	Use for ENERGY STAR V8 registration (Poff)		
Lowest po	ower mode	W	W	0.318 W	Use for ErP		
	supply / charger plugged in the sconnected from the product.)	W	0.09 W	0.119 W			
PTEC * Typical En	ergy Consumption	8.015 W	8.084 W	8.345 W			
ETEC * Annual En	ergy Consumption	1:68.53 kWh/year 2:70.21 kWh/year	1:69.11 kWh/year 2:70.82 kWh/year	1:70.47 kWh/year 2:73.10 kWh/year	ETEC = (8760/1000) x (Poff x 0.45 + P _{sleep} x 0.05 + P _{long_Idle} x 0.15+ P _{short_Idle} x 0.35)		
Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled							
	External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: 90.36%						
Display res	Display resolution * : 2.07 megapixels						
Default tim	ne to enter energy sa	ve mode: 25 minutes					
P9.2*	Information about t	the energy save functi	on is provided with the	product.			
P9.3							
	P10 Emissions						
		Declared according to	ISO 9296 (See NOTE	E B9)			
P10.1	0.1 Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Idle	* HDD:Idle	* 3.1			
Operation	* HDD: Operating	* 3.3			
Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$				
Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	26.0 (operator position desktop – operating)			
Measured acco	Measured according to: ☐ ISO 7779 ☐ ECMA-74				
	Other (only if not covered by ECMA-74)				

Model number * Issue date *	11CK, 11CL, 11CM, 11E2, 11E3 2020/03/02	Logo	Lenovo
Product environr	mental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

Product of	environmental attributes - Market requirements (continued)	Requirement met				
Item	·	Yes	No	n.a.		
	Electromagnetic emissions					
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary	\boxtimes				
	program(s):					
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes				
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): <i>Paper</i> weight (kg): 1.500(FF)/1.470(TF)					
	Product packaging material type(s): <i>PE</i> weight (kg): 0.712(FF)/0.854(TF)					
	Product packaging material type(s): Wood weight (kg): 0.975					
P13.2*	Product plastic primary packaging is free from PVC.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post consumer recovered fiber content: 100 %	it-				
P13.4*	Specify media for user and product documentation (tick box):					
	Electronic, Paper, Other					
P13.5	(Please only complete this item if paper documentation used)					
	User and product documentation on paper media is chlorine-free:					
	If Yes, please specify:					
	Totally chlorine-free	\boxtimes				
	Elemental chlorine-free					
	Processed chlorine-free	Ħ				
P14	Voluntary programs					
P14.1	The product meets the requirements of the following voluntary program(s):					
	ENERGY STAR® Criteria version: 7.1&8.0 Date: Product category: 1&2					
	Eco-label: <i>EPEAT</i> Criteria version: Date: Product category:					
	Eco-label: Greenguard Criteria version: Date: Product category:					
	Eco-label: TCO8.0 Criteria version: Date: Product category:					
	Eco-label: EYE Comfort Criteria version: Date: Product category:					
P15	Additional information (See NOTE B10)					
P9	Energy consumption of specific configuration may vary; description of the tested product configuration					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied					
	information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information					
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more					
	information.	nauve ioi i	HOLE			
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:					
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M70a	Logo		
Model Number	11CK, 11CL, 11CM, 11E2, 11E3		Lonovo	
Issue Date	2020/03/02		Lenovo	
Additional information	TCO8.0;Energy Star 7.1&8.0;Greenguard;Low Blue light;EPEAT;Eye Comfort			

d)	year of manufacture:				2020			
;)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are			
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3			
	Memory over base [GB]		62		60			
capability adjustments applied during testing	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)			
	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)			
	Category of discrete graphics Card(s)		G3		G3			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		18.66		18.64			
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		46.60		49.49			
g)	Idle state power demand (Watts);							
٦)	Sleep mode power demand (Watts);							
i)	Sleep mode with WOL enabled power demand (Watts) (where enabled);							
j)	Off mode power demand (Watts);							
k)	Off mode with WOL enabled power demand (Watts) (where enabled);							
)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50%	100% Avera	ige					
m)	External power supply efficiency (if applicable)*:							
	Average active efficiency: 90.36%							
۵\	*internal note: show values for all available external p		tond (applies only to	atabaak aamauta:\				
o)	Minimum number of loading cycles that	ine patteries can withst	tarid (applies only to n	otebook computers):	N/A			
p-1)	Measurement methodology used to dete Generalized Test Protocol for Calcu		iciency of Internal A					

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A					
(p-3)	Measurement metho	asurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption/ IEC EN50564:2011 measurement methodology					
(q)	Sequence of steps for achieving a stable condition with respect to power demand: **Based on user manual/Power on->Wait 5 minutes->Stable condition**					
(r)	Description of how sleep and/or off mode was selected or programmed: **Based on user manual/Begin menu -> Power -> Select sleep or off mode**					
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan					
(t)		Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10					
(w)	Information on the energy-saving potential of power management functionality: Based on user manual					
(x)	User information on how to enable the power management functionality: **Based on user manual** **Based on user manual**					
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50Hz, Total Harmonic Distortion <2 %					
Additio	nal Notebook Batter	v Information:				
rtaaitio	mai Hotobook Battol	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Dationy[roo] door replacedable	11/4		
Internal	/built-in Battery					
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information						
<u> </u>						
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.