



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	The second second
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEI IOVO.
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Desktop
Commercial name *	ThinkCentre M75t Gen 2
Model number *	11RB,11RC,11RD,11RE,11KC,11KE
Issue date *	2021.5.13
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	ES/TCO/EPEAT

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nui	mber *	11RB,11RC,11RD,11RE,11KC,11KE	Logo	Long	210	
Issue date	e *	2021.5.13		Lenc	JVU.	
Product	environ	mental attributes - Legal requirements		Require	ment n	net
Item				Yes	No r	ı.a.
P1	Hazardo	ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	orinated			
P1.5*	Products chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ovww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See lega	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				_
P3.1*	The proc	luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/comp				
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).				
		I information is;  given in item P15 or added to this document,				
	declarat	available at: https://www.lenovo.com/us/en/complian	ce/eco-			
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium a	nd 🔀		
_	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak q$ e legal reference).		` '		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Iontreal Protod	col 🔀		
P6	Treatme	nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	11RB,11RC,11RD,11RE,11KC,11KE	Logo	Long	21/0	a l
Issue dat	te *	2021.5.13		Lend	JVU	
Product	environ	mental attributes - Market requirements (See General NOTE GN b	pelow)			
	- Enviro	onmental conscious design	,	Requirer	nent r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable			<u>Ц</u>	
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		$\boxtimes$		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	$\boxtimes$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: <b>5</b> years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>SGCC</i> Materia	I type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$	$\Box$
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	retardants, an	d 💆		
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	mponents):	$\boxtimes$		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	nts) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations i	n		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				
P7.19	-	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			
	Ū	I the following Risk phrases; and Hazard statements:				
		( ) ( ) ( ) ( )	ee note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of t a po or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 51.35%.  • weight of recycled material is 200.9 g.	(calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	11RB,11RC,11RD,11RE,11KC,11KE 2021.5.13	Logo	Lenovo
Product environ	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

	Material and subs	tance requirements	(continued)			
P7.21*	Biobased plastic m	aterial content is used	in the product (See No	OTE B7):		1
	If YES; at least one	e of the two alternative c parts' weight > 25 g,	es below shall be answe		ted as a percentage of	_
	or b) The weight of	the biobased plastic r	naterial is g.			
P7.22*	Light sources are f		less than 0,1 mg/lamp.	um mercury content pe	r lamp: mg	
P8	Batteries	specify. Number of lan	nps. and maxim	uni mercury content pe	i iarrip. Trig	
P8.1*		omposition: Lithium N	Manganese Dioxide			7
P9		tion (See NOTE B8)				
P9.1			s or energy consumption	ons are reported:		
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-r	nax)	W	W	W	Full load	
Category	<u>/ 11</u>					
Short Idle Enabled	State - WOL	17.4 W	18.4 W	18.2 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )	
Long Idle S Enabled	State - WOL	17.0 W	17.4 W	16.9 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	2.3 W	2.3 W	2.3 W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )	
Off (S5) - V	VOL Enabled	0.6 W	0.6 W	0.6 W	Use for ENERGY STAR V8 registration(Poff)	
Off (S5) - V	VOL Disabled	W	W	0.62 W	Use for ErP lot3	
Category	<u>/ 12</u>					
Short Idle Enabled	State - WOL	15.5 W	15.5 W	16.1 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )	
Long Idle S Enabled	State - WOL	13.7 W	14.8 W	15.6 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	2.3 W	2.3 W	2.3 W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )	
Off (S5) - V	VOL Enabled	0.7 W	0.7 W	0.7 W	Use for ENERGY STAR V8 registration(P <sub>off</sub> )	
Off (S5) - V	VOL Disabled	W	W	0.66 W	Use for ErP lot3	
Category	<u>/ D1</u>					
Short Idle Enabled	State - WOL	26.6 W	25.6 W	26.3 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )	
Long Idle S Enabled	State - WOL	25.5 W	25.3 W	25.2 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	2.2 W	2.2 W	2.2 W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )	
Off (S5) - V	VOL Enabled	0.6 W	0.6 W	0.6 W	Use for ENERGY STAR V8 registration(Poff)	
Off (S5) - V	VOL Disabled	W	W	0.63 W	Use for ErP lot3	

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

0-4	D0				
Categor	<u>y D2</u>				
Short Idle Enabled	State - WOL	24.1 W	24.0 W	23.6 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )
Long Idle Enabled	State - WOL	23.7 W	21.8 W	21.5 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )
Sleep (S3)	- WOL Enabled	2.4 W	2.4 W	2.4 W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )
Off (S5) - I	WOL Enabled	0.7 W	0.7 W	0.7 W	Use for ENERGY STAR V8 registration(P <sub>off</sub> )
Off (S5) - I	WOL Disabled	W	W	0.76 W	Use for ErP lot3
EPS No-loa (External power s wall outlet but dis	ad supply / charger plugged in the econnected from the product.)	W	W	W	
PTEC * Typical En	ergy Consumption	W	W	W	
ETEC *	ergy Consumption	11:70.3 kWh/year 12:63.0 kWh/year D1:101.9 kWh/year D2:94.4 kWh/year	<b>D2:92.3</b> kWh/year	11:72.4 kWh/year 12:66.2 kWh/year D1:100.7 kWh/year D2:91.2 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.45 + P <sub>sleep</sub> x 0.05 + P <sub>long_Idle</sub> x 0.15+ P <sub>short_Idle</sub> x 0.35)
External D	ower Supply Efficier	Poff: Off Mode(S	55) - WOL Enabled; Psleep Efficiency Marking Pro	: Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle State - WOL Enabled
Display res		· ·	Elliciency Marking Pro	niocoi) .	
		egapixels			
P9.2*		ave mode: 25 minutes			
		•••	on is provided with the	product.	
P9.3		class (monitors only): /	VA		
P10	Emissions Noise emission	Doctored according to	ISO 9296 (See NOTE	DO)	
P10.1		Mode description	7130 9290 (See NOTE		A-weighted sound power level, L <sub>WA.c</sub> (B)
	Idle *	HDD:Idle		* 3.3	Trivolghica coaria povor level, 2WA,c (2)
	Operation *	HDD: Operating		* 3.6	
	Other mode L	Declared A-weighted sound	d pressure level (dB) $L_{p{\sf Am}}$	22 (operator position	n desktop – idle)
			d pressure level (dB) $L_{p{ m Am}}$		n desktop – operating)
	Measured accordi	ng to: X ISO 7779 C	ECMA-74 (only if not covered by	FCMA-74)	
L	l	Outco	(orny if flot covered by	LOWIN-1-1	

Model nun	nber *	11RB,	11RC,11R	D,11RE,11F	(C,11KE					Logo	Lor	201/	
Issue date	*	2021.5	5.13								Lei	novo	<b>)</b> _
Product e	environ	mental	attribute	s - Market	requirem	ents (c	ontinu	ied)			Real	uiremer	nt met
Item						,						es No	
	Electro	magneti	c emissio	ns									
P10.4	Comput progran		y meets th	ne requireme	ent for low fr	requency	/ electro	omagnetio	c fields of the foll	lowing volunta	ary		
P12				ng products									
P12.1*				•					display technolo	gies.			
P12.2*	The phy	/sical inp	ut device r	neets the re	quirements	of ISO 9	9995 an	d ISO 92	41-410.				
P13			documen										
P13.1*	Product Product	packagi packagi	ng materia ng materia	al type(s): Plant type(s): Pa	astic - LDP aper - Corru	PE (low ougated L	lensity Double	polyethy wall wei	/lene) weight (ky/lene) ght (kg): 0.98 ght (kg): 0.047	g): <b>0.051</b> weight (kg):	0.265		
P13.2*	Product	plastic p	orimary pa	ckaging is fro	ee from PV	C.						<b>X</b>	
P13.3*				gated fibert		aging, sp	pecify to	he contai	ined percentage	of minimum	post-		
P13.4*			Paper,	I product dod Other	cumentatior	n (tick bo	x):						
P13.5	(Please User an	only cor	nplete this	item if pape ntation on pa								<u> </u>	]
	Elemen	chlorine- tal chlori sed chlor	ne-free								[2 [		
P14	Volunta	ary prog	rams										
P14.1	The pro	oduct med BY STAR el: <i>EPEA</i> el: <i>TCO</i>	ets the req ® A <i>T</i>	Criteria v Criteria v	version: 8.0 version: 168 version: 8.0	30.1-201	Dat 8 Dat	ogram(s): te: <b>2021.</b> 1 te: <b>2021.</b> 6 te: <b>2020.</b> 9	5.30 Product	category: <b>Des</b> category: <b>Des</b> category: <b>Des</b>	sktop		
P15				ee NOTE B									
P9				specific con					of the tested pro				
	Test item	Category	CPU		Memory	HDD	SSD	Graphics	power supply	Slee	ep mode		
	ES	I1 I2 D1 D2	AMD		128GB	2TB 3.5"HDD 1TB 2.5"HDD	2ТВ	DIS&UMA	180W 300W	Sleep	)		
P9	informa knowled provided informa	tion cont dge avail d here is tion.	ained in th able at the approxima	is document time of com	i. All information and informa	ation pro d supplie ormation	vided b er shall l al purpo	y supplied have no co oses only	ranties whether in this documer obligation to update. See a Lenovo A	nt is provided ate such infor	based on s mation. Th	supplier's e informa	s ation
F8									ormation: luctGroup&pgw_	code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M75t Gen 2	Logo
Model Number	11RB,11RC,11RD,11RE,11KC,11KE	Longue
Issue Date	2021.5.13	Lenovo
Additional information	ES/TCO/EPEAT	

d)	year of manufacture:				2021
e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	III discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		126		124
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)		G5		G5
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		67.75		59.05
Test	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		96.29		98.54
g)	Idle state power demand (Watts);				26.33 26.77
า)	Sleep mode power demand (Watts);				2.21 2.52
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		2.26
)	Off mode power demand (Watts);				2.46 0.63
()	Off mode with WOL enabled power dem	and (Watts) (where an	apled).		0.76 0.63
	·				0.76
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output pow	er (if applicable):	
	Minimum Efficiency of all Power Supplies	s: 10% <b>82.88%</b> 20%	<b>86.2</b> % 50% <b>86.98</b> %	6 100% <b>84.26</b> % Av	erage <b>85.82</b> %
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency:				
p)	*internal note: show values for all available external policy Minimum number of loading cycles that t		and (applies only to n	otebook computers):	
p-1)	Measurement methodology used to dete	rmine information men		nternal PSU efficiency:	:

(n 2)	Macaurament methodology used to determine information mentioned in nainte (m) external DCLI officiency:	
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  NA	
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  NA	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual-Set power button behaviors	
	Set power button behaviors	
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.	
	To change what the power button does:	
	<ol> <li>Go to Control Panel and view by large icons or small icons.</li> </ol>	
	<ol><li>Click Power Options → Choose what the power buttons do.</li></ol>	
	<ol><li>Change the settings as you prefer.</li></ol>	
(-)		
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(s) (t)	off mode:  **Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  **Duration of idle state condition before the computer automatically reaches sleep mode, or another	25
(t)	off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power	25 NA
(t) (u)	off mode:  **Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  **Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	
(t) (u)	off mode:  **Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  **Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  **Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(t) (u) (v)	off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	NA
(t) (u) (v) (w)	off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:	NA
(t) (u) (v) (w)	Off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:	NA
(t) (u) (v) (w)	off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:	NA
(t) (u) (v) (w)	off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan	NA
(t) (u) (v) (w)	Off mode:  Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan  Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have	NA
(t) (u) (v) (w)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:  Table 1. Default power plan (when plugged into ac power)	NA
(t) (u) (v) (w)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	NA
(t) (u) (v) (w)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:  Table 1. Default power plan (when plugged into ac power)  • Turn off the display: After 10 minutes	NA
(t) (u) (v) (w)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:  Table 1. Default power plan (when plugged into ac power)  • Turn off the display: After 10 minutes  • Put the computer to sleep: After 25 minutes	NA
(t) (u) (v)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  Information on the energy-saving potential of power management functionality:  NA  User information on how to enable the power management functionality:  Based on user manual-Set the power plan  Set the power plan  For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:  Table 1. Default power plan (when plugged into ac power)  • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 minutes  To awaken the computer from Sleep mode, press any key on your keyboard.	NA

	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
Test voltage in V and frequency in Hz: 230V/50Hz						
Total harmonic distortion of the electricity supply system: ≤2%						
	Instrument Name		Range Used or *****	Make and Model**		
	AC Power Source		1~300VAC;1~550Hz; 1000VA	NF; EC1000S		
	Power Meter		1~500V;0~20A	YOKOGAWA; WT310		
	Digital Watch		Full Range	CASIO; HS-70W		
	Ambient M	Ionitor	-10~60°C; 0~100&RH	Testo; 622		
	Anemometer		0~20m/s	Testo; 425		
Additiona	I Notebook Batter	y Information	1:			
		Battery[ies] <u>not</u> user replaceable		Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

reasulatura et as selle toucle adurantura i se inoipsasul assinuatura. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.