



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                              | Lenovo   | Logo  |         |  |  |  |
|--------------------------------------|--|-------|---------|--|--|--|
| Company name *                       | Lenovo   |       |         |  |  |  |
| Contact information * e-mail address | Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com |       | Lenovo. |  |  |  |
| Internet site *                      | http://www.lenovo.com/social_responsibility/us/en/environment          | .html |         |  |  |  |
| Additional information               | The latest version of this document can be found at:                   |       |         |  |  |  |
|                                      | http://www.lenovo.com/ecodeclaration                                   |       |         |  |  |  |

| The company declares (based on product specification or test results based obtained from sample testing), that the product |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
| conforms to the statemen   | conforms to the statements given in this declaration.               |  |  |  |  |  |
| Type of product *  | Type of product * Notebook  |  |  |  |  |  |
| Commercial name *  | Commercial name * ThinkPad T14/P14s/ThinkPad T14 Healthcare Edition |  |  |  |  |  |
| Model number *   | 20\$0, 20\$1, 20\$2, 20\$3, 20\$4, 20\$5                            |  |  |  |  |  |
| Issue date *   | 2020/3/4  |  |  |  |  |  |
| Intended market *  | Global Europe Asia, Pacific & Japan Americas Other                  |  |  |  |  |  |
| Additional information   |   |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Wioder Hulliber |  | 2080, 2081, 2082, 2083, 2084, 2085   | Logo             | Lend        | WO   |      |
|-----------------|--|--|------------------|-------------|------|------|
| Issue dat       | e *  | 2020/3/4   |                  | Len         |      | тм   |
| Product         | environ  | mental attributes - Legal requirements   |                  | Require     | ment | met  |
| Item            |  |  |                  | Yes         | No   | n.a. |
| P1              | Hazardo  | ous substances and preparations  |                  |             |      |      |
| P1.1*           | Products   | s do comply with current European RoHS Directive. (See legal reference and NOTE  | B1)              |             |      |      |
| P1.2*           | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. |  |                  |             |      |      |
| P1.3*           | Products<br>hydrobro<br>trichloroe   | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), comofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachiethane, methyl bromide (see legal reference). Comment: Legal reference has no metation values. |                  |             |      |      |
| P1.4*           |  |  |                  |             |      |      |
| P1.5*           | Products   | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb<br>ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).  | oon atoms in th  | e 🔀         |      |      |
| P1.6*           | (see lega  | th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).<br>nt: Max limit in legal reference when tested according to EN1811:2011-5.  | ,5 μg/cm²/wee    | k 🔀         |      |      |
| P1.7*           | REACH  | Article 33 information about substances in articles is available at (add URL or mail ow.lenovo.com/social_responsibility/us/en/environment.html  | contact):        | $\boxtimes$ |      |      |
| P2              | Batterie   | S  |                  |             |      |      |
| P2.1*           |  | oduct contains a battery or an accumulator, the battery/accumulator is labeled with t<br>Information on proper disposal is provided in user manual. (See legal reference)  | he disposal      |             |      |      |
| P2.2*           |  | or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm  | ium. (See lega   | ıl 🔀        |      |      |
| P2.3*           | Batteries  | and accumulators are readily removable. (See legal reference)  |                  | $\boxtimes$ |      |      |
| P3              | Conforn  | nity verification & Eco design (ErP)   |                  |             |      |      |
| P3.1*           |  | duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/complian">https://www.lenovo.com/us/en/complian</a>              |                  |             |      |      |
| P3.2*           | The prod   | duct complies with the Eco design requirements for energy-related products, al reference).   |                  | $\boxtimes$ |      |      |
|                 | , ,  | d information is; given in item P15 or added to this document,   |                  |             |      |      |
|                 |  | available at: https://www.lenovo.com/us/en/compliance/e  | eco-declaration  |             |      |      |
| P5              |  | packaging  |                  |             |      |      |
| P5.1*           |  | ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.   | , cadmium ar     | nd 🔀        |      |      |
| P5.2*           | The pack   | kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).   | of the material( | s) 🔀        |      |      |
| P5.3*           | The prod<br>(see legal<br>Commer   | luct packaging material is free from ozone depleting substances as specified in the N<br>al reference).<br>nt: Legal reference has no maximum concentration values.  | ontreal Protoc   | ol 🔀        |      |      |
| P6              | Treatme  | nt information   |                  |             |      |      |
| P6.1*           | Informati  | on for recyclers/treatment facilities is available (see legal reference).  |                  | $\boxtimes$ |      |      |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | 20\$0, 20\$1, 20\$2, 20\$3, 20\$4, 20\$5 | Logo | Lonovo    |
|----------------|--|------|-----------|
| Issue date *   | 2020/3/4                                 |      | LEI IOVO" |

| Product | environmental attributes - Market requirements (See General NOTE GN below)   |             |                |           |
|---------|--|-------------|----------------|-----------|
|         |  | Require     | ment           | met       |
| Item    | *=mandatory to fill in. Additional information regarding each item may be found under P14.   | Yes         | No             | n.a.      |
| P7      | Design, Disassembly, recycling   |             |                |           |
| P7.1*   | Parts that have to be treated separately are easily separable  |             | Щ.             | <u> </u>  |
| P7.2*   | Plastic materials in covers/housing have no surface coating.   |             |                | <u> </u>  |
| P7.3*   | Plastic parts > 100 g consist of one material or of easily separable materials.  |             | Щ.             | Щ.        |
| P7.4*   | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  |             |                | Щ.        |
| P7.5    | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   |             |                | Щ.        |
| P7.6*   | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  |             |                |           |
| D7 7*   | Product lifetime   |             |                |           |
| P7.7*   | Upgrading can be done e.g. with processor, memory, cards or drives   |             |                | <u> </u>  |
| P7.8*   | Upgrading can be done using commonly available tools   |             |                |           |
| P7.9    | Spare parts are available after end of production for: 5 years   |             |                |           |
| P7.10   | Service is available after end of production for: 5 years  |             |                |           |
| D7 44*  | Material and substance requirements  |             |                |           |
| P7.11*  | Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: <i>PPS+50%GF</i> Material type: <i>PC+ABS</i> Material type: <i>PA+50%</i> | CE          |                |           |
| P7.12   | Material type: <i>PPS+50%GF</i> Material type: <i>PC+ABS</i> Material type: <i>PA+50%</i> Insulation materials of external electrical cables are PVC free.       |             | $\square$      |           |
| P7.13   | Insulation materials of internal electrical cables are PVC free.   |             |                | +         |
| P7.14   | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%  |             | $\blacksquare$ | +         |
| 1 7.14  | weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and  |             |                | ш         |
|         | polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing   | g           |                |           |
| D7.45   | more than 25% post-consumer recycled content.  |             |                |           |
| P7.15   | Printed circuit boards, PCBs (without components) are low halogen: all Z PCBs > 25 g Z are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)              | n 🛚         | Ш              |           |
| P7.16   | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)  |             |                |           |
| P7.17   | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):   |             |                |           |
|         | TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phosphorus Modified Epoxy Resin   | , 🛚         |                |           |
|         | CAS #: confidential  |             | _              |           |
|         | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:                                  | Ш           | Ш              |           |
| P7.18   | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in   |             |                |           |
|         | concentrations above 0,1%:   | $\boxtimes$ |                |           |
|         | 1. Chemical name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i> (See NOTE B4) 2. Chemical name: , CAS #: "  |             |                |           |
|         | 3. Chemical name: , CAS #: "   |             |                |           |
|         | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:  |             |                | $\square$ |
| P7.19   | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been   |             | H              |           |
|         | assigned the following Risk phrases; confidential and Hazard statements: confidential  |             | ш              | Ш         |
|         | The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)  |             |                |           |
| P7.20*  | Postconsumer recycled plastic material content is used in the product (See Note B6):   | $\boxtimes$ |                |           |
|         | If YES; at least one of the two alternatives below shall be answered;  |             |                |           |
|         | a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as  |             |                |           |
|         | a percentage of total plastic by weight) is 2.40 %.  |             |                |           |
|         | or b) The weight of recycled material is 16.5 g.   |             |                |           |
|         | 2,s noight or roughloa material to rote g.   |             |                |           |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 20\$0, 20\$1, 20\$2, 20\$3, 20\$4, 20\$5 | Logo | Lanava    |
|----------------|--|------|-----------|
| Issue date *   | 2020/3/4                                 |      | Lei IOVO, |

| Product environmental attributes - Market requirements (continued) | Requi | remer | nt met |
|--|-------|-------|--------|
| Item   | Yes   | No    | n.a.   |

|                                 |   | stance requirements                               |  |                                   |  |               |
|---------------------------------|---|---|--|-----------------------------------|--|---------------|
| P7.21*                          | Biobased plastic material content is used in the product (See NOTE B7): |   |  |                                   |  |               |
| P7.22*                          |   | free from mercury, i.e.<br>specify: Number of lar | less than 0,1 mg/lamp.<br>mps: and maxim | um mercury content pe             | er lamp: mg  |               |
| P8                              | Batteries   |   |  |                                   |  |               |
| P8.1*                           |   | composition: Li-ion                               |  |                                   |  |               |
| P9                              |   | tion (See NOTE B8)                                |  |                                   |  |               |
| P9.1                            |   | e following power leve  Power level at            | ls or energy consumption  Power level at | ons are reported:  Power level at | Defense (Otton don'd for an array  |               |
| Energy mo                       | de "  | 100 V AC  | 115 V AC                                 | 230 V AC                          | Reference/Standard for energy modes and test method *  |               |
| Peak (On-                       | max)  | 65 W  | 65 W                                     | 65 W                              | Full load  |               |
| Categor                         | <u>y 1</u>  |   |  |                                   |  |               |
| Short Idle<br>Enabled           | State - WOL   | <b>5.24</b> W                                     | 5.64 W                                   | 5.23 W                            | Use for ENERGY STAR V8 registration (P <sub>idle</sub> )   |               |
| Long Idle<br>Enabled            | State - WOL   | 2.03 W  | 2.12 W                                   | 1.52 W                            | Use for ENERGY STAR V8 registration (P <sub>idle</sub> )   |               |
| Sleep (S3)                      | - WOL Enabled   | 1.36 W  | 1.82 W                                   | 1.68 W                            | Use for ENERGY STAR V8 registration (P <sub>sleep</sub> )  |               |
| Sleep (S3)                      | - WOL Disabled  | 1.26 W  | 1.71 W                                   | 1.46 W                            | Use for ENERGY STAR V8 registration  |               |
| Off (S5) - I                    | WOL Enabled   | 0.33 W  | 0.35 W                                   | 0.37 W                            | Use for ENERGY STAR V8 registration (P <sub>off</sub> )  |               |
| Off (S5) - I                    | WOL Disabled  | 0.33 W  | 0.35 W                                   | 0.37 W                            | Use for ErP  |               |
| EPS No-loa<br>(External power s | ad<br>supply / charger plugged in the<br>connected from the product.)   | 0.07 W  | 0.06 W                                   | <b>0.11</b> W                     |  |               |
| PTEC *                          | ergy Consumption  | 2.11 W  | 2.42 W                                   | 2.23 W                            |  |               |
| ETEC *                          | ergy Consumption  | <b>18.45</b> kWh/year                             | <b>21.22</b> kWh/year                    | 19.55 kWh/year                    | ETEC = (8760/1000) x (Poff x 0.25<br>+ P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+<br>P <sub>short Idle</sub> x 0.30) |               |
|                                 |   | Poff: Off Mode(S5) - W                            | OL Enabled; P <sub>sleep</sub> : Sleep   | Mode(S3) - WOL Enable             | ed; P <sub>idle</sub> : Idle State - WOL Enabled   |               |
| External Po                     | ower Supply Efficier  |   | I Efficiency Marking Pro                 |                                   |  |               |
| Display res                     | solution * : 2.07 (19   | 20*1080) megapixels                               |  |                                   |  | $\overline{}$ |
|                                 | · · · · · · · · · · · · · · · · · · ·                                   | ave mode: 10 minutes                              |  |                                   |  | $\overline{}$ |
| P9.2*                           |   |   | ion is provided with the                 | product                           |  | ∺             |
| P9.3                            |   | class (monitors only):                            | ion lo provided with the                 | product.                          |  | +             |
| P10                             | Emissions   | (e.more emy).                                     |  |                                   |  |               |
| 1 10                            |   | - Declared according to                           | o ISO 9296 (See NOTE                     | B9)                               |  |               |
| P10.1                           |   | Mode description                                  |  | T 2                               | it A-weighted sound power level, L <sub>WA,c</sub>   | (B)           |
|                                 |   | HDD idle  |  | * 2.5                             |  |               |
|                                 | Operation *   | Operating (HDD) Operating (CPU)                   |  | * NA<br>* 3.3                     |  |               |
|                                 | Other mode  | Declared A-weighted sour                          | ad pressure level (dB) $L_{p{ m Am}}$    | 16 (operator position             |  |               |
|                                 |   |   | ad pressure level (dB) $L_{p{ m Am}}$    |                                   | on desktop – operating HDD)<br>on desktop – operating CPU)   |               |
|                                 | Measured accordi  | ng to: 🔀 ISO 7779 🛭                               | CMA-74                                   |                                   |  |               |
|                                 | Other (only if not covered by ECMA-74)                                  |   |  |                                   |  |               |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

| Model number * | 20\$0, 20\$1, 20\$2, 20\$3, 20\$4, 20\$5 | Logo | Lonovo   |  |
|----------------|--|------|----------|--|
| Issue date *   | 2020/3/4                                 |      | reliovo" |  |

| Product | environmental attributes - Market requirements (continued)   | Require     | ment  | met  |
|---------|--|-------------|-------|------|
| Item    |  | Yes         | No    | n.a. |
|         | Electromagnetic emissions  |             |       |      |
| P10.4   | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary   | $\square$   |       |      |
|         | program(s): MPR-II(3 pin AC adapter only)  |             |       |      |
| P12     | Ergonomics for computing products  |             |       |      |
| P12.1*  | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  | $\boxtimes$ |       |      |
| P12.2*  | The physical input device meets the requirements of ISO 9995 and ISO 9241-410.   |             |       |      |
| P13     | Packaging and documentation  |             |       |      |
| P13.1*  | Product packaging material type(s): LDPE weight (kg): 0.335  |             |       |      |
|         | Product packaging material type(s): Recycled LDPE weight (kg): 0.075   |             |       |      |
| P13.2*  | Product packaging material type(s): <i>Cardboard</i> weight (kg): <i>0.389</i> Product plastic primary packaging is free from PVC.                               |             |       |      |
|         | 1 1 11 00  |             |       | ᆜ    |
| P13.3*  | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post consumer recovered fiber content: <b>70</b> (Japan only) % | i-          |       | Ш    |
| P13.4*  | Specify media for user and product documentation (tick box):   |             |       |      |
|         | ⊠Electronic, ⊠Paper, □Other  |             |       |      |
| P13.5   | (Please only complete this item if paper documentation used)   |             |       |      |
|         | User and product documentation on paper media is chlorine-free:  |             |       |      |
|         | If Yes, please specify:  |             |       |      |
|         | Totally chlorine-free  | $\boxtimes$ |       |      |
|         | Elemental chlorine-free  |             |       |      |
|         | Processed chlorine-free  |             |       |      |
| P14     | Voluntary programs   |             |       |      |
| P14.1   | The product meets the requirements of the following voluntary program(s):  |             |       |      |
|         | ENERGY STAR® Criteria version: 8.0 Date: 2020/3/30 Product category: 1   |             |       |      |
|         | Eco-label: <i>EPEAT</i> Criteria version: 1680.1-2018 Date: 2020/5/20 Product category: Notebook   | ok .        |       |      |
|         | Eco-label: PCGL Criteria version: Ver.13 Date: 2020/5/20 Product category: Notebook  |             |       |      |
|         | Eco-label: <b>TCO</b> Criteria version: <b>Gen8</b> Date: <b>2020/5/20</b> Product category: <b>Noteboo</b>  | ok .        |       |      |
| P15     |  |             |       |      |
| P9      | Energy consumption of specific configuration may vary; description of the tested product configuration   | on:         |       |      |
|         | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied   |             | a the |      |
|         | information contained in this document. All information provided by supplier in this document is provided base   |             |       |      |
|         | knowledge available at the time of completion, and supplier shall have no obligation to update such information  |             |       | ion  |
|         | provided here is approximate and provided for informational purposes only. See a Lenovo Account Represen   |             |       |      |
|         | information.   |             |       |      |
| P9      | See Energy Star Qualified Notebooks & Tablet Computers for the latest information:   | ·           |       |      |
|         | http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO   |             |       |      |
|         |  |             |       |      |

## Legal references Europe Annex B2

| Reference   | Declaration item       |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.   | P1.1                   |
| Regulation (EC) 1907/2006(REACH, Annex XVII   | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)   | P1.3, P5.3             |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002  | P1.5                   |
| Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.              | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive)  | P3.1                   |
| Directive 2004/108/EC (EMC Directive)   | P3.1                   |
| Directive 1999/5/EC (R&TTE Directive)   | P3.1                   |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2             |
| Regulation (EC) No 1272/2008 (CLP Regulation)   | P7.19                  |
| Directive 2004/12/EC ( Packaging Directive)   | P5.1                   |
| Decision 97/129/EC (Secondary packaging legislation)  | P5.2                   |
| Directive 2012/19/EU (WEEE directive)   | P6.1                   |

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name        | ThinkPad T14/ThinkPad P14s               | Logo |         |
|------------------------|--|------|---------|
| Model Number           | 20\$0, 20\$1, 20\$2, 20\$3, 20\$4, 20\$5 |      | Lonovo  |
| Issue Date             | 2020/3/4                                 |      | Lenovo. |
| Additional information |  |      |         |

| d)   | Year of manufacture:  |                                     |                                     |                                     | 2020                                |  |  |
|--|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--|--|
| e)   | Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display. |                                     |                                     |                                     |                                     |  |  |
| )  | Etec value (kWh) per ErP Lot 3 Categor enable   | ry and capability adjust            | ments applied when a                | all discrete graphics o             | cards (dGfx) are                    |  |  |
|  |   | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |  |  |
| ents<br>sting                                    | Memory over base [GB]   | 44                                  | 44                                  |                                     |                                     |  |  |
|  | Additional internal storage   | No<br>(Yes / No)                    | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          |  |  |
| adjustm<br>ring tee                              | Discrete television tuner   | No<br>(Yes / No)                    | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          |  |  |
| capability adjustments<br>applied during testing | Discrete Audio Card   | No<br>(Yes / No)                    | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          |  |  |
| capi   | Discrete graphics Card(s) [number / #]  | No #:<br>(Yes / No)                 | Yes #: 1<br>(Yes / No)              | #:<br>(Yes / No)                    | #:<br>(Yes / No)                    |  |  |
|  | Category of discrete graphics Card(s)   | NA                                  | G3                                  |                                     |                                     |  |  |
| esults   | Etec Value (kWh) - dGfx disabled<br>all discrete graphics cards (dGfx) are disabled/<br>UMA is active for switchable graphics/<br>product has no graphics cards (dGfx)  | 7.73                                |                                     |                                     |                                     |  |  |
| Test results                                     | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled  |                                     | 10.31                               |                                     |                                     |  |  |
| g)   | Idle state power demand (Watts);  |                                     | <u> </u>                            |                                     | A: 3.15; B:2.30                     |  |  |
| ٦)   | Sleep mode power demand (Watts);  |                                     |                                     |                                     | A: 0.88; B: 0.94                    |  |  |
| )  | Sleep mode with WOL enabled power demand (Watts) (where enabled);   |                                     |                                     |                                     | A:0.89; B: 0.97                     |  |  |
| )  | Off mode power demand (Watts);  | A:0.29; B:0.29                      |                                     |                                     |                                     |  |  |
| k)   | Off mode with WOL enabled power dem   | A:0.30; B: 0.30                     |                                     |                                     |                                     |  |  |
| )  | Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):   |                                     |                                     |                                     |                                     |  |  |
|  | 10% 20% 50% 100% Average  |                                     |                                     |                                     |                                     |  |  |
| n)   | External power supply efficiency (if applicable)*:  |                                     |                                     |                                     |                                     |  |  |
|  | Average active efficiency: 89,41%,88,62   | 2%,88,96%                           |                                     |                                     |                                     |  |  |
|  | *internal note: show values for all available external po   | ower supplies                       |                                     |                                     |                                     |  |  |
| 0)   | Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 500 cycle   |                                     |                                     |                                     |                                     |  |  |
| p-1)   | Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  NA  |                                     |                                     |                                     |                                     |  |  |
| p-2)   | Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EN 50563:2011 measurement methodology   |                                     |                                     |                                     |                                     |  |  |

| (p-3)                                    | Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  IEC 61960 measurement methodology   |  |                               |     |  |  |  |  |
|--|--|--|-------------------------------|-----|--|--|--|--|
| (p-4)                                    | Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  EN 62623:2013 measurement methodology   |  |                               |     |  |  |  |  |
| (q)                                      | Sequence of steps for achieving a stable condition with respect to power demand:  EN 62623:2013 measurement methodology  |  |                               |     |  |  |  |  |
| (r)                                      | Description of how sleep and/or off mode was selected or programmed:  EN 62623:2013 measurement methodology  |  |                               |     |  |  |  |  |
| (s)                                      | Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  *refer to power management, 30mins automatically reaches sleep mode*  |  |                               |     |  |  |  |  |
| (t)                                      | Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  |  |                               |     |  |  |  |  |
| (u)                                      | Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  NA  |  |                               |     |  |  |  |  |
| (v)                                      |  | user inactivity (in minutes):  | 10                            |     |  |  |  |  |
| (w)                                      |  |  |                               |     |  |  |  |  |
| (x)                                      | User information on how to enable the power management functionality:  refer to user manual  |  |                               |     |  |  |  |  |
| (z)                                      | Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V/50HZ, Total Harmonic Distortion<2% |  |                               |     |  |  |  |  |
| Additional Notebook Battery Information: |  |  |                               |     |  |  |  |  |
|  |  | Battery[ies] not user replaceable  The battery[ies] in this product cannot be easily | Battery[ies] user replaceable | n/a |  |  |  |  |
|  |  | replaced by users themselves. 1)   |                               |     |  |  |  |  |
| Internal/built-in Battery                |  |  |                               |     |  |  |  |  |
| External/detachable Battery              |  |  |                               |     |  |  |  |  |
| Bios Backup Battery                      |  |  |                               |     |  |  |  |  |
| Other:                                   |  |  |                               |     |  |  |  |  |
| Additional information                   |  |  |                               |     |  |  |  |  |
|  |  |  |                               |     |  |  |  |  |
|  |  |  |                               |     |  |  |  |  |
| )  |  |  |                               |     |  |  |  |  |

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Τασύαβα θε αστο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.