

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address	Alvin L Carter				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	ThinkPad T15/P15s					
Model number *	2056, 2057, 2074, 2075					
Issue date *	2020/3/24					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number	20\$6, 20\$7, 20T4, 20T5	Logo			
Issue date *	2020/3/24		Leno		тм
Product envi	onmental attributes - Legal requirements		Requiren	nent	met
Item			Yes	No	n.a.
	rdous substances and preparations				
P1.1* Proc	ucts do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\mathbf{X}		
Com	ucts do not contain Asbestos (see legal reference). nent: Legal reference has no maximum concentration value.		\square		
hydı trich	ucts do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), bromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach broethane, methyl bromide (see legal reference). Comment: Legal reference has no m entration values.				
terp	icts do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych enyl (PCT) in preparations (see legal reference).		\square		
	icts do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart containing at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in	the 🔀		
(see	with direct and prolonged skin contact do not release nickel in concentrations above 0 egal reference). nent: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/w	eek 🔀		
P1.7* REA	CH Article 33 information about substances in articles is available at (add URL or mail of www.lenovo.com/social_responsibility/us/en/environment.html	contact):	\boxtimes		
P2 Batt	ries				
	product contains a battery or an accumulator, the battery/accumulator is labeled with t ol. Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\boxtimes		
	ries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmence)	nium. (See le	egal 🔀		
P2.3* Batt	ries and accumulators are readily removable. (See legal reference)		\boxtimes		
P3 Con	ormity verification & Eco design (ErP)				
	product is CE-marked to show conformance with applicable legal requirements (see lego Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/complian		e).		
P3.2* The	roduct complies with the Eco design requirements for energy-related products, egal reference).		\boxtimes		
	ired information is; given in item P15 or added to this document,				
	available at: https://www.lenovo.com/us/en/compliance/e	eco-declarati	on		
	uct packaging	· • • • • • •			
hexa	aging and packaging components do not contain more than 0,01% lead, mercury alent chromium by weight of these together.			山 —	
used	ackaging materials are marked with abbreviations and numbers indicating the nature on (see legal reference).				
(see	roduct packaging material is free from ozone depleting substances as specified in the N egal reference). nent: Legal reference has no maximum concentration values.	Iontreal Prot	iocol 🔀		
	ment information				
	nation for recyclers/treatment facilities is available (see legal reference).				
10.1 11101	וממשה זשר השישוטים מישמות המנוחות ומשוומשים ש מימוומשוב (שבב ובעמו ובובובווטב).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20\$6, 20\$7, 2074, 2075	Logo			
Issue da	te *	2020/3/24		Len	ovc	Оти
Product		mental attributes - Market requirements (See General NOTE GN				
H		nmental conscious design		Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			╞	⊢⊢
P7.3*		arts > 100 g consist of one material or of easily separable materials.			⊢⊢	╞
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			⊢⊢	⊢⊢
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ħ	Ħ
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product					
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgrading can be done using commonly available tools					
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service is	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PPS+50%GF Material type: PC+ABS Materia	al type: PA+50%	GF		
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, and	d 🔼		
P7.15	Printed c as define	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔀 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🛛		
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)		\square		
P7.17	TBBP	nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Phosphorus Modifie</i> confidential		, 🛛		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			\square
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i> (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations in	n 🔀		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\square
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>confidential</i> and Hazard statements: <i>confidential</i>	have been			
D7 00*			See note B5)			
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is2.11 %.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *	2020/3/24 nental attributes - Market requirements (continued)		Requirement met
Model number *	2086, 2087, 2074, 2075	Logo	Lenovo

Item

Requirement met Yes No n.a.

	Material and sub	stance requirements	s (continued)			
P7.21*			ed in the product (See No	DTE B7):	\Box	\square
P7.22*			. less than 0,1 mg/lamp.			
DO	Batteries	d specify: Number of la	amps: and maxim	um mercury content p	er lamp: mg	
P8.1*		composition: <i>Li-ion</i>				
P9						
P9 P9.1		ption (See NOTE B8)	els or energy consumption	na ara ranartad:		
Energy m		Power level at	Power level at	Power level at	Reference/Standard for energy	
Peak (On	i-max)	100 V AC 65 W	115 V AC 65 W	230 V AC 65 W	modes and test method * Full load	
Catego	rv 1					
	e State - WOL	6.0010/	6.00.)//	7.04 \\/	Use for ENERGY STAR V8	
Enabled	e State - WOL	6.82 W	6.99 W	7.01 W	registration (P _{idle})	
Long Idle Enabled	e State - WOL	1.80 W	2.02 W	1.97 W	Use for ENERGY STAR V8 registration (P _{idle})	
Sleep (S	3) - WOL Enabled	1.77 W	2.08 W	2.04 W	Use for ENERGY STAR V8 registration (P _{sleep})	
Sleep (S	3) - WOL Disabled	1.77 W	2.08 W	2.04 W	Use for ENERGY STAR V8 registration	
Off (S5) -	WOL Enabled	0.31 W	0.31 W	0.34 W	Use for ENERGY STAR V8 registration (Poff)	
Off (S5) -	WOL Disabled	0.31 W	0.31 W	0.34 W	Use for ErP	
EPS No-le (External power wall outlet but of	oad er supply / charger plugged in the disconnected from the product.)	0.07 W	0.06 W	0.11 W		
PTEC *	nergy Consumption	2.67 W	2.86 W	2.85 W		
ETEC *	nergy Consumption	23.38 kWh/year	25.07 kWh/year	25.00 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25) + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$	
		Poff: Off Mode(S5) - V	VOL Enabled; Psleep: Sleep	Mode(S3) - WOL Enabl		
External F	Power Supply Efficie	ncy Level (Internation	al Efficiency Marking Pro	otocol) * : VI		
Display re	esolution * : 8.294 (3	8840*2160) megapixel	S			一
Default tir	me to enter energy s	ave mode: 10 minutes	5			Ħ
P9.2*			tion is provided with the	product.		╞
P9.3		class (monitors only):				
P10	Emissions	siass (monitors only).				
10		- Declared according	to ISO 9296 (See NOTE	B9)		
P10.1		Mode description		- 1	nit A-weighted sound power level, L _{WA.c} (B)
	Idle	* HDD idle		* 2.5		_/
	Operation	* Operating (HDD) * Operating (CBU)		* NA * 2 7		
			nd pressure level (dB) L_{pAn}		ion desktop – idle)	
			nd pressure level (dB) L _{pAn}	NA (operator positi 28 (operator positi	tion desktop – operating HDD) ion desktop – operating CPU)	
	Measured accord	ling to: 🔀 ISO 7779 🕻	ECMA-74 (only if not covered by			
			(only if not covered by			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	20\$6, 20\$7, 20	T4, 20T5			Logo				
Issue dat	:e *	2020/3/24					Le	no	vo	тн
Product	environ	nental attribut	es - Market requirements (cor	ntinued)			Re	quire	ment	me
Item								Yes	No	n.a
		nagnetic emissi								
P10.4	program	(s): MPR-II(3 pin	he requirement for low frequency e AC adapter only)	lectromagnetic field	s of the follo	owing volun	tary			
P12		mics for comput								
P12.1*			onomic requirements of ISO 9241-		-	gies.		\square		
P12.2*	The phy	sical input device	meets the requirements of ISO 999	95 and ISO 9241-41	0.			\boxtimes		
P13	Packagi	ng and docume	ntation							
P13.1*	Product	, packaging mater	al type(s): <i>LDPE</i> weight (kg al type(s): <i>Recycled LDPE</i> al type(s): <i>Cardboard</i> weight (kg	weight (kg): 0.11						
P13.2*								\square		
P13.3*		For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 70 (Japan only) %								
P13.4*	Specify		d product documentation (tick box)							
P13.5	Úser an		s item if paper documentation used entation on paper media is chlorine-							
	Element	hlorine-free al chlorine-free						\boxtimes		
		ed chlorine-free								
P14 P14.1		ry programs								
P14.1			quirements of the following voluntar							
	Eco-labe Eco-labe	Y STAR® el: EPEAT el: PCGL	Criteria version: 8.0 Criteria version: 1680.1-2018 Criteria version: Ver.13 Criteria version: Gen8	Date: 2020/3/30 Date: 2020/5/20 Date: 2020/5/20 Date: 2020/5/20	Product o Product o	ategory: 1 ategory: No ategory: No	tebook			
	Eco-labe	. 100	Chiena version. Geno	Date. 2020/5/20	FIOUUCLU	ategory: No	lebook			
P15		nal information (
P9			specific configuration may vary;							
	informat knowled	ion contained in t ge available at th I here is approxin	o representations, guarantees, assu his document. All information provid e time of completion, and supplier s late and provided for informational	ded by supplier in this shall have no obligat	is documen tion to upda	t is provided te such info	d based ormation.	n supp The inf	olier's format	ion
P9	See Ene	rgy Star Qualified	I Notebooks & Tablet Computers fo //index.cfm?fuseaction=find_a_proc			code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T15/ThinkPad P15s	Logo
Model Number	20\$6, 20\$7, 2074, 2075	
Issue Date	2020/3/24	Lenovo
Additional information		

P7.1.1	Product environmental attributes					
(d)	Year of manufacture:				2018	
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	44	44			
ents sting	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
ability a	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	NA	G3			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.29				
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		8.15			
(g)	Idle state power demand (Watts);				A: 1.90; B:1.77	
(h)	Sleep mode power demand (Watts);				A: 1.84; B: 1.77	
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 1.90; B: 1.77	
(j)	Off mode power demand (Watts);				A:0.31; B:0.37	
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.31; B:0.37	
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50% 100% Average					
(m)	External power supply efficiency (if applicable)*:					
	Average active efficiency: 89,41%,88,62%,88,96%					
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (applies only to p	otobook computors):		
(o)	Winning the bill the		tand (applies only to h	otebook computers).	500 cycles	
(p-1)	Measurement methodology used to dete	rmine information mer NA	ntioned in points (I) – ir	nternal PSU efficiency:		
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology					

(p-3) Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology					
	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodo					
(q) Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand:: EN 62623:2013 measurement methodology Description of how sleep and/or off mode was selected or programmed:					
	Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or					
off mode:	required to reach the mode where the equipment au o power management, 30mins automatically reac					
condition which does	te condition before the computer automatically re- not exceed the applicable power demand requirement r a period of user inactivity in which the compute	ents for sleep mode (in minutes):	30			
	ver power demand requirement than sleep mode (in		NA			
	ore the display sleep mode is set to activate after		10			
(w) Information on the er	nergy-saving potential of power management functio refer to user manual	nality:				
(x) User information on	how to enable the power management functionality: refer to user manual					
(z) Test parameters for the electricity supply used for electrical test	measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V/50HZ, Total Harmonic Distortion	strumentation, set-up and circuits				
Additional Notebook Batter	v Information:					
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information						
as baterías de este producto no pueden s ýmēnu baterie/baterií v tomto výrobku by rugeren kan ikke uden videre udskifte bat er Akku/die Akkus dieses Produkts kan// asutajad ei saa selle toote akut/akusid ise µπαταρία[-ες] στο προϊόν αυτό δεν µπορ a/les batterie(s présente(s) dans ce produ orisnik ne može lako zamijeniti Bateriju sa a batteria/le batterie in questo prodotto nc ietotāji paši nevar nomainīt šā ražojuma a io gaminio baterijos [bateriju] pats vartoto termék akkumulátorát/akkumulátorait a fé -batterija/batteriji fdan il-prodott ma tistax, atteriet [ene] i dette produktet kan ikke let	pogykr не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé. teriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht w h folpsasti asendada. oúv vα αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu am u ovom proizvodu. nn può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). jas negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni. jístgħux tiġi/jígu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.	verden.				