



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo	_			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	https://www.lenovo.com/us/en/about/sustainability				
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemer	conforms to the statements given in this declaration.					
Type of product *	Type of product * Notebook					
Commercial name *	ThinkPad X1 Nano					
Model number *	20UN, 20UQ					
Issue date *	2020/11/05					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		20UN, 20UQ	Logo	Long		
Issue dat	e *	2020/11/05		Lend		<b>D</b> <sub>tik</sub>
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference).		$\boxtimes$		
		nt: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\boxtimes$		
		emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.	laxiiliuili			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\boxtimes$		
		(PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart	bon atoms in the	e 🔀		
D4.0*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	),5 μg/cm²/week			
		al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact).	$\boxtimes$		
' '.'		ww.lenovo.com/us/en/about/sustainability	contact).			
P2	Batterie	· · · · · · · · · · · · · · · · · · ·				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t	the disposal		$\overline{}$	$\overline{}$
1 2.1		Information on proper disposal is provided in user manual. (See legal reference)	ine disposai		ш	
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See legal			
	reference	· ·				
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg		$\boxtimes$		
D0.04		laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar	ice/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$	Ш	
	, ,	d information is; given in item P15 or added to this document,		$\square$		
	rtequirec	available at: https://www.lenovo.com/us/en/compliance/e	oco doclaration		ш	
P5	Droduct	packaging	300-ueciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	v cadmium an	d 🔀	$\overline{}$	
1 3.1		ent chromium by weight of these together.	y, caumum am	ч <u>М</u>	Ш	
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material(s	s) 🔀		
		e legal reference).				
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	∕Iontreal Protoco	ol 🔀		
		al reference).				
P6		nt: Legal reference has no maximum concentration values.				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
F0.1	miormati	on for recycles/freatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20UN, 20UQ	Logo	Lanava
Issue date *	2020/11/05		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\boxtimes$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
<b>D</b> = 40	Material type: PC+ABS Material type: PA + GF 50% Material type: PPS+50	%GF		
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		<u>Ц</u>	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			$\boxtimes$
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin			
	more than 25% post-consumer recycled content.	9		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge	n 🔀		
	as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	-		
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: CFRP, CAS #: confidential	$\boxtimes$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			$\boxtimes$
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i			
	concentrations above 0,1%:	· 🗆		$\boxtimes$
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "		_	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$
	assigned the following Risk phrases; and Hazard statements:			
D= 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 5.1%.			
	or b) The weight of recycled material is <b>9.3</b> g.			
	b) The weight of recycled material is 3.3 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20UN, 20UQ	Logo	Lanava
Issue date *	2020/11/05		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)			
P7.21*			d in the product (See N	OTE B7):		
	•			,		ш
	,		es below shall be answe the biobased plastic m		ted as a percentage of	
	total plastic b		the blobased plastic in	aterial content (calcula	icu as a percentage of	
	or	, ,				
	, ,	f the biobased plastic r				
P7.22*			less than 0,1 mg/lamp.		r lamp:	
P8	Batteries	specify: Number of lar	nps. and maxim	um mercury content pe	r lamp: mg	
P8.1*		composition: Li-ion				$\overline{}$
P9		tion (See NOTE B8)				
P9.1			ls or energy consumption	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
• • •		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	<b>65</b> W	<b>65</b> W	65 W	Full load	
Categor	y 2					
Chart Idla	State - WOL	4.55 W	4.63 W	4.82 W	Use for ENERGY STAR V8.0	
Enabled	State - WOL	4.55 VV	4.03 VV	4.02 VV	registration (Pidle)	
					, ,	
	State - WOL	<b>3.41</b> W	3.45 W	3.48 W	Use for ENERGY STAR V8.0	
Enabled					registration (P <sub>idle</sub> )	
Sleep (S3)	- WOL Disabled	3.46 W	3.46 W	3.47 W	Use for ENERGY STAR V8.0	
0.000 (00)	Trop bloabloa	0.70	0.70 1.	<b></b>	registration (P <sub>sleep</sub> )	
Off (CE)	WOL Disabled	0.62 W	0.62 W	0.66 W	Use for ENERGY STAR V8.0	
011 (33) - 1	VOL DISABled	0.02 VV	0.02 VV	0.00 VV	registration (Poff)	
					o great attent (1 all)	
EPS No-loa		0.03 W	0.03 W	0.03 W		
wall outlet but dis	supply / charger plugged in the connected from the product.)					
PTEC *		3.07 W	<b>3.1</b> W	3.17 W		
ETEC *	ergy Consumption	<b>26.91</b> kWh/year	<b>27.16</b> kWh/year	27.8 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	$\overline{}$
_	ergy Consumption	20.37 KWII/yeai	27.70 KVVII/yeai	27.0 KVVII/yeai	$+ P_{Sleep} \times 0.35 + P_{long Idle} \times 0.10+$	ш
					P <sub>short_Idle</sub> x 0.30)	
					ed; P <sub>idle</sub> : Idle State - WOL Enabled	
External Po	ower Supply Efficier	ncy Level (Internationa	I Efficiency Marking Pro	otocol) * : VI		
Display res	solution * : <b>2.916</b> me	egapixels				
Default tim	e to enter energy sa	ave mode: 10 minutes				
P9.2*	Information about	the energy save functi	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				$\overline{X}$
P10	Emissions	<u> </u>				
	Noise emission -	- Declared according to	ISO 9296 (See NOTE			
P10.1		Mode description			t A-weighted sound power level, $L_{WA,c}$	(B)
		2.6		* 15		
		2.7		* 20		
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf An}}$	(operator pos	sition desktop – idle)	·
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf An}}$	(operator po	sition desktop – operating)	
		ng to: X ISO 7779		"	<del>-</del>	
	wicasureu accordi	Other	(only if not covered by	FCMA-74)		
1	1	Union Onlie	(Orny II HOL COVERED DY	LOIVIA-14)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *	20UN, 20UQ	Logo	Lanava
Issue date *	2020/11/05		LEI IOVO"

Product	environmental attributes - Market requirements (continu	ued)	Requirem	nent n	net
Item			Yes	No	n.a.
	Electromagnetic emissions				
P10.4	Computer display meets the requirement for low frequency electr	omagnetic fields of the following voluntary	$\square$		
	program(s): MPR-II(3 pin AC adapter only)				
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307	for visual display technologies.	$\boxtimes$		
P12.2*	The physical input device meets the requirements of ISO 9995 ar	nd ISO 9241-410.	$\boxtimes$		
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated board weight	ght (kg): <b>0.892</b>			
	Product packaging material type(s): PET weight (kg): 0.	.0102			
	Product packaging material type(s): <b>POF</b> weight (kg): <b>0</b> .				
	Product packaging material type(s): PIC EPE weight (kg): 0.				
	Product packaging material type(s): LDPE weight (kg): 0.				
P13.2*	Product packaging material type(s): <b>Paperboard</b> weight (kg): <b>0</b> .  Product plastic primary packaging is free from PVC.	.0013	$\square$	_	
		the conference of the conferen			$\vdash$
P13.3*	For product primary corrugated fiberboard packaging, specify consumer recovered fiber content: $75\%$	the contained percentage of minimum po	ost-		Ш
P13.4*	Specify media for user and product documentation (tick box):				
	⊠Electronic, ⊠Paper, □Other				
P13.5	(Please only complete this item if paper documentation used)				
	User and product documentation on paper media is chlorine-free.	:	$\square$		
	If Yes, please specify:		_		
	Totally chlorine-free				
	Elemental chlorine-free		Ħ		
	Processed chlorine-free				
P14	Voluntary programs				
P14.1	The product meets the requirements of the following voluntary pro-	ogram(s):			
	The product mode are requirements of the femouring volumes, pro-	9.4(0).			
	ENERGY STAR® Criteria version: V8.0 Da	ate: 2020/11/05 Product category: 2			
	Eco-label: <b>EPEAT</b> Criteria version: <b>IEEE 1680.1- 2018</b> Da	ate: 2020/11/05 Product category: Notel	ook		
		ate: 2020/12/01 Product category: Notel			
		ate: 2020/11/05 Product category: Notel	ook		
P15	Additional information (See NOTE B10)				
P9	Energy consumption of specific configuration may vary; des				
	NOTE: Supplier makes no representations, guarantees, assurance				
	information contained in this document. All information provided to				
	knowledge available at the time of completion, and supplier shall				n
	provided here is approximate and provided for informational purp information.	oses only. See a Lenovo Account Represer	itative for m	ore	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the	Platest information:			
. 0	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.	showProductGroup&paw_code=CO			
	u_product.				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X1 Nano Gen 1	Logo	
Model Number	20UN, 20UQ		Lonovo
Issue Date	2020/11/05		Lenovo.
Additional information			

d)	Year of manufacture:				2020		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
<del>(</del> )	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
capability adjustments applied during testing	Memory over base [GB]	16					
	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capa	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	NA					
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	27					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);	1	<u> </u>	•	0.52		
n)	Sleep mode power demand (Watts);						
)	Sleep mode with WOL enabled power demand (Watts) (where enabled);						
)	Off mode power demand (Watts);						
k)	Off mode with WOL enabled power demand (Watts) (where enabled);						
l)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50% 100% Average						
m)	External power supply efficiency (if applicable)*:						
	Average active efficiency: 65W: 89.41%	6,88.62%,88.96%					
	*internal note: show values for all available external p	ower supplies					
0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 500 cycles						
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  NA						
p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EN 50563:2011 measurement methodology						

(p-3)	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology							
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  EN 62623:2013 measurement methodology							
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  EN 62623:2013 measurement methodology							
(r)	Description of how sleep and/or off mode was selected or programmed:  **By selecting sleep and/or off mode thru Windows operating system**							
	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  **Automatically changes to sleep after 30 minutes**							
` '	(t) <b>Duration of idle state condition before the computer automatically reaches sleep mode</b> , or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(u)								
	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):							
(w) Information on the energy-saving potential of power management functionality:  **User information described in User Guide and Power Manager under ThinkVantage menu in all programs**  (x) User information on how to enable the power management functionality:								
User information described in User Guide and Power Manager under ThinkVantage menu in all programs								
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50Hz, Total Harmonic Distortion <2 %								
Additional	Notebook Batter	y Information:						
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery								
External/detachable Battery								
Bios Backup Battery								
Other:								
Additional i	nformation							
L								

1)
The battery[ies] in this product cannot be easily replaced by users themselves.
Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.
Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.
Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tigi/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.