

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	ODOV/O			
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com				
Internet site *	https://www.lenovo.com/us/en/about/sustainability				
Additional information	he latest version of this document can be found at: http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	roduct * Notebook					
Commercial name *	ThinkPad X1 Yoga Gen 6					
Model number *	20XY, 20Y0					
Issue date *	2021/02/02					
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	20XY, 20Y0	Logo	Low		4	
Issue date *		2021/02/02		Lend	Lenovo		
	t environ	mental attributes - Legal requirements		Require		t met	
Item	_			Yes	No	n.a.	
P1		us substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\square			
P1.2*	Commer	o do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values.		_			
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).		\boxtimes			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms ir	n the 🔀			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/w	eek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\square			
P2	Batterie	S		÷			
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with l Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See le	egal 🔀			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes			
P3	Conforn	nity verification & Eco design (ErP)		· ·			
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/comp					
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes			
	Required	I information is; X given in item P15 or added to this document, X available at:		\boxtimes			
	https://	www.lenovo.com/us/en/compliance/eco-declaration					
P5	-	packaging			_		
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury int chromium by weight of these together.	y, cadmium	and 🔀			
P5.2*	The pacl	(aging materials are marked with abbreviations and numbers indicating the nature of legal reference).	of the mater	ial(s) 🔀			
P5.3*	The proc (see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). It: Legal reference has no maximum concentration values.	/lontreal Pro	tocol 🔀			
P6		nt information			·	·	
P6.1*		on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	20XY, 20Y0	Logo	lon	01/0	
Issue dat	te *	2021/02/02		Len	ove	-
Product		mental attributes - Market requirements (See General NOTE GN				
lt a sa		onmental conscious design	F	Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*	Parts tha					
P7.2*						
P7.3*		naterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.		<u> </u>		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╶ ╎╎	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	wailable tools		<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	
P7.0					<u> </u>	
P7.7*	Product	ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			<u> </u>	
P7.9		arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
F 7.11	Material		al type: PPS+50%	GF		
P7.12		n materials of external electrical cables are PVC free.			\mathbf{X}	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Π
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, and			
P7.15		ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2)	are low halogen	\square		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: CFRP, CAS #: confid	• •	\square		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations in			\square
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104		\boxtimes		
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			\square
		I the following Risk phrases; and Hazard statements:				
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie		
	a) Oft ape or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 11.5% . e weight of recycled material is 15 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20XY, 20Y0	Logo	Lenovo
Issue date *	2021/02/02		LEHOVO
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement metYesNon.a.

	Material and su	bstance requirements	(continued)		
P7.21*			d in the product (See N	OTE B7):	
	If YES: at least o	one of the two alternativ	es below shall be answe	ered:	
					lated as a percentage of
		by weight) is %.	•		
	or	• f the school			
P7.22*		of the biobased plastic	material is g. . less than 0,1 mg/lamp.		
P1.22	If mercury is use	e free from mercury, i.e. d specify: Number of la	mps and maxim	um mercury content p	per lamp: mg
P8	Batteries				ing ing
P8.1*	Battery chemica	l composition: Li-ion			
P9	Energy consum	ption (See NOTE B8)			
P9.1			els or energy consumption	ons are reported:	
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-	max)	65 W	65 W	65 W	Full load
Categor	<u>y 2</u>				
Short Idle	State - WOL	2.8 W	2.81 W	2.92 W	Use for ENERGY STAR V8.0
Enabled					registration (P _{idle})
Long Idle	State - WOL	1.74 W	1.72 W	1.89 W	Use for ENERGY STAR V8.0
Enabled					registration (P _{idle})
01 (00)		0.0000	0.000	0.54144	
Sleep (S3)) - WOL Disabled	0.43 W	0.43 W	0.51 W	Use for ENERGY STAR V8.0 registration (P _{sleep})
Off (S5) -	WOL Disabled	0.25 W	0.26 W	0.3 W	Use for ENERGY STAR V8.0
					registration (P _{off})
EPS No-lo		W	0.07 W	0.12 W	
(External power : wall outlet but dis	supply / charger plugged in the sconnected from the product.	ne)			
PTEC *		1.23 W	1.32 W	1.93 W	
	ergy Consumption				
ETEC * Annual En	ergy Consumption	10.75 kWh/year	10.78 kWh/year	11.55 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$ + $P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$
		Poff: Off Mode(S5) - W	OL Enabled: Psleep; Sleep	Mode(S3) - WOL Enab	Ned; Pidle: Idle State - WOL Enabled
External P	ower Supply Effici		al Efficiency Marking Pro		
	solution * : 9.216 r	•	, ,	,	
		save mode: 10 minutes			
P9.2*			ion is provided with the	product	
P9.3		y class (monitors only):		p. 54400.	
P10	Emissions				
110		- Declared according t	o ISO 9296 (See NOTE	B9)	
P10.1	Mode	Mode description			nit A-weighted sound power level, <i>L_{WA,c}</i> (B)
	Idle	* Idle Mode *		* 2.6	
	Operation	* CPU SSD		* 3.7 2.6	
	Other mode	Declared A-weighted sour	nd pressure level (dB) L _{pArr}	17 (operator positi	ion desktop – idle)
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p{ m Am}}$	27 (operator positi	ion desktop – operating)
	Measured accor		ECMA-74		
		Other	(only if not covered by	ECMA-14)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	20XY, 20Y0			Logo	Lana	-	
Issue dat	:e *	2021/02/02			Lenov	/0_		
Product	environ	mental attribu	tes - Market requirements (con	tinued)		Requirem	ent r	net
Item		inoma attribu		linuouj		Yes	No	n.a
	Electro	magnetic emiss	ions					
P10.4			the requirement for low frequency el	ectromagnetic fields o	of the following voluntary	\square		
			n AC adapter only)	sou on agriculto nondo e	, and remember ing remaindary			
P12	Ergono	mics for compu	iting products					
P12.1*	The disp	play meets the e	rgonomic requirements of ISO 9241-3	307 for visual display	technologies.	\boxtimes		
P12.2*	The phy	sical input devic	e meets the requirements of ISO 999	5 and ISO 9241-410.			Π	
P13	Packaging and documentation							
P13.1*	Product packaging material type(s): Carton weight (kg): 0.3016 Product packaging material type(s): Acc Box weight (kg): 0.0632 Product packaging material type(s): EPE cushion weight (kg): 0.059 Product packaging material type(s): PE bag(NB) weight (kg): 0.006 Product packaging material type(s): PE bag(manual) weight (kg): 0.005 Product packaging material type(s): Handle weight (kg): 0.00723							
P13.2*	Product	plastic primary p	backaging is free from PVC.			\boxtimes		
P13.3*			rrugated fiberboard packaging, spe er content: 75 %	cify the contained pe	ercentage of minimum p			
P13.4*		media for user a ronic, XPaper,	nd product documentation (tick box):					
P13.5	Ùser an		nis item if paper documentation used) nentation on paper media is chlorine-					
	Element	chlorine-free al chlorine-free ed chlorine-free						
P14		ry programs						
P14.1		<u> </u>	equirements of the following voluntar	v program(s):				
1 17.1	The pro-			y program(s).				
		Y STAR® el: EPEAT	Criteria version: V8.0 Criteria version: IEEE 1680.1- 2018	Date: 2021/02/02 Date: 2021/02/02	Product category: 2 Product category: Note	book		
	Eco-lab	el: TCO	Criteria version: NoteBook 8.0	Date: 2021/02/02	Product category: Note	book		
	Eco-lab	el: PCGL	Criteria version: V13	Date: 2021/02/02	Product category: Note			
P15			(See NOTE B10)					
P9			of specific configuration may vary;					
	informat knowled	ion contained in lge available at t l here is approxi	no representations, guarantees, assu this document. All information provid he time of completion, and supplier s mate and provided for informational p	ed by supplier in this of hall have no obligation	document is provided bas n to update such informat	ed on suppli ion. The info	er's rmatio	'n
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X1 Yoga Gen 6	Logo
Model Number	20XY, 20Y0	Lonovo
Issue Date	2021/02/02	Lenovo
Additional information		

P7.1.1	Product environmental attributes								
(d)	Year of manufacture:				2021				
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]	32							
ents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
cap app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)	NA							
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	23.8							
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);	·			8.3				
(h)	Sleep mode power demand (Watts);				0.49				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA				
(j)	Off mode power demand (Watts);				0.3				
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		NA				
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	age						
(m)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: 65W: 89.41%	5,88.62%,88.96%							
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to r	notebook computers).					
(0)	0,1			. ,	500 cycles				
(p-1)	Measurement methodology used to dete	rmine information mer NA	ntioned in points (I) – i	nternal PSU efficiency	:				
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology								

(p-3)	-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology								
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode						
		EN 62623:2013 measurement methodo	ology						
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::						
	EN 62623:2013 measurement methodology								
(r)	Description of how sleep and/or off mode was selected or programmed:								
	B	y selecting sleep and/or off mode thru Windows	operating system						
(s)		required to reach the mode where the equipment au ally changes to sleep after 30 minutes	tomatically changes to sleep and/or						
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		10					
(u)		r a period of user inactivity in which the compute		NA					
(v)		ver power demand requirement than sleep mode (in the display sleep mode is set to activate after a		10					
(w)		nergy-saving potential of power management function							
()		described in User Guide and Power Manager							
(x)		now to enable the power management functionality: described in User Guide and Power Manager	under ThinkVantage menu in all						
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in: sting:							
		230V, 50Hz, Total Harmonic Distortion	<2 %						
Additio	nal Notebook Batter	y Information:	· · · · ·						
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾							
Internal/	built-in Battery	\boxtimes							
External	/detachable Battery								
Bios Bao	ckup Battery	\boxtimes							
Other:	Dther:								
Addition	al information								
		asily replaced by users themselves. родукт не може да се замени[ят] песно от самите потребитег	и						
кумулаторна as baterías d	ата[ите] батерия[и] в този п le este producto no pueden s	родукт не може да се замени[ят] лесно от самите потребите; pogykt не може да се замени[ят] лесно от самите потребите; er sustituidas fácilmente por los propios usuarios. paměli provádět sami uživatelá	и.						

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainît šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedűl egyszerűen kicserélni. II-batterija/batteriji f dan iI-prodott ma tistax/jistghux tiģi/jigu sostitivita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit produktet (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.