



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter	LEHOVO			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	ThinkPad X13				
Model number *	2072, 2073				
Issue date *	2020/3/3				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	20T2, 20T3	Logo	Long		
Issue da	ate *	2020/3/3		Lend	JVC) _{TM}
	t environ	mental attributes - Legal requirements		Require		met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	: B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes		
	Comme					
P1.3*	Products		\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
		ration values.	axiiiidiii			
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the contain more than 0,1% short chain ch					
D4 0*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				_	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /wee (see legal reference).					
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\square		
		vw.lenovo.com/social_responsibility/us/en/environment.html	,		ш	
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal	\boxtimes		
		Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	iium. (See legal	l 🔀		
P2.3*	referenc	e) s and accumulators are readily removable. (See legal reference)				
P3					<u> </u>	
P3.1*		nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see leg	ral reference)			
1 3.1		claration of Conformity can be requested at: https://www.lenovo.com/us/en/complian			Ш	
P3.2*		duct complies with the Eco design requirements for energy-related products.		\square	П	
		al reference).				
	Require	d information is; given in item P15 or added to this document,				
		available at: https://www.lenovo.com/us/en/compliance/e	co-declaration			
P5	Product	t packaging				

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).

The product packaging material is free from ozone depleting substances as specified in the Montreal

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

hexavalent chromium by weight of these together.

Treatment information

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

P5.1*

P5.2*

P6

P6.1*

Model number *	20T2, 20T3	Logo	Lonovo
Issue date *	2020/3/3		Lei Iovo.

Produc	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PPS+50%GF; Material type: PC+ABS; EP+70%CF Material type: Mg-AI PC+40%GF			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phosphorus Modified Epoxy Resin, CAS #: confidential			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: halogen-free organic phosphorus compound, CAS #: confidential (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	
	assigned the following Risk phrases; <i>R11,R16, R52/53; R43,R53</i> and Hazard statements: <i>H228, H412; H317, H413</i> (TORAY_C3452S) (TEIJIN_GXV-3540UI) The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 6.3%. or b) The weight of recycled material is 19.7 g.	_	_	_

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model num	nber *	20T2, 20	T3			Logo	Longue
Issue date	*	2020/3/3					Lenovo
Product e	nvironm	nental at	tributes - Market re	equirements (conti	nued)		Requirement met
Item				•	•		Yes No n.a.
	Material	and subs	tance requirements	(continued)			
P7.21*	Biobased	l plastic m	aterial content is used	in the product (See No	OTE B7):		
	If YES; a	t least one	e of the two alternative	s below shall be answe	ered;		
					material content (calcula	ated as a perce	entage
		tal plastic	by weight) is %	•			
	or b) The	weight of	the biobased plastic r	naterial is g.			
P7.22*				less than 0,1 mg/lamp.			
	If mercur	y is used :	specify: Number of lan		um mercury content per	lamp: m	
P8	Batteries						
P8.1*			omposition: <i>Li-ion</i>				
P9			tion (See NOTE B8)	a ar anaray aanay matic	na ara ranartadi		
Energy mod		roduct the	Power level at	s or energy consumption Power level at	Power level at	Reference/Sta	indard for energy
Lifelgy mod			100 V AC	115 V AC	230 V AC	modes and tes	9,
Peak (On-n	nax)		65 W	65 W	65 W	Full load	
Category	<u>/ -1-</u>						
Short Idle	State - Wo	OL	4.55 W	4.58 W	4.35 W	Use for ENER	GY STAR V8
Enabled						registration (P _{idle})
Long Idle S	State - WC	DL	1.88 W	1.92 W	1.81 W	Use for ENER	
Enabled						registration (Pidle)
Sleep (S3)	- WOL Er	nabled	1.95 W	1.99 W	1.89 W	Use for ENER	RGY STAR V8
						registration (
Off (S5) - V	VOL Enab	led	0.31 W	0.31 W	0.33 W	Use for ENER	
						registration (I	P _{off})
EPS No-loa			0.095 W	0.096 W	0.117 W		
(External power su wall outlet but disc							
PTEC *	_		2.29 W	2.32 W	2.21 W		
Typical Ene	ergy Consu	umption	40 45 k\\/\b/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	40.20 (4)////////	18.49 kWh/year	F - /0760/4	(000) × /D × 0.25
Annual Ene	ray Consi	ımption	19.15 kWh/year	19.39 kWh/year	76.49 KWII/year		1000) x (P _{off} x 0.25 + P _{long_Idle} x 0.05+
,aa. 2o						Pshort_idle x 0.2	
					Mode(S3) - WOL Enabled	i; P _{idle} : Idle State	- WOL Enabled
		•	,	Efficiency Marking Pro	otocol) * : VI		
Display reso	olution * :	2.07 meg	apixels			1920*1080	
Default time	e to enter	energy sa	ve mode: 10 minutes				
P9.2*	Information	on about t	he energy save function	on is provided with the	product.		
P9.3	Energy e	fficiency c	class (monitors only):				
P10	Emission						
D40.4				ISO 9296 (See NOTE		A stable to the co	
P10.1	Mode Idle		lode description HDD idle		* 2.5	A-weighted sou	und power level, L _{WA,c} (B)
	Operation		Operating (HDD)		* 2.6		
	Operation	*	Operating (CPU)		* 3.4		
	Other mo	ode D	eclared A-weighted soun	d pressure level (dB) $L_{p{\sf Am}}$	15 (operator position	n desktop – idle)
	Other mo			d pressure level (dB) $L_{p{\sf Am}}$	16 (operator positio		
	Measure	d accordin	ng to: X ISO 7779	FCMA-74	28 (operator position	л иезктор – оре	raunyoruj
	Other (only if not covered by ECMA-74)						

The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, NOTE B7 connectors and electronic components and postconsumer recycled plastic

(only if not covered by ECMA-74)

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *	20T2, 20T3	Logo	Lanava
Issue date *	2020/3/3		LEI IOVO"

Product met	environmental attribute	es - Market requirements (continued)	Requi	remei	nt		
Item			Yes	No	n.a.		
	Electromagnetic emission	ons					
P10.4	Computer display meets the program(s): MPR-II(3 pin	ne requirement for low frequency electromagnetic fields of the following voluntary AC adapter only)					
P12	Ergonomics for computi						
P12.1*	The display meets the erg	onomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes				
P12.2*	The physical input device	meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes				
P13	Packaging and documen	ntation					
P13.1*	Product packaging materia	al type(s): LDPE weight (kg): 0.03 al type(s): PP weight (kg): 0.003 al type(s): Bamboo Sugarcane weight (kg): 0.14					
P13.2*	Product plastic primary pa	ckaging is free from PVC.	\boxtimes				
P13.3*	For product primary corru consumer recovered fiber	gated fiberboard packaging, specify the contained percentage of minimum post-content: 70%					
P13.4*	Specify media for user and Electronic, Paper,	d product documentation (tick box): Other					
P13.5		sitem if paper documentation used) ntation on paper media is chlorine-free:					
	Totally chlorine-free		\square				
	Elemental chlorine-free		X				
	Processed chlorine-free						
P14	Voluntary programs						
P14.1		uirements of the following voluntary program(s):					
	ENERGY STAR® Eco-label: <i>EPEAT</i>	Criteria version: 8.0 Date: 2020/2/20 Product category: 1 Criteria version: IEEE 1680.1- 2018 Product category: Noteb					
	Eco-label: <i>TCO</i> Eco-label: <i>PCGL</i>	Criteria version: V8 Date: 2020/03/31 Product category: Note Criteria version: V13 Date: 2020/5/15 Product category: Note Criteria version: V13 Date: 2020/					
P15	Additional information (S	See NOTE B10)					
P9		specific configuration may vary; description of the tested product configurat	tion:				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						
P9		Notebooks & Tablet Computers for the latest information: /index.cfm?fuseaction=find a product.showProductGroup&pgw code=CO					
	mup.//www.energystar.gov	/mdex.cim/nuseaction=iind_a_product.snowProductGroup&pgw_code=CO					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X13	Logo	
Model Number	20T2 , 20T3		Lenovo
Issue Date	2020/3/3		reliovo.
Additional information			

	Product environmental attributes				
(d)	year of manufacture:				2018
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents	Additional internal storage	YES (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	9.36			
(g)	Idle state power demand (Watts);	1	1	-	2.27
(h)	Sleep mode power demand (Watts);				1.70
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.72
(j)	Off mode power demand (Watts);				0.34
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.36
(1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	external power supply efficiency (if appli	cable)*:			
	Average active efficiency: 65W: 89.41%	%,88.62%,88.96%			
	*internal note: show values for all available external p				
(o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	500 cycles
(p-1)	Measurement methodology used to dete	ermine information mer <i>NA</i>	ntioned in points (I) - i	nternal PSU efficiency	:
(p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen	. ,	external PSU efficien	су:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology						
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology					
(q)	Sequence of steps for	or achieving a stable condition with respect to power EN 62623:2013 measurement methodo					
(r)	Description of how sleep and/or off mode was selected or programmed: By selecting sleep and/or off mode thru Windows operating system						
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut Automatically changes to sleep after 30 I					
(t)	Duration of idle state	te condition before the computer automatically re	eaches sleep mode, or another	10			
()		not exceed the applicable power demand requirement	. ,				
(u)	•	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	•	NA			
(v)		re the display sleep mode is set to activate after	,	10			
(w)		nergy-saving potential of power management function on described in User Guide and Power Manager u programs					
(x)		now to enable the power management functionality: on described in User Guide and Power Manager u programs	nder ThinkVantage menu in all				
(z)		neasurements: — test voltage in V and frequency in tem, — information and documentation on the instruitem, — 230V/50HZ; Total Harmonic Distortion	mentation, set-up and circuits used				
Additio	n Notebook Battery	Information:					
7 taariro	M Notobook Buttery	Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a			
Internal	/built-in Battery						
	Il/detachable Battery						
Bios Ba	Bios Backup Battery						
Other:	Other:						
Addition	nal information			,			
1)							
The battery[[ies] in this product cannot be	easily replaced by users themselves.					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.