

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Network Equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs			
e-mail address	Alvin L Carter		Lenovo.	
	<u>alcarter@lenovo.com</u>			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	he latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product			
conforms to the statement	conforms to the statements given in this declaration.			
Type of product *	HiNA Equipment			
Commercial name *	ThinkSmart Hub 700			
Model number *	20MY, 20N0			
Issue date *	2018/08/30			
Intended market *	🗌 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🔀 Americas 🗌 Other <i>China</i>			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	20MY, 20N0	Logo			
lssue da	ate *	2018/8/30		Lenovo		
Produc	t environ	mental attributes - Legal requirements		Require	ment	t me
Item				Yes	No	n.a
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.	lloride, 1,1,1- naximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	he 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail own.lenovo.com/social_responsibility/us/en/environment.html	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal			\square
P2.2*	referenc		nium. (See leg	al		\square
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)				\boxtimes
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legel claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	-	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	oco-declaratio			
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium a	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of e legal reference).	of the materia	l(s) 🔀		
P5.3*	The prod (see leg	duct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	/ontreal Proto	col 🔀		
P6		nt information				
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	20MY, 20N0	Logo			
Issue date * 2018/8/30		2018/8/30		Len		Этн
Product	environ	mental attributes - Market requirements (See General NOTE GN b	elow)			
		onmental conscious design	F	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*	Design,	Disassembly, recycling thave to be treated separately are easily separable				
						<u> </u>
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u>Ц</u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service is	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7 40		type: <i>PC+ABS</i> Material type: <i>Mg/AI</i> Material n materials of external electrical cables are PVC free.	type:			
P7.12				<u> </u>		⊢⊢
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>		
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in in 25% post-consumer recycled content.	retardants, and			
P7.15	as define	ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🔀 and in IEC 61249-2-21. (See 1NOTE B2)	are low halogen	\boxtimes		
P7.16	Marking:			\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without cor PA (additive), ☐TBBPA (reactive) (See NOTE B3) ,⊠Other: <i>DOPO</i> , CAS #: 35948-				
		nemical specifications of flame retardants in printed circuit boards (without componer g ISO 1043-4:	nts) > 25 g			\square
P7.18	concentra 1. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: ical name: <i>TMB1615</i> , CAS #: 03-0647-03 (See NOTE B4) ical name: , CAS #: "	/preparations in			
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043.	-4:			\square
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which				
	assigned	the following Risk phrases; and Hazard statements:				
	The sour	rce(s) for these classifications is/are found at (add URL(s)):	e note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0% .	(calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20MY, 20N0	Logo	
Issue date *	2018/8/30		Leiiovo.

Product environmental attributes - Market requirements (continued)

Item

Requirement met

res	INU	n.a.	
			1

	Material and substance requirements (continued)						
P7.21*	Biobased plastic	material content is used	in the product (See NC	DTE B7):			
	If YES: at least of	ne of the two alternatives	s below shall be answe	red:			
	-,	tic parts' weight > 25 g,)	ted as a percentage of		
		by weight) is %.					
	70						
	, ,	of the biobased plastic m	v				
P7.22*	0	free from mercury, i.e. I				\bowtie	
De		d specify: Number of lar	ips: and maximu	m mercury content pe	er lamp: mg		
P8.1*	Batteries Battery chemical	composition: Lithium B	attery CR2016				
P9	,	ption (See NOTE B8)					
P9.1		ne following power levels	or operav consumptio	ne are reported:			
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy		
Lifergy mo		100 V AC	115 V AC	230 V AC	modes and test method *	\boxtimes	
Peak (On-	max)	W	W	W	Full load		
EPS No-loa	ad	NAW	W	W			
	au supply / charger plugged in the		vv	vv			
wall outlet but dis	connected from the product.)						
PTEC *	•	W	W	W		\bowtie	
	ergy Consumption						
ETEC *	aray Consumption	kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$	\boxtimes	
Annual Ene	ergy Consumption				+ P _{sleep} x 0.05 + P _{long_ldle} x 0.15+ P _{short Idle} x 0.35)		
		Poff: Off Mode(S	5) - WOL Enabled: Peleen:	Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State - WOL Enabled	1	
External Po	ower Supply Efficie	ncy Level (International					
Display res		negapixels				$\overline{\boxtimes}$	
Default tim	e to enter energy s	ave mode: minut	es				
P9.2*	Information about	t the energy save function	on is provided with the p	product.			
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions						
	Noise emission	 Declared according to 	ISO 9296 (See NOTE	B9)			
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)						
	Idle * HDD:Idle * 2.1						
	Operation * HDD: Operating * 4.0						
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 18 (operator position desktop – idle)						
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 39 (operator position desktop – operating)						
	Measured accord	ling to: 🔀 ISO 7779 🔀	ECMA-74	1			
	Other (only if not covered by ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	20MY, 20N0					Logo			
Issue date *		2018/8/30						Ler		
Product	environ	mental attribut	tes - Market requ	irements	(continued)			Requ	ireme	nt met
Item								Ye	es N	o n.a
		magnetic emiss								
P10.4	Comput program		the requirement for	low frequer	ncy electromagnetic fields	s of the follo	wing volur	itary		
P12		mics for compu								
P12.1*	The disp	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.								
P12.2*	The phy	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packag	ing and docume	entation							
P13.1*	Product Product	packaging mater packaging mater		ght (kg): 0.0 weig	ht (kg): 1.1621 0 212 ht (kg):					
P13.2*	Product	plastic primary p	ackaging is free fror	m PVC.				\triangleright	3 C	
P13.3*	consum	er recovered fibe	r content: 100 %		specify the contained p	percentage	of minimu	m post-		
P13.4*		media for user a tronic, XPaper,	nd product documer	ntation (tick	box):					
P13.5	Ùser an		is item if paper docu entation on paper m					C]
		chlorine-free tal chlorine-free								
									4	
		ed chlorine-free								
P14		ary programs								
P14.1	i ne pro	duct meets the re	equirements of the fo	bilowing vol	untary program(s):					
	Eco-lab Eco-lab	el: VOC el: PCGL	Criteria versio Criteria versio Criteria versio	n: 1.0	Date: Date: 2018/08/30 Date: 2018/08/30	Product ca Product ca Product ca	ategory:			
P15		nal information								
P9					vary; description of the					
	informat knowlec	tion contained in Ige available at th d here is approxir	this document. All in the time of completion	formation p n, and supp	assurances or warrantie provided by supplier in thi plier shall have no obligat onal purposes only. See	is document ion to updat	is provide	d based on s ormation. The	upplier e inform	's nation
P9					ers for the latest informati _product.showProductGr		ode=CO			
P3.2	- Comn August	nission Regulati	on (EC) No 1275/20 ting Directive 2009	008 of 17 D	ecember 2008; - Comi the European Parliame	mission Re	gulation (⁷ 22

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot26 Information Sheet - Network Equipment -

As required by_

- Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off-mode electric power consumption of electrical and electronic household equipment (ErP Lot 6)
- Commission Regulation (EU) No 801/2013 of 22 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for (ErP Lot 26).

Products scope of this sheet:

Smart Speaker, Smart Router

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkSmart Hub 700	Logo
Model Number	20MY, 20N0	Lenovo
Issue Date	2018/8/30	Lei Iovo.
Additional information		

P7.1.1	Product environmental attributes	
(1)	year of manufacture:	
		2018

Standby and off mode	
Power consumption data	0.87w
Power in off Mode or similar mode	2.64w
the measurement method used	Power off value tested follow IEC 62623 / IEC EN50564:2011 measurement methodology
a description of how the equipment mode was selected or programmed,	 To achieve the standby mode, you need to put the system over 90 minutes after the following condition Human is not detected by IR sensor Meeting is not active No connected device (No WebRTC connection, No HDMI connection, No Dock mode connection) Or access in administer mode to let the equipment sleep. To achieve the off mode , you need to access in administer mode to shut down the equipment
the sequence of events leading to the condition where the equipment automatically changes modes,	To achieve the standby mode, you need to put the system over 90 minutes after the following condition a. Human is not detected by IR sensor b. Meeting is not active No connected device (No WebRTC connection, No HDMI connection, No Dock mode connection)
any notes regarding the operation of the equipment, e.g. information on how the user switches the equipment into a condition having networked standby,	 To achieve the standby mode, you need to put the system over 90 minutes after the following condition a. Human is not detected by IR sensor b. Meeting is not active c. No connected device (No WebRTC connection, No HDMI connection, No Dock mode connection) Or access in administer mode to let the equipment sleep
if applicable, the default time after which the power management function, or similar function, has switched the equipment into the applicable low power mode or condition;	90 minutes

(3)	Network equipment,			
	whether the equipment is networked equipment; which kind			
	of networked equipment; specify whether the equipment is	Lenovo ThinkSmart Hub 700 is HiNA equipment		
	HiNA equipment or equipment with HiNA functionalities.			
	the number and type of network ports and, with the			
	exception of wireless network ports, where these ports are			
	located on the equipment; in particular it shall be declared if	there are wired	network ports on Lenovo ThinkSmart Hub700.	
	the same physical network port accommodates two or more			
	types of network ports,			
	whether all network ports are deactivated before delivery,	Blue tooth is clo	sed and wifi is opened before delivery	
	the default time after which the power management			
	function, or a similar function, switches the equipment into a	90 minutes		
	condition providing networked standby			
	the trigger that is used to reactivate the equipment	Immediately aft menu button.	er Human is detected by IR sensor or press	
	the (maximum) power consumption of the equipment in a			
	condition providing networked standby into which the power	WOL Enable an	d Power Saving Disable Max Power : 39.88W	
	management function, or a similar function, will switch the			
	equipment, if only this port is used for remote activation,			
	the communication protocol used by the equipment;	communication	protocol: 802.11abgnac , BT4.2	
(4)	Test parameters for measurements,			
	ambient temperature,	refer to test rep	port	
	test voltage in V and frequency in Hz,	refer to test rep	port	
	total harmonic distortion of the electricity supply system,	2%		
	information and documentation on the instrumentation, set-	and the first first first		
	up and circuits used for electrical testing	refer to testing	stanuaru	
	Equipment characteristics,			
	1(c), or the requirements set out in points 2(c) and/or 2(d) and	/or 3(b),as		
	applicable, including the time taken to automatically reach standby, or off mode, or another condition which does not exceed the applicable power consumption requirements for off mode and/or standby mode. In particular, if applicable, a technical justification shall be provided that the requirements set out in point 1(c), or the requirements set out in points 2(c) and/or 2(d) and/or 3(b), are inappropriate for the intended use of equipment. The need to maintain one or more network connections or to wait for a remetable initiated trianger is not considered a technical instification for			
			Yes	
	remotely initiated trigger is not considered a technical justificat			
	exemption from the requirements set out in 2(d) in the case of	equipment that		
	is not defined as networked equipment by the manufacturer.';			
(5)	External power supply efficiency (if applicable)*:			
	Average active efficiency: 65W 89.5% meet Level VI			
(6)	*internal note: show values for all available external power supplies Measurement methodology used to determine information mentioned in points (5) – external PSU efficiency:			
\-/	EN 50563:2011 measurement		, <u></u>	
Additional	Additional information			