

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs	Lenovo		
e-mail address	Alvin L Carter	Leiiovo.		
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Monitor		
Commercial name *	ThinkVision S27e-20		
Model number *	62AF		
Issue date *	2020/11/4		
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	62AF Logo	1.000		
Issue date *		2020/11/4	Leno	ove)
Product environmental attributes - Legal requirements		Requirement met			
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Products terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ne 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):				
P2	Batterie	S			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal				
P2.3*					\boxtimes
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).		\boxtimes		
	Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration				
P5	Product	t packaging			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a	nd 🔽		
1 J.1	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and X				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)				
	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).				
P5.3*	(see leg	al reference).			
P5.3*	(see leg Comme				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	62AF	Logo	Lan	-		
Issue date *		2020/11/4		Len	ovc	-	
Product		mental attributes - Market requirements (See General NOTE GN					
ltone		onmental conscious design		Require			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design						
••		mbly, recycling					
P7.1*	Parts that	at have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\square			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
		lifetime					
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*		ng can be done using commonly available tools		\square			
P7.9		arts are available after end of production for: 5 years					
P7.10	Service i	is available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type: PC+ABS				
P7.12		n materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.					
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.	e retardants, and				
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🧮 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloger	n 🗌	\boxtimes		
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes	
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):				
	accordin	hemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:				\square	
P7.18	concentr 1. Chem 2. Chem	lame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations in				
	<u>Alt. 2: </u> Cł	hemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes	
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			\boxtimes	
		d the following Risk phrases; and Hazard statements:					
			See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie	\Box		
	a) Oft apo or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 86.1% . (EPEAT calculation) / 85% (TCO ca be weight of recycled material is 530.4 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	62AF	Logo	Lonovo		
Issue date *	2020/11/4		LEHOVO		
Product environmental attributes - Market requirements (continued) Requirement me					

Item

Yes No n.a.

	Material and sub	stance requirements	(continued)			
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):					
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or 					
D7.00*		of the biobased plastic r				
P7.22*		free from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	um mercury content pe	rlamp: mg	
P8	Batteries	specify. Number of lan	nps. and maxime	an meredry content pe	namp. mg	
P8.1*	Battery chemical	composition:			\boxtimes	
P9	Energy consump	otion (See NOTE B8)				
P9.1	For the product th	e following power level	s or energy consumptio	ons are reported:		
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
ENERGY S (System Id	STAR® On Mode* le)	15.7	15.58	15.64	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0	
ENERGY S Sleep Mod	STAR® Low Power e*	0.11	0.11	0.16	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0	
ENERGY STAR® Off / Apparent Off Mode*		0.09	0.09	0.13	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0	
	ad supply / charger plugged in the connected from the product.)	W	W	W		
PTEC *	ergy Consumption	11.35 W	15.58 W	15.64 W		
ETEC * Annual Energy Consumption		48.76 kWh/year	48.39 kWh/year	48.86 kWh/year		
		L hcy Level (International Efficiency Marking Protocol) * :				
	solution * : 1920x10					
	Default time to enter energy save mode: 0.5 minutes					
P9.2*						
P9.3	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: ES V8.0 Product category: Display					
P10						
	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1		Mode description		Statistical upper limit	A-weighted sound power level, L _{WA,c} (B)	
	Idle	*		*		
ļ	Operation	•		*		
			d pressure level (dB) $L_{p{ m Am}}$	(operator pos	ition desktop – idle)	
	Other mode	Declared A-weighted soun	d pressure level (dB) L_{pAm}	(operator pos	ition desktop – operating)	
	Measured accord	ing to: ISO 7779 Other	ECMA-74 (only if not covered by	ECMA-74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	62AF Logo	Long	N/O	
Issue date	e *	2020/11/4	Lenc	v o	
Product	environr	mental attributes - Market requirements (continued)	Require	ement	met
Item			Yes	No	n.a.
		magnetic emissions			
P10.4	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following volunta n(s):	ry		\square
P12		mics for computing products			
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\square		
P12.2*	The phy	vsical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13		ing and documentation			
P13.1*	Product	packaging material type(s): EPS(Cushion)weight (kg): 0.428packaging material type(s): Paper(Carton)weight (kg): 0.978packaging material type(s): EPEweight (kg): 0.026			
P13.2*	Product	plastic primary packaging is free from PVC.	\square		
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage of minimum er recovered fiber content: %	post-		
P13.4*		media for user and product documentation (tick box): tronic, ⊠Paper, ⊡Other			
P13.5	Ùser and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: lease specify:	\boxtimes		
	Element	chlorine-free tal chlorine-free sed chlorine-free			
P14	Volunta	iry programs			
P14.1		duct meets the requirements of the following voluntary program(s):			
	Eco-labe	Y STAR® Criteria version: 8.0 Date: 2020/10/16 Product category: LCD el: TCO Criteria version: 8.0 Date: Product category: el: EPEAT Criteria version: IEEE 1680.1- Date: Product category: Disp 2018 2018 Product category: Disp Product category: Disp			
P15		nal information (See NOTE B10)			
P9		consumption of specific configuration may vary; description of the tested product configu			
	informat knowled	Supplier makes no representations, guarantees, assurances or warranties whether express or impli tion contained in this document. All information provided by supplier in this document is provided b Ige available at the time of completion, and supplier shall have no obligation to update such inform d here is approximate and provided for informational purposes only. See a Lenovo Account Repre- tion.	based on sup nation. The in	plier's formati	ion
P9	See Ene http://ww	ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1