



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	ThinkVision T22i-20				
Model number *	61FE				
Issue date *	2020/2/10				
Intended market *	Global Europe Asia, Pacific &Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

wodei nu	ımber "	61FE	Logo	Lon		
Issue date * 2020/2/10			Len		<b>J</b> <sub>TM</sub>	
Product environmental attributes - Legal requirements			Require	ment	t met	
Item		<u> </u>		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	, , , , , , , , , , , , , , , , , , , ,					
P1.2* Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.						
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no metation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	ne 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5μg/cm²/wee	k 🔀		
P1.7*						
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*					X	
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				X
P3	Conforn	nity verification& Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duct is CE-marked to show conformance with applicable legal requirements (see legal requirements).				
P3.2*	P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).					
	Required	d information is; given in item P15 or added to this document,  available at: https://www.lenovo.com/us/en/compliance/ed	co-declaration			
P5	Product	packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*	The pack used (se	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material	(s) 🔀		
P5.3*			eal 🔀			
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		M		

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	del number * 61FE		Lonovo			
Issue date *	2020/2/10		Leliovo	тм		
Product environmental attributes - Market requirements (See General NOTE GN below)						

Product	environmental attributes - Market requirements (See General NOTE GN below)								
- Enviro	Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
P7	Design  Disconnelly recycling								
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable		$\overline{}$						
P7.2*	Plastic materials in covers/housing have no surface coating.								
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.								
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<del>H</del>						
	· · · · · · · · · · · · · · · · · · ·		井						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	Щ					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<u>ш</u>	Ш					
D7 7*	Product lifetime		_						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	Щ.	<u>Ц</u>	X					
P7.8*	Upgrading can be done using commonly available tools								
P7.9	Spare parts are available after end of production for: 5 years								
P7.10	Service is available after end of production for: 5 years								
	Material and substance requirements								
P7.11*	Product cover/housing material type(e.g. plastics, metal, aluminum):								
P7.12	Material type: <b>ABS</b> Material type: <b>METAL</b> Material type: <b>PC</b> Insulation materials of external electrical cables are PVC free.	$\overline{}$							
P7.13	Insulation materials of internal electrical cables are PVC free.	-							
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		<u> </u>						
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	$\boxtimes$	Ш						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts								
	containing more than 25% post-consumer recycled content.								
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC61249-2-21. (See NOTE B2)								
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: no flame retardant			$\boxtimes$					
P7.17	Alt. 1:Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):								
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: brominated epoxy resin, CAS #:	$\boxtimes$							
	68928-70-1								
	Alt. 2:Chemical specifications of flame retardants in printed circuit boards (without components)> 25 g according ISO 1043-4:								
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in								
	concentrations above 0,1%:			$\boxtimes$					
	1. Chemical name: , CAS #: (See NOTE B4)								
	Alt. 2:Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$					
	assigned the following Risk phrases; and Hazard statements:	_	_						
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)								
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$							
	If YES; at least one of the two alternatives below shall be answered;								
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 79.9% (EPEAT calculation) / 85% (TCO calculation)</li> </ul>								
	or b) The weight of recycled material is <b>707.5</b> g.								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nun		61FE				Logo	Lanov		
Issue date	*	2020/2/1	20/2/10 Lenovo.						
Product e	oduct environmental attributes - Market requirements (continued) Requirement me							nt met	
Item							Yes No	n.a.	
	Material and substance requirements (continued)								
P7.21*				I in the product (See N	OTEB7):				
	If YES; at least one of the two alternatives below shall be answered;								
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0 %.</li> </ul>								
	or b) The weight of the biobased plastic material is <i>0</i> g.								
P7.22*									
P8	Batteries								
P8.1*	Battery c	hemical c	omposition:					$\boxtimes$	
P9			tion (See NOTEB8)						
P9.1		roduct the		s or energy consumpti	ons are reported:	_			
Energy mo	de *		Power level at 100 V AC	Power level at 115V AC	Power level at <b>230</b> V AC	Reference/Stand modes and test r	lard for energy method *		
ENERGY S Mode*(Sys			10.30W @ 50Hz 10.31W @ 60Hz	10.30W	10.40W	ENERGY STARG Requirements for Monitors: Ver. 8.	r Computer		
ENERGY S Sleep Mode		w Power	0.13W@ 50Hz 0.13W @ 60Hz	0.13W	0.19W	ENERGY STARG Requirements for Monitors: Ver. 8.	r Computer		
ENERGY S Apparent C		:/	0.08W @ 50Hz 0.08W @ 60Hz	0.08W	0.13W	ENERGY STARG Requirements for Monitors: Ver. 8.	r Computer		
PTEC * Typical Ene	erav Consi	umption	3.69W @ 50Hz 3.69W @ 60Hz	3.69W	3.76W	$P_{TEC} = P_{on} \times 0.35$	$S + P_{sleep} \times 0.65$		
ETEC *				n x 0.35 + P <sub>sleep</sub> x					
External Po	ower Supp	ly Efficien	cy Level (Internationa	Efficiency Marking Pr	otocol) * :			$\boxtimes$	
Display res	solution* :	1920*108	80 megapixels			ENERGY STARG Requirements for Monitors: Ver. 8.	r Computer 0		
Default time to enter energy save mode: 15 seconds  ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0									
P9.2* Information about the energy save function is provided with the product.									
P9.3*	9.3* The product meets the energy requirements of the following voluntary program/s:								
P10									
			Declared according to	ISO 9296 (See NOTE	E B9)				
P10.1	Mode		Node description	,	Statistical upper lim	it A-weighted sound	d power level, L <sub>WA</sub> ,	,c(B)	
Idle N/A			N/A			$\boxtimes$			
	Operation	n N	I/A		N/A			X	
	Other mo	de N	I/A		N/A				
	Other mo		I/A		N/A				
	Measured according to: SISO 7779 ECMA-74								
	1		Other (onl	y if not covered by EC	MA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8A Guidance document on Energy Efficiency is available; see<a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model number *		61FE				Logo		212.0	1/0	
Issue date * 2020/2/10					L	eno	VO.	×		
Product	Product environmental attributes - Market requirements (continued)							equire	ment	met
Item								Yes	No	n.a.
		nagnetic emiss								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): TCO8.0 JEITA, MPR II									
P12		nics for compu								
P12.1*	The disp	lay meets the er	gonomic requirements of	f ISO 9241-307 for visual disp	lay technolo	gies.		$\boxtimes$		
P12.2*	The phys	sical input device	e meets the requirements	s of ISO 9995 and ISO 9241-4	10.					$\boxtimes$
P13		ng and docume								
P13.1*	Product	packaging mater	rial type(s): Carton rial type(s): Cushion rial type(s): EPE Bag	weight (kg): 0.909 weight (kg): 0.36 weight (kg): 0.03						
P13.2*			ackaging is free from PV						$\Box$	$\Box$
P13.3*			0 0	aging, specify the contained	percentage	of minimum	nost-			Ħ
		er recovered fibe		augg, speen, and comamou	porounage		. poot			ш
P13.4*		media for user ar ronic, XPaper,	nd product documentatio Other	n (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify:									
	Totally c	hlorine-free						$\boxtimes$		
	Element	al chlorine-free						$\Box$		
	Processe	ed chlorine-free						$\sqcap$		
P14	Volunta	ry programs								
P14.1	The prod	duct meets the re	equirements of the follow	ing voluntary program(s):						
	Eye com TCO TCO edg	ge	Criteria version: 8.0 Criteria version: / Criteria version: 8.0 Criteria version: 2.0	Date:2020-01-07 Date:2019-12-21	Product Product	category: Dis category: Dis category: Dis category: Dis	splay splay			
P15			(See NOTE B10)							
P9				may vary; description of th						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.									
P9			d Monitors & Displays fo ov/products/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)*  *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1