



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		ODOVO				
e-mail address	Alvin L Carter		Lenovo				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information							

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Monitor						
Commercial name *	ThinkVision T27hv-20						
Model number *	62A9						
Issue date *	2020/09/12						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	62A9	Logo	Lanava
Issue date *	2020/09/12		LEI IOVO"

Product	Product environmental attributes - Legal requirements						
Item	<u> </u>	Require Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$					
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$					
54.00	Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum						
	concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated						
	terphenyl (PCT) in preparations (see legal reference).	_					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀					
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week						
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$	$\overline{}$				
1 1.7	https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf		Ш	ш			
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$				
F2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш	$\boxtimes$			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			$\boxtimes$			
	reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\boxtimes$			
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$					
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc						
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$					
	(see legal reference).						
	Required information is; given in item P15 or added to this document,		Ш	ш			
-	available at: https://www.lenovo.com/us/en/compliance/eco-declaration						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀	Ш				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀					
1 0.2	used (see legal reference).	<i>y</i>	Ш	Ш			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀					
	Protocol (see legal reference).	_					
	Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	62A9		Lopovo
Issue date *	2020/09/12		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)							
	- Environmental conscious design Requ							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$						
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			Ī				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\Box$	T				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\Box$	Ī				
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools			$\boxtimes$				
P7.9	Spare parts are available after end of production for: 5 years							
P7.10	Service is available after end of production for: 5 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
D7.40	Material type: PC Material type: PC Insulation materials of external electrical cables are PVC free.							
P7.12								
P7.13	Insulation materials of internal electrical cables are PVC free.							
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	,						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:							
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:							
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$				
	assigned the following Risk phrases; and Hazard statements:							
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$						
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 83.3%. (EPEAT calculation) / 85% (TCO calculation) or  b) The weight of recycled material is 944.1 g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	62A9						Logo	Lon				
Issue date	*	2020/09/	12							Lenovo			
Product	environn	ental at	tributes - Maı	rket requiremen	nts (continu	ued)			Requir	emer	nt n	net	
Item	-				(11)	,			Yes	No		.a.	
	Material	and subs	stance requiren	nents (continued	)								
P7.21*	Biobased	plastic m	aterial content i	s used in the prod	luct (See NO	TE B7):				$\boxtimes$			
				rnatives below sha		,							
				> 25 g, the biobas	sed plastic ma	aterial o	content (calculate	d as a percenta	ige				
	of total plastic by weight) is $0\%$ .												
		weight of	the biobased p	lastic material is 0	g.								
P7.22*				ry, i.e. less than 0,		m moro	ury content per la	mn: ma	$\boxtimes$				
P8	Batteries		specify: Number	i oi iamps.	and maximu	II IIIeici	ary content per la	mp: mg					
P8.1*			omposition:									X	
P9	-		tion (See NOTE	B8)							L		
P9.1	For the p	roduct the	following power	er levels or energy	consumption	s are re	eported:						
Energy mo	de *		Power level	Power level at	Power leve		Power level at	Reference/Star	ndard for er	nergy			
			at	100V /60Hz	115 ∨ A	C	<b>230</b> V AC	modes and test	t method *				
			100V 50HzAC										
ENERGY S	STAR® On	Mode*	19.51	19.54	19.49	)	19.38	ENERGY STAF	R® Program				
(System Id		Mode	13.31	10.04	13.43		13.30	Requirements f	or Compute				
. ,								Monitors: Ver. 8.0					
ENERGY S		w Power	0.71	0.78	0.78		0.72	ENERGY STAR® Program Requirements for Computer					
Sleep Mod	e <sup>*</sup>							Monitors: Ver. 8.0					
ENERGY S	TADO O	: /	0.23	0.24	0.24		0.24	ENERGY STAR® Program					
Apparent C		/						Requirements f		r؛			
, ipparoni c								Monitors: Ver. 8	3.0				
PTEC *		.mantina	<b>64.26</b> W	64.35 W	<b>64.2</b> W		<b>63.52</b> W						
Typical Ene	ergy Const	impuon	53.10	<b>53.24</b> kWh/year	<b>53.16</b> kWh	/vear	<b>52.82</b> kWh/year	E <sub>TEC</sub> = (8760/10	000) v (P.#	× 0 6	Г	$\neg$	
Annual Ene	ergy Consu	ımption	kWh/year	00.24KWII/yCai	33.70 KVVII/	ycai	oz.oz kvvii/ycai	$+ P_{sleep} \times 0.1 +$		. 0.0	L		
External Po	ower Supp	ly Efficien	cy Level (Intern	ational Efficiency I	Marking Proto	ocol) * :		-				X	
								ENERGY STAF					
Display res	solution* :	2560*144	negapixels					Requirements f		er			
								Monitors: Ver. 8 ENERGY STAF					
Default time	e to enter	energy sa	ve mode: 15 se	conds				Requirements f					
								Monitors: Ver. 8					
P9.2*				function is provide					$\boxtimes$				
P9.3*	9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 8.0 Product category: Display.												
P10													
			Declared accor	ding to ISO 9296	(See NOTE E	39)							
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B						c (B)	)					
	Idle	*	HDD: Idle			*						$\boxtimes$	
	Operation		HDD: Operatin			*						X	
	Other mo			ed sound pressure le			(operator position	on desktop – idle)					
	Other mo			ed sound pressure le			(operator position	on desktop – opei	rating)				
	Measure		ng to: X ISO 7		*	I							
	Wicasure	a accordii	Other		covered by E	CMA-7	4)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	ımber *	62A9				Logo	Land		
Issue date *		2020/09/12					Lend	)VO,	×
Product	environr	nental attributes	- Market requiren	nents (cor	ntinued)		Require	ement	met
Item							Yes	No	n.a.
	Electron	magnetic emission	s						
P10.4		er display meets the (s): <b>TCO8.0</b>	requirement for low	frequency el	lectromagnetic fields	of the following volur	ntary		
P12		mics for computing							
P12.1*	The disp	lay meets the ergor	nomic requirements o	f ISO 9241-	307 for visual displa	y technologies.			
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 999	95 and ISO 9241-410	).			$\boxtimes$
P13		ing and documenta							
P13.1*	Product Product	packaging material packaging material packaging material packaging material	type(s): Bag	weight (kg weight (kg weight (kg weight (kg	i): <b>1.63</b> i): <b>0.04</b>				
P13.2*	Product	plastic primary pack	kaging is free from PV	/C.			$\boxtimes$		
P13.3*		duct primary corruger recovered fiber co		aging, spec	cify the contained p	ercentage of minimu	m post-		
P13.4*		media for user and <sub>l</sub> ronic, <mark>X</mark> Paper,	oroduct documentation	n (tick box):					
P13.5	Ùser and		tem if paper documer ation on paper media						
	Totally c	hlorine-free					$\square$		
	Element	al chlorine-free							
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1		Y STAR®	irements of the follow Criteria version: 8.0 Criteria version: 8.0 Criteria version:	)	y program(s): Date: 2020/09/12 Date: 2020/09/03 Date:	Product category: L Product category: L Product category:			
P15		nal information (Se							
P9						tested product conf			
	informati knowled	ion contained in this ge available at the t I here is approximat	document. All inform ime of completion, an	nation provid nd supplier s	led by supplier in thi hall have no obligati	s whether express or s document is provide on to update such info a Lenovo Account Re	ed based on sup ormation. The in	plier's formati	on
P9	See Ene	ergy Star Qualified N	Monitors & Displays fo products/office_equip						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1