

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	ThinkVision T34w-20					
Model number *	61F3					
Issue date *	2019/11/12					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	61F3	Logo						
Issue date * 2019/11/12		2019/11/12		Lend	JVC	Тн			
Product environmental attributes - Legal requirements					Requirement met				
Item				Yes	No	n.a.			
P1	Hazardo	ous substances and preparations							
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes					
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes					
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.							
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	llorinated	\boxtimes					
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀					
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀					
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\square					
P2	Batterie	S							
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			\boxtimes			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					\square			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\times			
P3	Conform	nity verification & Eco design (ErP)							
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at: <u>https://www.lenovo.com/us/en/complian</u>		\boxtimes					
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products,		\boxtimes					
	• •	al reference).							
	Require	d information is; given in item P15 or added to this document,		\bowtie					
_		available at: https://www.lenovo.com/us/en/compliance/e	co-declaration						
P5		packaging							
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	-						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).							
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀					
P6		nt information							
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	61F3	Logo						
Issue date *		2019/11/12		Len	ovc	Тм			
Product		mental attributes - Market requirements (See General NOTE GN	· ·						
Itom		onmental conscious design		Require Yes					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design								
• •		mbly, recycling							
P7.1*		t have to be treated separately are easily separable		\boxtimes					
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes				
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.							
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.							
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.						
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).							
	Product	lifetime							
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes			
P7.8*	Upgradir	ng can be done using commonly available tools				\bowtie			
P7.9	Spare pa	arts are available after end of production for: 5 years							
P7.10	Service i	s available after end of production for: 5 years							
	Material	and substance requirements							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type:						
P7.12		n materials of external electrical cables are PVC free.	artypo.		\square				
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Ħ			
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants, and	1					
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g and n IEC 61249-2-21. (See 1NOTE B2)	re low halogen as	6	\square				
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\square			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	omponents):						
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			\square			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations ir						
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes			
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	h have been			\square			
	-		See note B5)						
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	- /	\boxtimes					
	a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 85% . (EPEAT calculation) / 85% (TCO calc e weight of recycled material is 1302.2 g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 61F3				Logo						
Issue date * 2019/11/12							Len	Lenovo.		
Product environmental attributes - Market requirements (continued) Requirement									nt met	
Item					-		Yes	No	n.a.	
	Material and substance requirements (continued)									
P7.21*	21* Biobased plastic material content is used in the product (See NOTE B7):									
	If YES; at	t least one	e of the two alternative	es below shall be answe	ered;					
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage									
	of total plastic by weight) is <i>0</i> %.									
	or b) The weight of the biobased plastic material is <i>0</i> g.									
P7.22*										
			specify: Number of la	mps: and maxim	um mercury content pe	er lamp: mg				
P8	Batteries									
P8.1*			omposition:						\square	
P9			tion (See NOTE B8)							
P9.1		roduct the	Power level at	ls or energy consumption Power level at	Power level at	Reference/Stand	lard for a			
Energy mo	bde		100 V AC	115 V AC	230 V AC	modes and test		lergy		
ENERGY	STAR® On	Mode*	33.39	32.44	32.42	ENERGY STAR				
(System Id		mouo	00.00	V2 .11	V212	Requirements fo	r Computer			
	,					Monitors: Ver. 8.				
	STAR® Lov	w Power	0.42	0.43	0.43	ENERGY STAR				
Sleep Mod	le*					Monitors: Ver. 8.				
	0T1 D0 00	. ,	0.19	0.19	0.22	ENERGY STAR				
Apparent C	STAR® Off	1	0.15	0.15	0.22	Requirements fo				
Аррагени С						Monitors: Ver. 8.	0			
PTEC *	_		33.39 W	32.44 W	33.42 W					
Typical En ETEC *	ergy Consu	umption	00 11 100/15/5500	00.00 100/16/10000	00 70 100/16/00 00	_ _ /0700/40/	00) (D			
	ergy Consu	umption	89.11 kWh/year	86.63 kWh/year	86.73 kWh/year	$E_{TEC} = (8760/100)$ $P_{sleep} \times 0.1 + P_{idl}$, ,	<i>.</i> +		
			cv Level (Internationa	I Efficiency Marking Pro	ptocol) * :		e x 0.3)		\boxtimes	
		,	-, - (,	ENERGY STAR	® Program			
Display res	solution* :	3440*144	0 megapixels			Requirements fo				
						Monitors: Ver. 8.				
Defendetion						ENERGY STAR				
Delault um		energy sa	ve mode: 15 seconds	i		Requirements fo Monitors: Ver. 8.				
P9.2*	Informatio	on about t	the energy save funct	ion is provided with the	product.					
P9.3*			•••	ents of the following vol				H	<u> </u>	
			version: 8.0 Product		, , , , , , , , , , , , , , , , , , ,					
			from TPV plant test							
P10	Emission		Declared consuling t	- 100 0000 (0 NOTE						
P10.1	Mode		Iode description	o ISO 9296 (See NOTE	Statistical upper limi	it A-weighted sound	d nower leve		(B)	
1 10.1	Idle * HDD: Idle *		*	a A-weighted sound		, ∟ ₩A,0				
	Operation		HDD: Operating		*					
	Other mo	de D	eclared A-weighted sour	nd pressure level (dB) 1	(operator po	sition deskton - idle				
	- pAm			n (operator position desktop – idle)						
	Other mo	de D	eciared A-weighted sour	<i>a pressure level (ав)</i> _{L_pAm}	(operator po	sition desktop – ope	erating)			
	Measured	d accordir	ng to: 🔀 ISO 7779 🗌	ECMA-74						
			Other	(only if not covered by	ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	61F3					Logo			
Issue date *		2019/11/12			Lenc	ovo	тм			
Product	environr	nental attribu	tes - Market requirem	nents (cont	inued)			Require	ement	met
Item								Yes	No	n.a.
		magnetic emiss								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): <i>TCO8.0</i>									
P12	Ergonomics for computing products									
P12.1*	The disp	ay meets the er	gonomic requirements of	f ISO 9241-3)7 for visual displa	y technolog	ies.	\square		
P12.2*	The phy	sical input device	e meets the requirements	s of ISO 9995	and ISO 9241-41	0.				\boxtimes
P13	Packagi	ing and docume	entation							
P13.1*	Product Product			weight (kg) weight (kg) weight (kg) weight (kg)	1.1 0.06					
P13.2*	Product	plastic primary p	ackaging is free from PV	′C.				\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	Ùser and		is item if paper documen entation on paper media		ee:					
	Totally c	hlorine-free								
	Element	al chlorine-free								
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	ENERG Eco-labe Eco-labe	Y STAR® el: el:	equirements of the followi Criteria version: 8.0 Criteria version: Criteria version:)	program(s): Date: 2019/11/12 Date: Date:	Product ca Product ca Product ca	0,	D Monitor		
P15	Additio	nal information	(See NOTE B10)							
P9			f specific configuration							
	informat knowled	ion contained in ge available at the here is approximation of the second seco	to representations, guara this document. All inform the time of completion, an mate and provided for info	ation provide	d by supplier in thi all have no obligat	s document ion to updat	t is provided te such infor	based on sup mation. The in	plier's format	tion
P9	See Ene	ergy Star Qualifie	ed Monitors & Displays for jov/products/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1