

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address Alvin L Carter					
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	NB					
Commercial name *	Yoga 6 13 AMD					
Model number *	82FN					
Issue date *	2020-09-10					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82FN Logo			
Issue da	te *	2020/9/10	Leno		
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met
Item			Yes	No	n.a.
P1		us substances and preparations			
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Comme	i do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	to onot contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated I (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts wit (see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/environment.html	\square		
P2	Batterie	<u> </u>			
P2.1*	If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)	\square		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The proc	luct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\square		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).	\square		
	· -	l information is; given in item P15 or added to this document,	\square		
P5	Droduct	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔽		
	hexavale	nt chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(se legal reference).			
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference).	ol 🔀		
		t: Legal reference has no maximum concentration values.			
P6		nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82FN	Logo				
Issue dat	te *	2020/9/10		Len	Lenovo		
Product		mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require			
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.	
P7.1*		t have to be treated separately are easily separable					
P7.2*		naterials in covers/housing have no surface coating.				╞	
P7.3*		arts > 100 g consist of one material or of easily separable materials.				╞	
-					<u> </u>	<u> </u>	
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			_Ц_		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		_Ц_		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square			
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*		ng can be done using commonly available tools				\bowtie	
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
	Material	type: plastic Material type: Materia	al type:				
P7.12		n materials of external electrical cables are PVC free.					
P7.13		n materials of internal electrical cables are PVC free.		\square			
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, an	nd 🗖			
P7.15		ircuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ⊠ ad in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🔀			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes			
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: 9,10-Dihydro-9-oxa aphenanthrene 10-Oxide , CAS #: 35948-25-5					
	accordin	nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:					
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	n			
	<u>Alt. 2: </u> Ch TD15FR	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104 (40)<					
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been	\boxtimes			
	0	I the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (S	See note B5)				
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):					
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <i>0.5</i> %.	it (calculated as		_	_	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82FN	Logo	
Issue date *	2020/9/10		Lenovo.

Product environmental attributes - Market requirements (continued)

Item

Requirement met Yes No n.a.

			(
Material and substance requirements (continued)								
		irces are free from mercury, i.e. less than 0,1 mg/lamp.						
P8 Batteri								
P8.1* Battery	Battery chemical composition: <i>Li-polymer</i>							
P9 Energy	consump	tion (See NOTE B8)						
P9.1 For the	P9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test met			
Peak (On-max)		45 W	45 W	45 W	Full load			
Category—2								
Short Idle State - V Enabled	VOL	4.58 W	4.51 W	4.39 W	Use for ENERGY S registration (P _{idle})	TAR V8.0		
Long Idle State - V Enabled	VOL	0.94 W	0.96 W	0.94 W	Use for ENERGY S registration (P _{idle})	TAR V8.0		
Sleep (S3) - WOL I	Enabled	0.94 W	0.96 W	0.94 W	Use for ENERGY S registration(P _{sleep})	TAR V8.0		
Off (S5) - WOL End	abled	0.38 W	0.38 W	0.42 W	Use for ENERGY S registration(Poff)			
EPS No-load		0.025 W	0.027 W	0.055 W				
(External power supply / charge wall outlet but disconnected fro	er plugged in the							
PTEC *	in the product.)	W	W	W		\square		
Typical Energy Con	sumption							
ETEC * Annual Energy Con	sumption	16.57 kWh/year	16.47 kWh/year	16.16 kWh/year	ETEC = (8760/1000) x (Poff x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)			
		Poff: Off Mode(S5) - WO	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable		L Enabled		
External Power Sup	ply Efficier	ncy Level (International	Efficiency Marking Pro	tocol) * : VI				
Display resolution *	: 1920*10	80 megapixels						
		ave mode: 10 minutes						
			on is provided with the	oroduct				
		class (monitors only):						
<u>.</u>		class (monitors only).						
P10 Emissi		Declared according to	ISO 9296 (See NOTE	P0)				
P10.1 Mode		Mode description	100 3230 (See NOTE		it A-weighted sound po	wer level / was (R)		
Idle				* 2.6				
Operat		CPU Operating		* 3.5		<u>H</u>		
			d pressure level (dB) _{L_pAm}		tion desktop – idle)			
Other mode		Declared A-weighted soun	d pressure level (dB) L_{pAm}	27.3 (operator position desktop – operating)				
Measu	Measured according to: X ISO 7779 X ECMA-74							
Model number *	82FN	Other	(only if not covered by		Logo			
Issue date *	2020/9 /1					Lenovo		
Product enviror	mental a	ttributes - Market r	equirements (contin	nued)		Requirement me		
Item						Yes No n.a		
Electro	omagnetic	emissions						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following volunta					\boxtimes
	program(s):					
P12	Ergonomics for computing products				\square	
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9	9241-410).		\square	
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): <i>carton</i> weight (kg): 0.278					
	Product packaging material type(s): <i>paper pad</i> weight (kg): 0.033 Product packaging material type(s): <i>cushion</i> weight (kg): 0.096					
P13.2*	Product packaging material type(s). <i>Cushion</i> weight (kg). <i>Cush</i>			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the cont consumer recovered fiber content: 80 %	ained p	ercentage of minimum post-			
P13.4*	Specify media for user and product documentation (tick box):					
	Electronic, Paper, Other					
P13.5	(Please only complete this item if paper documentation used)			_		
	User and product documentation on paper media is chlorine-free:				\bowtie	
	If Yes, please specify:					
	Totally chlorine-free					
	Elemental chlorine-free					
	Processed chlorine-free					
P14	Voluntary programs					
P14.1	The product meets the requirements of the following voluntary program(s):				
	ENERGY STAR® Criteria version: 8.0 Date: 2020	/8/14	Product category: 2			
	Eco-label: Criteria version: Date:		Product category:			
	Eco-label: Criteria version: Date:		Product category:			
P15	Additional information (See NOTE B10)					
P9	Energy consumption of specific configuration may vary; description	of the	tested product configuration	:		
	NOTE: Supplier makes no representations, guarantees, assurances or wa					
	information contained in this document. All information provided by suppli					
	knowledge available at the time of completion, and supplier shall have no	obligati	on to update such information.	The int	ormati	ion
	provided here is approximate and provided for informational purposes on information.	ly. See a	a Lenovo Account Representati	ve tor r	nore	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest in	oformati	20:			
1.9	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showPro					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga 6 13ARE05	Logo
Model Number	82FN	
Issue Date	2020/9/10	Lenovo
Additional information		

P7.1.1	Product environmental attributes						
(d)	Year of manufacture:				2020		
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	16					
lents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	<mark>No</mark> (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	<mark>No</mark> (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	# <u>:</u> (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	NA					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	31.80					
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
(g)	Idle state power demand (Watts);				2.89		
(h)	Sleep mode power demand (Watts);				0.77		
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.77		
(j)	Off mode power demand (Watts);				0.44		
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.44		
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output powe	er (if applicable):			
	10% 20% 50%	100% Avera	ge				
(m)	External power supply efficiency (if applied	cable)*:					
	Average active efficiency: Level VI						
(-)	*internal note: show values for all available external po		and (and is a substant				
(o)	Minimum number of loading cycles that t				300		
(p-1)	Measurement methodology used to dete	rmine information men NA	tioned in points (I) – ir	nternal PSU efficiency:			
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						

(p-3) Measurement metho	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:					
	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: <i>IEC</i> 62623	naximum, idle, sleep, off mode					
(q) Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand: Power on -> Wait 5 minutes ->Stable condition						
(r) Description of how s	leep and/or off mode was selected or programmed:						
	Begin menu -> Power -> Select sleep or off mode						
(s) Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
	Energy-star requirement						
	te condition before the computer automatically re- s not exceed the applicable power demand requirements		30 mins				
(u) Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v) Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10 mins				
(w) Information on the er	nergy-saving potential of power management functio Refer to User Guide	nality:					
(x) User information on	how to enable the power management functionality: <i>Refer to User Guide</i>						
	measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits					
Additional Notebook Batter	y Information:						
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$						
Internal/built-in Battery	\boxtimes						
External/detachable Battery							
Bios Backup Battery			\square				
Other:							
Additional information							
	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	ли.					
√ýměnu baterie/baterií v tomto výrobku by Brugeren kan ikke uden videre udskifte bat	neměli provádět sami uživatelé.						
	können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.					
Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορ	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu	ıx-mêmes.					
Korisnik ne može lako zamijeniti Bateriju sa							
ietotāji paši nevar nomainīt šā ražojuma a Šio gaminio baterijos [bateriju] pats vartoto	kumulatoru(-us).						
A termék akkumulátorát/akkumulátorait a fé	elhasználó nem tudja egyedül egyszerűen kicserélni. 'jistghux tigi/jigu sositiwita/i mill-utenti stess.						
Batteriet [ene] i dette produktet kan ikke let De batterij(en) in dit product is (zijn) door d	t erstattes av brukerne selv.						
Jżytkownik nie może sam w łatwy sposób							
Bateria (bateriile) din acest produs nu poat	e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.						
Batériu(-ie) v tomto výrobku nemôže vymie Baterij/baterije v tem izdelku uporabniki sar Fämän tuotteen akku [akut] ei[vät] ole help	ni ne morejo zlahka zamenjati.						
Det är inte enkelt för kunden att själv byta u Bu üründeki batarya(lar) kullanıcılar tarafır	ut batteriet/batterierna.						

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08