



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	Yoga Slim 7 Pro 14IHU5 O				
Model number *	82NH				
Issue date *	2021/3/17				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	82NH	Logo	Lend	21/0	
Issue date *	2021/3/17		Leik		тн
Product enviror	mental attributes - Legal requirements		Require	ment	met
Item			Yes	No	n.a.
	ous substances and preparations				
	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
hydrobr trichlord concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no naration values.	naximum			
	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	nlorinated			
P1.5* Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
(see leg	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2 Batterio	s				
	oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
	s and accumulators are readily removable. (See legal reference)		\square	$\overline{}$	
	nity verification & Eco design (ErP)				
P3.1* The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements): claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2* The pro	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	d information is; given in item P15 or added to this document, available at (add URL):				
	www.lenovo.com/us/en/compliance/eco-declaration				
P5 Produc	t packaging				
	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium ar	nd 🔀		
	kaging materials are marked with abbreviations and numbers indicating the nature see legal reference).	of the material((s) 🔀		
P5.3* The pro	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In telerence). In track telerence has no maximum concentration values.	Montreal Protoc	ol 🔀		
	ent information				
	ion for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

- En	<u> </u>	Len	OVC	ты					
- En	vironmental conscious design								
	<u> </u>	- Environmental conscious design Requirement met							
	andatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
	ign, Disassembly, recycling s that have to be treated separately are easily separable								
	tic materials in covers/housing have no surface coating.		╫	+					
	tic parts > 100 g consist of one material or of easily separable materials.		- - - - - - - - - - - - - -	+					
	tic parts > 100 g consist of one material of of easily separable materials.		- - -	\vdash					
	tic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		- - - - - - - - - - - - - -	<u> </u>					
	els are easily separable. (This requirement does not apply to safety/regulatory labels).		- - -	<u> </u>					
_									
	duct lifetime rading can be done e.g. with processor, memory, cards or drives								
	rading can be done using commonly available tools		- - -	<u> </u>					
	<u> </u>			<u> </u>					
	re parts are available after end of production for: 5 years			Щ					
	rice is available after end of production for: 5 years								
	erial and substance requirements								
	duct cover/housing material type (e.g. plastics, metal, aluminum): erial type: <i>PC/ABS</i> Material type: Material type:								
	lation materials of external electrical cables are PVC free.		\square						
	lation materials of internal electrical cables are PVC free.		$\overline{\mathbb{M}}$	\pm					
	ernal plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,	1%		\vdash					
weig polyv	that (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, a vinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts contain than 25% post-consumer recycled content.	and							
	ted circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen.	non 🔲	\square						
as de	efined in IEC 61249-2-21. (See 1NOTE B2)	gen							
P7.16 Flam Mark	ne retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: king:			\boxtimes					
P7.17 Alt. 1	1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):								
T	BBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated epoxy resin , CAS #: 65-08-7								
	2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g								
	2. Orientical specifications of fiathe retainants in printed circuit boards (without components) > 23 g ording ISO 1043-4: FR(16)								
	1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations	s in]					
	centrations above 0,1%:			\boxtimes					
_	hemical name: , CAS #: (See NOTE B4) hemical name: , CAS #: "								
	hemical name: , CAS #: "								
	2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:								
	astic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		+	\square					
	gned the following Risk phrases; and Hazard statements:		Ш						
·	source(s) for these classifications is/are found at (add URL(s)): , (See note B5)								
	tconsumer recycled plastic material content is used in the product (See Note B6):	\square							
If YE a) or	ES; at least one of the two alternatives below shall be answered; Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated a a percentage of total plastic by weight) is 2.3%. The weight of recycled material is 4.3 g.								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82NH	Logo	Lend)VO	
Issue date *	2021/3/17		Lenc		TH.
Product environr	nental attributes - Market requirements (continued)		Require	ement	met
Item			Yes	No	n.a.

	Material and sub	stance requirements	(continued)			
P7.21*			in the product (See No	OTE B7):		
	a) Of total plastic b	ic parts' weight > 25 g,	es below shall be answe the biobased plastic m		ated as a percentage of	
	or b) The weight o	f the biobased plastic r	material is q.			
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.		\square	
DO		specify: Number of lar	nps: and maxim	um mercury content pe	er lamp: mg	
P8.1*	Batteries	composition: Lithium is	on			_
P9	,	tion (See NOTE B8)	011			
P9.1			ls or energy consumption	ons are reported:		
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy	\Box
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-r	nax)	95 W	95 W	95 W	Full load	
Category	<u>/</u>					
Short Idle Enabled	State - WOL	4.90 W	4.85 W	4.90 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Long Idle S Enabled	State - WOL	3.31 W	3.34 W	3.36 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.40 W	0.38 W	0.38 W	Use for ENERGY STAR V8.0 registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	0.17 W	0.17 W	0.18 W	Use for ENERGY STAR V8.0 registration	
Off (S5) - WOL Enabled		0.17 W	0.17 W	0.16 W	Use for ENERGY STAR V8.0 registration (P _{off})	
EPS No-loa (External power s wall outlet but disc	ad upply / charger plugged in the connected from the product.)	0.02 W	0.02 W	0.02 W		
PTEC *	ergy Consumption	W	W	W		X
ETEC *	ergy Consumption	16.4 kWh/year	16.62 kWh/year	16.74 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)	
Fisher 15	0 5				ed; P _{idle} : Idle State - WOL Enabled	
			l Efficiency Marking Pro	DIOCOI) " : VI		Щ.
	olution * : 2880*18					Щ.
		ave mode: 25 minutes				<u></u>
P9.2*			on is provided with the	product.		Ц_
P9.3		class (monitors only):				
P10	Emissions Noise emission	Doctored according to	ISO 9296 (See NOTE	P0)		
P10.1		Mode description	JIOO BZBU (SEE NOTE		it A-weighted sound power level, L_{WAG}	(B)
	Idle *	System Idle		* 2.2	The signed death portor love, EWA,c (
	Operation *	CPU Operation		* 4.1		Ť
			d pressure level (dB) $L_{p{\sf Am}}$	18.9 (operator posi	ition desktop – idle)	
			d pressure level (dB) $L_{p{ m Am}}$		tion desktop – operating)	
		ng to: X ISO 7779	ECMA-74	1		
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	82NH				Logo	П	212.0	V/0	
Issue date	*	2021/3/17					L	eno	VO.	
Product	environr	nental attributes	- Market requiremen	ts (continued)			Re	equire	ment	met
Item			•	,				Yes	No	n.a.
	Electror	magnetic emission	S							
P10.4	Compute program		requirement for low frequirement	uency electromagnetic fi	elds of the foll	owing volu	ntary			
P12		mics for computing								
P12.1*	The disp	lay meets the ergor	omic requirements of ISO	O 9241-307 for visual dis	play technolo	gies.		\boxtimes		
P12.2*		•	eets the requirements of	ISO 9995 and ISO 9241	-410.			\boxtimes		
P13		ng and documenta								
P13.1*	Product Product	packaging material packaging material	type(s): <i>Paper - cardboa</i> type(s): <i>Plastic - PE (pol</i> type(s): <i>Plastic - PP (pol</i>	lyethylene) weigh	08 t (kg): 0.0487 t (kg): 0.0072					
P13.2*	Product	plastic primary pack	aging is free from PVC.					\boxtimes		
P13.3*		duct primary corrug	ated fiberboard packagir ontent: 80 %	ng, specify the containe	d percentage	of minimu	ım post-			
P13.4*		media for user and pronic, Paper,	product documentation (ti Other	ck box):						
P13.5	Ùser and		em if paper documentation ation on paper media is c							
	,	hlorine-free al chlorine-free						\square		
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	duct meets the requi	rements of the following	voluntary program(s):						
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product of	category:				
P15		nal information (Se								
P9			ecific configuration ma							
	informat knowled	ion contained in this ge available at the ti I here is approximat	epresentations, guaranted document. All information ime of completion, and sub- e and provided for inform	n provided by supplier in upplier shall have no obli	this documer gation to upda	nt is provident is provident in the such interest in the such interest in the such interest in the such in the suc	ed based formation.	on supp The inf	olier's formati	ion
P9			otebooks & Tablet Comp dex.cfm?fuseaction=find			code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Slim 7 Pro 14IHU5 O	Logo	
Model Number	82NH		Lonovo
Issue Date	2021/3/17		Lenovo.
Additional information			

d)	Year of manufacture:				
e) ()	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categorenable	n switchable graphics n	node with UMA driving	the display.	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D
	Memory over base [GB]		16	, , , , ,	
ents ting	Additional internal storage	(Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
bility a ied dur	Discrete Audio Card	(Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capa appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: Navidia MX450 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G4		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		13.45		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		13.45		
1)	Idle state power demand (Watts);	1	l .	I.	4.66
1)	Sleep mode power demand (Watts);				0.35
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.35
	Off mode power demand (Watts);				0.17
.)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.17
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):	
	10% 20% 50%	100% Avera	age		
1)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 95W:89.07%	,89.15%,89.21%; 65W	/:89.09%,89.18%,89.2°	1%	
)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to no	otebook computers):	300
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	ternal PSU efficiency:	:

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement metho	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:				
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
		IEC 62623					
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		Power on -> Wait 5 minutes -> Stable con	ndition				
(r)	Description of how sl	eep and/or off mode was selected or programmed:					
		Begin menu -> Power -> Select sleep or o	ff mode				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA						
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):						
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
(v)		re the display sleep mode is set to activate after		10min			
(w)	Information on the er	nergy-saving potential of power management function	nality: Refer to User Guide				
(x)	User information on I	now to enable the power management functionality:	Refer to User Guide				
(z)		measurements: — test voltage in V and frequency in					
		system, — information and documentation on the insting: 230V50HZ-2%-Edition 2.0, 2011-01, Section					
	used for electrical tes	230 V 30112-270-Lattion 2.0, 2011-01, Section	11 4, 12 002301				
Addition	al Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	uilt-in Battery						
External/detachable Battery							
Bios Back	Bios Backup Battery						
Other:							
Additiona	l information						
Ļ							

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Nasulaju el saa selle toule akturaktosi lse l'iolipsasi aseritudud.

H μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batterief [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

uzyrkownik nie moze sam w łatwy sposob wymienic baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériilybaterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batteriema.

Bu tirtindeki batanzi(ala) kullanıcılar tarafinda kolaylıkla değistirilemez

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.