



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Type of product * Notebook				
Commercial name *	Yoga Slim 7 Pro 14ACH5 D/OD, Yoga 14sACH 2021 D/OD, Lenovo XiaoXinPro 14ACH 2021 D				
Model number *	82NJ, 82NK				
Issue date *	2021-6-4				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82NJ, 82NK	Logo	Long	N/6	
Issue date	) *	2021-6-4		Lend		) <sub>TH</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC).		$\boxtimes$	$\overline{}$	
1 1.0		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride. 1.1.1-		ш	
	trichloroe	ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ation values.	naximum			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tl	ne 🔀		
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above (	),5 μg/cm²/wee	k 🔀		
		al reference).			_	_
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leg	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		X	П	
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod	luct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference). mail addres	s):		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).				
	Required	I information is; Silven in item P15 or added to this document, Silven available at (add URL):				
		ww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).		` ,		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the ${\tt N}$ al reference).	/Iontreal Proto	col 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information		K - 2		
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei nu		82NJ, 82NK	Logo	Len	OVC	,
Issue dat	te *	2021-6-4		Len		TH
	- Enviro	mental attributes - Market requirements (See General NOTE GN I Inmental conscious design	below)	Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling t have to be treated separately are easily separable		<u> </u>		
P7.1*		naterials in covers/housing have no surface coating.				╬
P7.2*		<u> </u>				
		arts > 100 g consist of one material or of easily separable materials.			井	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	
P7.5 P7.6*		arts are free from metal inlays or have inlays that can be removed with commonly a re easily separable. (This requirement does not apply to safety/regulatory labels).	ivaliable tool		<u> </u>	$\perp$
P7.0	Product				<u> Ц</u>	
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			+	+
P7.9		irts are available after end of production for: 5 years				$\dashv$
P7.10		s available after end of production for: 5 years				$\dashv$
F 7.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: <b>aluminium</b> Material type: <b>PC+ABS</b>				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.				
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	e retardants,	and		
P7.15		n 25% post-consumer recycled content.				$\overline{}$
	as define	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g d in IEC 61249-2-21. (See 1NOTE B2)	are low hal	ogen 🔲		
P7.16	Marking:				<u> </u>	
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without o			Ш	
	TBBPA (26265-08	(additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy</b> 3-7	Resins, CA	AS #:	П	
	Alt. 2: Ch	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g	_	_	
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparatior	ns in		
	1. Chemi 2. Chemi 3. Chemi	ent: No legal limits exist, this is a market requirement. ical name: CAS #: ical name: CAS #: ical name: CAS #:				
	Alt. 2	cal name: , CAS #:  I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	ı have been			
	The sour	ce(s) for these classifications is/are found at (add URL(s)):	e note B5)			
P7.20*	If YES; a a) Of t a pe or	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is  weight of recycled material is  g.	t (calculated	as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82NJ, 82NK 2021-6-4		Lanova
Issue date *			Lei Iovo.

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

D7 01*		stance requirements		OTE D7\		$\overline{}$
P7.21*	Biobased plastic r	naterial content is used	d in the product (See N	OTE B7):		Ш
			es below shall be answe			
			the biobased plastic m	aterial content (calcula	ted as a percentage of	
	total plastic b	by weight) is %.				
		of the biobased plastic	material is q.			
P7.22*			less than 0,1 mg/lamp.		$\square$	
	If mercury is used	specify: Number of lar	mps: and maxim	um mercury content pe	er lamp: mg	
P8	Batteries					
P8.1*		composition: LI-ION Po	olymer battery			
P9		otion (See NOTE B8)				
P9.1			ls or energy consumption		In ( ) ( ) ( )	
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	Ш
Peak (On-r	mayl	100 V AC	115 V AC	230 V AC 95 W	modes and test method *	
reak (OII-I	IIax)	95 VV	30 11	30 11	T dil lodd	
Category	<u>/ 2</u>					
Chart Idla	State - WOL	7.80 W	7.76 W	7.92 W	Use for ENERGY STAR V8.0	
Enabled	State - WOL	7.00 VV	7.70 VV	7.92 VV	registration (P <sub>idle</sub> )	
	State - WOL	<b>0.42</b> W	<b>0.42</b> W	<b>0.44</b> W	Use for ENERGY STAR V8.0	
Enabled					registration (P <sub>idle</sub> )	
Sleen (S3)	- WOL Enabled /	0.42 W	0.42 W	0.44 W	Use for ENERGY STAR V8.0	
Enabled	- WOL Lindbied /	0.42 **	0.42 **	0.44 11	registration (P <sub>idle</sub> )	
055 (05) 1	WOL D: 11 1/	0.0714/	0.0014/	0.04.107		
Oπ (S5) - V Ednabled	VOL Disabled /	<b>0.27</b> W	0.28 W	<b>0.31</b> W	Use for ErP	
Luliableu						
EPS No-loa		0.113 W	0.114 W	0.115W		
(External power si wall outlet but disc	upply / charger plugged in the connected from the product.)					
PTEC *	' '	W	W	W		
	ergy Consumption					
ETEC *		<b>22.75</b> kWh/year	<b>22.66</b> kWh/year	23.23 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Ene	ergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+	
		Poff: Off Mode(S5) - W	 OL Enabled: P <sub>sleen</sub> : Sleen	Mode(S3) - WOL Enable	P <sub>short_Idle</sub> x 0.30) ed; P <sub>idle</sub> : Idle State - WOL Enabled	
External Po	wer Supply Efficier		I Efficiency Marking Pro			
	olution * : <b>5.18</b> meg	• •	, ,	,		Ħ
		ave mode: 10 minutes				H
P9.2*			ion io provided with the	product		<del> </del>
		0,	on is provided with the	product.		
P9.3		class (monitors only):				<u> </u>
P10	Emissions Noise emission	Doclared according to	o ISO 9296 (See NOTE	: P0\		
P10.1		Mode description	0 130 9290 (See NOTE		t A-weighted sound power level, L <sub>WA c</sub> (E	3)
10.1	-	'Idle (Operating)		* 2.7	Holgined Sound power level, LWA,c (L	<u>-,                                     </u>
	Operation '	CPU:Operation		* 3.1		$\vdash$
			od pressure level (dB) $L_{p{\sf Am}}$	***	tion deskton – idle)	<u> </u>
					· '	
	Other mode	Deciared A-weighted soun	od pressure level (dB) $L_{p m Am}$	20.9 (operator posit	tion desktop – operating)	
	Measured accordi	ng to: 🛛 ISO 7779	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	nber *	82NJ, 82NK			Logo	Long	V/O	
Issue date	*	2021-6-4				Leno	VO.	
Product	environr	nental attributes	- Market requirements (	continued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	magnetic emission	S					
P10.4	program	(s): MPR-II(3 pin A		cy electromagnetic field	s of the following volunt	ary 🔀		
P12	Ergono	mics for computing	products					
P12.1*	The disp	play meets the ergor	omic requirements of ISO 92	241-307 for visual displa	y technologies.	$\boxtimes$		
P12.2*	. ,	<u>'</u>	eets the requirements of ISO	9995 and ISO 9241-41	0.	$\boxtimes$		
P13		ing and documenta						
P13.1*	Product Product	packaging material	type(s): corrugated weigh type(s): paper(manual) type(s): corner paper weigh type(s): EPE weigh	weight (kg): 0.05				
P13.2*	Product	plastic primary pack	aging is free from PVC.			$\boxtimes$		
P13.3*		duct primary corrug er recovered fiber co	ated fiberboard packaging, ontent: 100 %	specify the contained p	percentage of minimum	post-		
P13.4*		media for user and ¡ ic ⊠, Paper ⊠, O	product documentation (tick ther	pox):				
P13.5	Ùser and		em if paper documentation uation on paper media is chlor					
	Totally c	hlorine-free				$\square$		
	•	al chlorine-free						
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requi	rements of the following volu	ıntary program(s):				
	ENERG` Eco-labe		Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: <b>2021/5/6</b> Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (Se						
P9			ecific configuration may v					
	informat knowled	ion contained in this ge available at the t I here is approximat	epresentations, guarantees, document. All information prime of completion, and supple and provided for information	ovided by supplier in th ier shall have no obligat	is document is provided tion to update such infor	based on suppression. The inf	olier's ormati	on
P9			otebooks & Tablet Compute /www.energystar.gov/produc				•	_
						<u> </u>		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Slim 7 Pro 14ACH5 D/OD, Yoga 14sACH 2021 D/OD, Lenovo XiaoXinPro 14ACH 2021 D	Logo
Model number *	82NJ, 82NK	Longva
Issue date *	2021-6-4	Lenovo.
Additional information		

d)	Year of manufacture:				2021
<del>)</del>	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	n switchable graphics n	node with UMA driving	the display.	, ,
)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when <b>a</b>	II discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]		16		
nents sting	Additional internal storage	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
adjustrr ring te:	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G4		
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		3.17		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
)	Idle state power demand (Watts);	1	L	l	B: 0.44
1)	Sleep mode power demand (Watts);				B: 0.44
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		B: 0.44
)	Off mode power demand (Watts);				B: 0.31
.)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		B: 0.31
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
1)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.27% 89.2	20% 90.57%			
)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300CYCLE
p-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) – ir	nternal PSII efficiency	

(p-2) Measurement	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EN 50563:2011 measurement methodology					
(p-3) Measurement	methodology used to determine information mentioned in EN 50563:2011 measurement methodol					
	methodology used to determine information mentioned in led in Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode				
	EN 62623:2013 measurement methodology					
(q) Sequence of s	steps for achieving a stable condition with respect to power	demand::				
	EN 62623:2013 measurement method	ology				
(r) Description of	how sleep and/or off mode was selected or programmed:					
	EN 62623:2013 measurement methodology					
	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 10mins automatically reaches sleep mode					
	Ile state condition before the computer automatically r h does not exceed the applicable power demand requirem		10			
(u) Length of tim	Length of time after a period of user inactivity in which the computer automatically reaches a power					
	mode that has a lower power demand requirement than sleep mode (in minutes):  Length of time before the display sleep mode is set to activate after user inactivity (in minutes):					
	the energy-saving potential of power management function		10			
	refer to user manual					
(x) User informati	on on how to enable the power management functionality:					
	refer to user manual					
the electricity:	ers for measurements: — test voltage in V and frequency ir supply system, — information and documentation on the in ical testing: 230V, 50GHz, Total Harmonic Distortion <2	strumentation, set-up and circuits				
Additional Notebook I	Battery Information:					
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery						
External/detachable Ba	ttery					
Bios Backup Battery						
Other:						
Additional information						
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.