



## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	lotebook PC			
Commercial name *	IdeaPad S12			
Model number *	M/T: 20021, 2959			
Issue date *	2009-04-29			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	ENERGY STAR® Qualified, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	IdeaPad S12 MT: 20021, 2959		
Issue date *	2009-04-29	Logo	lanaura
			lenovo

Product	roduct environmental attributes - Legal requirements			nt met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and Note 1).			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	$\boxtimes$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	IdeaPad S12 MT: 20021, 2959		
Issue date *	2009-04-29	Logo	10.00000
			lenovo

Produ	oduct environmental attributes - Market requirements - Environmental conscious design Requirement me				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			ш	
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\boxtimes$			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\boxtimes$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$			
P7.9.	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 3 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
D7.40	Material type: PC+ABS Material type: Material type:				
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)	<u> </u>		4	
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)				
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)		Щ.	Ц	
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)			Ц	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40):Halogen-free organic phosphorus compounds		Ш		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin</i>				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Of total plastic parts' weight >25g, recycled material content is 0%.				
P7.20	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.21	Light sources are free from mercury If mercury is used specify: Number of lamps: 0 and max. mercury content per lamp: 0 mg				
P8	Batteries				
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC				

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	IdeaPad S12 MT: 20021, 2959		
Issue date *	2009-04-29	Logo	0.000
			lenovo

	oduct environmental attributes - Market requirements (continued) Requirement met						
Item						n.a.	
P9	Energy consumpt				<u> </u>		
9.1	For the product the	following power levels	or energy consump	otions have been	measured:		
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	for energy modes	
On-Max		<b>40</b> W	<b>40</b> W	<b>40</b> W	Full load		
On-idle		<b>7.2</b> W	<b>7.4</b> W	<b>7.5</b> W	Idle State (Specify (	Category) for ES5	
Save-1		1.02 W	1.02 W	1.08 W	Sleep w/ WOL Enab	ole for ES5	
Save 2		0.88 W	0.89 W	0.94 W	Sleep w/ WOL Disal	ble for ES5	
Off 1		0.58 W	0.59 W	0.64 W	Standby w/ WOL Er	nable for ES5	
		W	W	W			
charger p	l power supply / olugged in the wall t disconnected from	0.22 W	0.22 W	0.27 W			
PTEC * Typical E	Energy Consumption	W	W	W			
TEC * Typical E	Energy Consumption	kWh/week	kWh/week	kWh/we	eek		
Default ti	me to enter energy	save mode: min	utes	•	<b>-</b>		
P9.2*	Information about t	he energy save functio	n is provided with th	ne product.			
P9.3*	ENERGY STAR®	the energy requirement version <i>Version 5.0 da</i> ergy Star for External	ted July 1, 2009	Tier:			
P10	Emissions						
	Noise emission – Declared according to ISO 9296						
P10.1	Mode N	Node description		Declared	Declared A-w	•	
				A-weighted sound power	sound pressure leve	əl $L_{pAm}$ (dB)	
				level $L_{WAd}$ (B)		stander positions (only if product is not operator attended)	
	Idle *	HDD:Idle,Fan:optimiz	zed speed	* 3.16	31.6		
		HDD:Operating ,Fan: Speed	Optimized	* 3.24	34.2		
	Other mode						
	Measured according	3 12 📙 1 1 1 1	ECMA-74 (only if not covered	by ECMA-74 wit	h L <sub>pAm</sub> measurement distand	ce m)	
P10.2						$\boxtimes$	
	Chemical emissions from printing products						
P10.3*						$\boxtimes$	
P10.4		te (print phase) is (mg/	•	_	77.400		
P10.5		Dust Ozone requirements of the fo	Styrene	Benzene	TVOC are met for :		
1 10.5	Chemical CilissiUli		oust Dust	Ozone			
			senzene	TVO			
	Electromagnetic e	missions					
P10.6	Computer display r program/s: MPR-II	neets the requirement	for low frequency el	ectromagnetic fie	elds of the following voluntar	ry 🔲	

Model number *	IdeaPad S12 MT: 20021, 2959		
Issue date *	2009-04-29	Logo	0.0001
			lenovo

	t environmental attributes - Market requirements (continued)	Require	ment	met		
Item		Yes	No	n.a.		
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			$\boxtimes$		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\boxtimes$				
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated cardboard weight (kg): 0.363  Product packaging material type(s): Polystylene weight (kg): 0  Product packaging material type(s): Polyethylene weight (kg): 0.039					
P13.2*						
P13.3*	Specify media for user and product documentation (tick box):					
	Electronic					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 70%					
P14	Additional information		•	•		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P12.1	Product is designed to meet the subject ISO Standard 9241-307, but is not confirmed through formal te					
P12.2	Product is designed to meet the subject ISO Standard 9995 and 9241-410, but is not confirmed through methods.	ı formal te	st			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1