



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product * NB					
Commercial name *	Lenovo IdeaPad S340-13, Lenovo Xiao Xin Air -13				
Model number *	81UM, 81WU, 81WV, 81UQ				
Issue date *	2019/7/21				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	81UM / 81UQ	Logo	lanova
Issue date *	2019/7/21		LEI IOVO"

Produc	t environmental attributes - Legal requirements	equirement met
Item		Yes No n.a.
P1	Hazardous substances and preparations	
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	
P2	Batteries	
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	
P3	Conformity verification & Eco design (ErP)	
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	
	Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	
P5	Product packaging	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	
P6	Treatment information	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81UM / 81UQ	Logo	Lenovo
Issue date *	2019/7/21		LEI IOVO:

Product environmental attributes - Market requirements (See General NOTE GN below)						
	- Environmental conscious design tem *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes N					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.		
P7	Design, Disassembly, recycling					
P7.1*						
P7.2*	· ·					
P7.3*	· · · · · · · · · · · · · · · · · · ·					
P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X				
Product lifetime						
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools						
P7.8* Upgrading can be done using commonly available tools						
P7.9	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: Material type: Material type: Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes			
P7.13						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	\boxtimes				
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and					
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing					
P7.15	more than 25% post-consumer recycled content.					
	as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			Ш	Ш		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phenol, 4,4'-(1-	\boxtimes	Ш			
	methylethylidene)bis [2,6-dibromo-, polymer with (chloromethyl) oxirane and 4,4'-(1-methylethylidene),, CAS #: 26265-08-7			_		
		\boxtimes				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)	_				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
	concentrations above 0,1%:	\boxtimes				
	1. Chemical name: confidential, CAS #: confidential (See NOTE B4)					
	2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:FR(40)		Ш			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes		
	assigned the following Risk phrases; and Hazard statements:					
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):					
	If YES; at least one of the two alternatives below shall be answered;					
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as					
	a percentage of total plastic by weight) is 1.97 %.					
	or b) The weight of recycled material is 7.6 g.					
	The weight of recycled material is 7.0 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81UM / 81UQ	Logo	Lonovo
Issue date *	2019/7/21		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and substance requirements (continued)								
P7.21*		material content is used		IOTE B7):			\boxtimes		
	If YES: at least or	e of the two alternative	es below shall be answ	vered:					
	-,			naterial content (calcula	ted as a percentage of				
	total plastic b	y weight) is %.							
	or	f the bishessed plactic.	motorialia a						
P7.22*		of the biobased plastic of the biobased plastic of the from mercury, i.e.							_
F1.22		specify: Number of lar		num mercury content pe	r lamp: mg		ш		
P8	Batteries						<u> </u>		
P8.1*	Battery chemical	composition: lithium-ic	on						
P9		otion (See NOTE B8)							
P9.1	For the product th	e following power level	ls or energy consumpt	ions are reported:					
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard		nergy		
D : 1 (0 :		100 V AC	115 V AC	230 V AC	modes and test meth	nod *			
Peak (On-	max)	65 W	65 W	65 W	Full load				
Categor	<u>yNB1</u>								
Short Idle	State - WOL	4.20 W	4.09 W	4.32 W	Use for ENERGY S	TAR V6			
Enabled					registration (Pidle)				
Long Idle	State - WOL	2.46 W	2.26 W	2.32 W	Use for ENERGY S	TAD VA			
Enabled	otate - WOL	2.40 **	2.20 **	2.32 VV	registration (P _{idle})	IAN VO			
					ogramanom (c. mas)				
Sleep (S3)	- WOL Enabled	0.35 W	0.34 W	0.41 W	Use for ENERGY ST	TAR V6			
					registration(P _{sleep})				
Off (S5) - I	NOL Enabled	0.25 W	0.25 W	0.31 W	Use for ENERGY S	TAR V6			
					registration(Poff)				
Off (S5) - I	WOL Disabled	W	W	W	Use for ErP				
EPS No-loa	ad	0.071 W	0.072 W	0.122 W					
	supply / charger plugged in the connected from the product.)		0.072 **	0.722 VV					
wall outlet but dis	connected from the product.)	14.73 kWh/year	14.32 kWh/year	15.32 kWh/year	$E_{TEC} = (8760/1000) x$	r (D vr)	0.25		_
_	ergy Consumption	14.73 KVVII/yeai	14.32 KVVII/yeai	75.52 KWII/yeai	$+ P_{Sleep} \times 0.35 + P_{long}$			L	
, amadi Em	orgy concumption				P _{short Idle} x 0.30)	g_lule X VI			
				p Mode(S3) - WOL Enable	ed; Pidle: Idle State - WOL	. Enabled	d		
		ncy Level (Internationa	I Efficiency Marking Pr	rotocol) * : VI					
Display res	solution * : 1920*1	080 megapixels							
Default tim	e to enter energy sa	ave mode: 25 minutes							
P9.2*	Information about	the energy save functi	on is provided with the	product.	•				
P9.3	Energy efficiency	class (monitors only):							\blacksquare
P10	Emissions								
	Noise emission -	- Declared according to	ISO 9296 (See NOT	E B9)					
P10.1				c (B)				
	Idle								
Operation * CPU Operating * 3.7									
Other mode $\frac{Declared A-weighted sound pressure level (dB)}{L_{pAm}}$ 18.1 (operator position desktop – idle)						-			
Other mode Declared A-weighted sound pressure level (dB) L _{pAm} 25.8 (operator position desktop – operating)									
	Measured accord	ing to: 🔀 ISO 7779 🔀	ECMA-74	•					
		Other	(only if not covered by	y ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur		81UM / 81UQ 2019/7/21	Logo	L	eno	VO.	м
Product	Product environmental attributes - Market requirements (continued)			R	equire	ment	met
Item					Yes	No	n.a.
	Flectron	nagnetic emissions					

Product of	environmental attributes	- Market requirements (con	tinued)	F	Require	ment	met
Item			-		Yes	No	n.a.
	Electromagnetic emissions	;					
P10.4	Computer display meets the program(s):	requirement for low frequency el	ectromagnetic fields	of the following voluntary			
P12	Ergonomics for computing	products					
P12.1*	The display meets the ergon	omic requirements of ISO 9241-3	307 for vieual dienlas	/ technologies			
		· ·			+		Ш
P12.2*	. , .	ets the requirements of ISO 999	15 and ISO 9241-410).			Ш
P13	Packaging and documenta						
P13.1*	Product packaging material type(s): carton weight (kg): 0.281 Product packaging material type(s): paper pad weight (kg): 0.033 Product packaging material type(s): cushion weight (kg): 0.033						
P13.2*	Product plastic primary packa		g (g).				
P13.3*							
P13.4*							
P13.5	3.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:				\boxtimes		
	Totally chlorine-free						
	Elemental chlorine-free						
	Processed chlorine-free						
P14	Voluntary programs						
P14.1	The product meets the requir	ements of the following voluntary	y program(s):				
	ENERGY STAR®	Criteria version: 7.1	Date: 2019-07-24	Product category: NB1			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
P15	Additional information (See NOTE B10)						
P9	Energy consumption of specific configuration may vary; description of the tested product configuration:						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						
P9		otebooks & Tablet Computers for					
	http://www.energystar.gov/ine	dex.cfm?fuseaction=find_a_prod	luct.showProductGro	oup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad S340-13IML, Lenovo Xiao Xin Air 13	Logo	
Model Number	81UM, 81UQ		Lonovo
Issue Date	2019/7/21		Lenovo.
Additional information			

d)	Year of manufacture:				2019		
э)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
F)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	II discrete graphics (cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
Test results capability adjustments applied during testing	Memory over base [GB]	16	16	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(
	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)		G3				
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.52					
	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		7.82				
g)	Idle state power demand (Watts);	l .		l	A:2.10 B:2.23		
n)	Sleep mode power demand (Watts);			A: 0.42 B: 0.40			
)	Sleep mode with WOL enabled power demand (Watts) (where enabled);			A: 0.42 B: 0.40			
)	Off mode power demand (Watts);			A: 0.31 B: 0.31			
k)	Off mode with WOL enabled power demand (Watts) (where enabled);				A: 0.31 B: 0.31		
l)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 89.24%,89.0	3%,88.93%,89.04%,89	.92%,89.18%				
0)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300						
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – ir	nternal PSU efficiency:			

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement metho	dology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin					
(p-4)		surement methodology used to determine information mentioned in maximum, idle, sleep, off mode or as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623					
(q)	Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand: **Power on -> Wait 5 minutes -> Stable condition**					
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode**						
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
		NA					
(t)		Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):					
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA						
(v)		ore the display sleep mode is set to activate after		10min			
(w)	Information on the energy-saving potential of power management functionality: **Refer to User Guide**						
(x)) User information on how to enable the power management functionality: **Refer to User Guide**						
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301				
Additio	nal Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal	/built-in Battery						
Externa	al/detachable Battery						
Bios Backup Battery							
Other:							
Additional information							
-							
<u> </u>							

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

Sio gaminio baterijos [baterijot pats vartotojas negali lengvai pakeisti.
A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.
Il-batterija/batteriji fdan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.
Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.
De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] elivät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.