

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Notebook PC		
Commercial name *	Ideapad U160,U165		
Model number *	20063,20064,0894,0915		
Issue date *	2010-04-21		
Intended market *	🛛 Global 🗌 Europe 🔄 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	Ideapad U160,U165 MT:20063,20064,0894,0		
Issue date *	2010-04-21	Logo	

Logo

lenovo

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).		_	_
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		
1 1.5	microgram/cm ² /week (see legal reference).			
D. Lat	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social responsibility/us/en/ThinkGreen products.html#environment	\bowtie	Ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic: or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	6		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\times
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	number *	Ideapad U160,U165 MT:20063,20064,0894,0915				
Issue da	ate *	lenovo				
Produc	t environ	mental attributes - Market requirements - Environmental conscious desigr	Be	quirer	nent	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	110	Yes	No	n.a.
P6		ent information		100	110	ma.
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).		\mathbf{X}		
P7	Design					
		mbly, recycling				
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*		Plastic materials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes		
P7.5	Plastic p	parts are free from metal inlays or have inlays that can be removed with commonly availab	e tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
		lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10		is available after end of production for: 5 years				
		and substance requirements				
P7.11*	Product	cover/housing material type:				
	Material	type: PC+ABS Material type: Material type:				
P7.12		al cable insulation materials of power cables are PVC free.			\boxtimes	
P7.13		al cable insulation materials of signal cables are PVC free			\boxtimes	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		\boxtimes		
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2)	-21. (See		\boxtimes	
P7.16	Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: : FR(40)		\square		
P7.17	TBBPA Alt. 2 Chemica	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: al specifications of flame retardants in printed circuit boards (without components) >25g ad	cording			
P7.18	Alt. 1	3-4: Brominated Epoxy Resin See P14				
	concentr	retarded plastic parts >25g contain the following flame retardant substances/prepa rations above 0.1%: nt: No legal limits exist, this is a market requirement.	ations in			
	Provide complete 1. Chem 2. Chem	a list of all used flame retardants including MSDS for each flame retardant. The list mu e chemical name, CAS number and supplier. iical name: , CAS #: , Supplier: iical name: , CAS #: , Supplier:	st contain			
	Alt. 2	ical name: , CAS #: , Supplier: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:)				
P7.19		parts >25g are free from flame retardant substances/ preparations above 0.1% classified a 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	s R45,	\square		
P7.20		plastic parts' weight >25g, recycled material content is 0%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	<u> </u>	urces are free from mercury				
P8	Batterie					_
P8.1*	-	chemical composition: Lithium Ion/Lithium Manganese Dioxide				닏
P8.2	Batteries	s meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *		pad U160,U	165 MT:20	063,20064,			
Issue date *	2010-04-	-21			Logo	lenovo	
Product environ	mental at	tributes - Market	requirements (co	ontinued)		Requirement	me
Item						Yes No	n.a.
	consump						
The pro		e following power lev oped w/ WOL Enable		· · ·			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	t Reference / Standar and test method *	rd for energy modes	
Peak (On-max)		40 W	40 W	40 W	Full load		
Category A(Inte	el)						
Idle State - WOL E	nabled	10.41 W	10.58 W	10.63 W	Use for Energy Star	V5 registration(Pidle)	
Sleep (S3) - WOL E	Enabled	0.77 W	0.77 W	0.81 W	Use for Energy Star	V5 registration(P _{sleep})	
Sleep (S3) - WOL L	Disabled	0.71 W	0.93 W	0.97 W	Reference		
Off (S5) - WOL Ena	abled	0.55 W	0.55 W	0.56 W	Use for Energy Star	V5 registration(Poff)	
Off (S5) - WOL Dis		0.55 W	0.55 W	0.56 W	Use for EuP		
Category A(AM							
Idle State - WOL E		8.59 W	8.59 W	8.81 W	Use for Energy Star	V5 registration/P)	
Sleep (S3) - WOL E		0.82 W	0.82 W	0.91 W		V5 registration(P _{sleep})	
Sleep (S3) - WOL L		0.77 W	0.77 W	0.86 W	Reference	Vo registration(F sleep/	
		-	-				
Off (S5) - WOL Ena		0.54 W	0.54 W	0.62 W	Use for Energy Star	v5 registration(Poff)	
Off (S5) - WOL Dis	abled	0.55 W	0.55 W	0.62 W	Use for EuP		
EPS No-load	un haard	W	W	W			
(External power sup charger plugged in t outlet but disconnec the product.)	the wall						
TEC Typical Energy Con	sumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Con:	sumption	26.85 kWh/year	26.78 kWh/year	27.52 kWh/year	$E_{TEC} = (8760/1000) \times 0.1 + P_{idle} \times 0.3)$	$(P_{off} \times 0.6 + P_{sleep} \times$	
		Poff: Off Mode(S5) -	NOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WC	DL Enabled; P _{idle} : Idle State	e - WOL Enabled	
Display resolution	: M	eqapixels					
Print Speed		Images per minu	to				
	·	ave mode: 25 minute					
		the energy save fund		the product			
					m/o;		
	iY STAR®	the energy requirer version: Version 5.0					
P10 Emissio							
		Declared according	to ISO 9296				
P10.1 Mode	ľ	Mode description		Declared A-weighted	Declared A	0	
				sound power	sound pressure le	1	
				level L_{WAd} (B)	Operator position	Bystander positions	
					Desktop 🔀 or Desk side 🗌	(only if product is not	
,		1000-1-11			1	operator attended)	
Idle		HDD: Idle		* 2.6 * 3	2		님님
Operation Other m		HDD: Operating		3	3	v	╎凵
	ed accordir	ng to: 🔀 ISO7779 [ECMA-74	1	<u> </u>		1
Measure		Other		ed by ECMA-74 wi	ith L _{pAm} measurement di	istance m)	
P10.2 The pro	duct meets	the acoustic noise					

Model nu	^{Model number*} Ideapad U160,U165 MT:20063,20064,0894,0915					
Issue date	*	2010-04-21 Log	J 🚺	eno	vo	
	environr	nental attributes - Market requirements (continued)	F	equire		
Item				Yes	No	n.a.
D/A At		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				
P10.4		emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :	_			\boxtimes
		Dust Ozone Styrene Benzene TVO	3			
		nagnetic emissions				
P10.6	program		ı voluntary			
P11		nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the rec	uirements of			\boxtimes
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	mics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		X		
P12.2*	The phy:	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\square		
P13		ng and documentation				
P13.1*	Product Product	packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.358</i> packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.112</i> packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		media for user and product documentation (tick box):				
	Electron	ic 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-consurr % (Japan only 70%)	ter recycled			
P14		nal information (See Note B4)				
	informat knowled provided informat		provided based ich information nt Representa	d on sup n. The in	plier's forma	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest information: ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19