

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	Lenovo IdeaPad U330p			
Model number *	20267; 80B0			
Issue date *	2015-01-13			
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality controsuch as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20267; 80B0		
Issue date *	2015-01-13	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).			
D4.0*	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum		Ш	
D4 4*	concentration values.		$\overline{}$	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
D4.0*	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).		Ш	Ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	$\overline{}$
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\overline{}$		\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		+	
F4.3	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		Ш	
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20267; 80B0		
Issue date *	2015-01-13	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	$\overline{\Box}$	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{}$	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		\pm	\overline{H}
1 7.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools		∺	╫
P7.9.	Spare parts are available after end of production for: 5 years			<u>Ц</u>
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7 40	Material type: PC+ABS-FR(40) Material type: Material type:		N /	
P7.12	Electrical cable insulation materials of power cables are PVC free.	_ <u></u>		<u>Ц</u>
P7.13	Electrical cable insulation materials of signal cables are PVC free	_ <u>_</u>		Щ
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:		Ш	
	TDDFA (additive) , TDDFA (reactive) , Other, chemical hame. , CAS #.			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14	_	_	_
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2	\boxtimes	Ш	
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
1 7.13	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш	Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.5%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sources are free from mercury	\square		
P8	Batteries	<u></u>		
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			一一

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20267; 80B0		
Issue date *	2015-01-13	Logo	lenovo.

Product environmental attributes - Market requirements (continued) Requirement met					
Item Yes No n.a					
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14					
9.1 For the product The product is s	the following power lev hipped w/ WOL Enable	els or energy consuled.	mptions are reporte	id: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	45W	45 W	45 W	Full load	
Category A	1				
Idle State - WOL Enabled	4.2W	4.2W	4.3 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	0.43 W	0.43 W	0.45 W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	0.43 W	0.43 W	0.45 W	Reference	
Off (S5) - WOL Enabled	0.20 W	0.20 W	0.220 W	Use for Energy Star V5 registration(Poff)	
Off (S5) - WOL Disabled	0.2 W	0.20 W	0.220 W	Use for EuP	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.09 W	0.10 W	0.13 W		
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	12.465 kWh/year	12.465 kWh/year	12.851 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
	P _{off} : Off Mode(S5) -	WOL Enabled; Psleep:	Sleep Mode(S3) - WO	L Enabled; Pidle: Idle State - WOL Enabled	
Display resolution : 1280*6	800 Megapixels				
Print Speed :	Images per minu	ute			
Default time to enter energy	save mode: 25 minute	s			
P9.2* Information about	ut the energy save fund	ction is provided with	the product.		
ENERGY STAR Others specify:	ets the energy requirer ® version: <i>Version 5.</i> 0 Energy Star for Exter	0 dated July 1, 2009	Product category:	A □ □ □	
P10 Emissions	- Declared according	to ISO 9296			
P10.1 Mode	Mode description	100 0200	$\begin{array}{c} \text{Declared} \\ \text{A-weighted} \\ \text{sound power} \\ \text{level } L_{W\!\text{Ad}}(\text{B}) \end{array}$	Declared A-weighted sound pressure level $L_{p\mathrm{Am}}$ (dB) Operator position \square Bystander positions Desktop \square (only if product is not product is not product in the product in the product is not product in the product in the product is not product in the product in the product in the product is not product in the p	
Jell e	* UDD. 141-		* 2.02	operator attended)	
Idle Operation	* HDD: Idle * HDD: Operating		* 2.93 * 3.18	24.1	
Other mode			0.70	20.0	
	ding to: 🔀 ISO7779 [ECMA-74	1		
	Other			th L _{pAm} measurement distance m)	
P10.2 The product me	ets the acoustic noise i	requirements of the f	following voluntary r	orogram/s:	

wodei nur	nber "	20267; 80B0				
Issue date	*	2015-01-13	Logo	leno	VO.	
	_					
	environn	nental attributes - Market requirements (continued)		Require		
Item	01 1			Yes	No	n.a.
D40.0*		al emissions from printing products				
P10.3*	•	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				
P10.4	• •	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5		are met for :				\boxtimes
		<u> </u>	TVOC			
510.0		nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the follon/s: MPR-II	wing volunt	ary 🔀		Ш
P11		nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	red (see P4	.3).		\boxtimes
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requireme	ents of		
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13		ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): 0.378 packaging material type(s): Polyethylene Cushions weight (kg): 0.058				
	Product	packaging material type(s): Others weight (kg):0.247				
P13.2*		plastic packaging is free from PVC.		\boxtimes		
P13.3*		media for user and product documentation (tick box):				
		ic 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-co % (Japan only 70%)	nsumer recy	rcled		
P14	Addition	nal information (See Note B4)				
		Supplier makes no representations, guarantees, assurances or warranties whether				
	informati	on contained in this document. All information provided by supplier in this documen	t is provided	l based on sup	olier's	
		ge available at the time of completion, and supplier shall have no obligation to upda				on
	informati	here is approximate and provided for informational purposes only. See a Lenovo A	ccount Rep	resentative for	nore	
P7.17		on. does not contain free TBBPA in printed circuit boards(without components)>	25a			
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, et		atest informat	ion:	
- •		ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate we				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad U330p	Logo
Model Number	20267; 80B0	_
Issue Date	2015-01-13	lenovo.
Additional information		

	Product environmental attributes				
(d)	year of manufacture: 2013				
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics can disabled and if the system is tested with switchable graphics mode with UMA driving the display: Category (according to ErP Lot 3): A Etec: 12.85	ds (dGfx) are			
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics care enabled:	ds (dGfx) are			
	Category (according to ErP Lot 3): NA Etec: NA				
(g)	idle state power demand (Watts);	4.3			
(h)	sleep mode power demand (Watts);	0.45			
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);				
(j)	off mode power demand (Watts);	0.22			
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.22			
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average				
(m)	external power supply efficiency (if applicable): Average*: 45W:87.58%,87.60%,88.32%; *internal note: show values for all available external power supplies				
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300cycles			
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:				
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: **Energy-star requirement**				

(p-3)	the measu	rement methodolog	gy used	to determine information mentioned in points (o) - loadingcycles				
			IEC	61960 measurement methodology				
(p-4)				determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:				
				Energy-star requirement				
(q)	sequence (of steps for achieving	g a stabl	e condition with respect to power demand::				
				Based on user manual				
(r)	description	of how sleep and/or	off mod	e was selected or programmed:				
				Based on user manual				
(s)	sequence of mode:	of events required to	reach th	ne mode where the equipment automatically changes to sleep and/or				
				Based on user manual				
(t)				efore the computer automatically reaches sleep mode, or another plicable power demand requirements for sleep mode (in minutes):	25			
(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA								
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10			
(w)	(w) information on the energy-saving potential of power management functionality:							
				Based on user manual				
(x) user information on how to enable the power management functionality:								
				Based on user manual				
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used								
for electrical testing: 230V/50Hz, Total Harmonic Distortion <2 %								
Addition N	lotebook Ba	attery Information:						
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	ssed and replaced			
` ,	not user	(Battery user		The battery[ies] in this product cannot be easily repla	iced by lisers			
replaceable	=)	replaceable)		themselves	loca by ascro			
Additional	informatio	n						