

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	Lenovo Ideapad U400			
Model number *	20112, 0993			
Issue date *	2011-08-22			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Lenovo	Ideapad U400	
Issue date * 2011-08-22	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🖂		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model h	number *	Lenovo Ideapad U400					
Issue da	ate *	2011-08-22 Logo		910	VO)	
Produc	t enviror	mental attributes - Market requirements - Environmental conscious desig	n Be	equire	ment	met	
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P6		ent information			-		
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).		X			
P7	Design			_			
		mbly, recycling					
P7.1*		at have to be treated separately are easily separable			Ц.		
P7.2*		Plastic materials in covers/housing have no surface coating.					
P7.3*		parts >100g consist of one material or of easily separable materials.					
P7.4*		parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5		parts are free from metal inlays or have inlays that can be removed with commonly availab	ole tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\bowtie			
		lifetime					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u>Ц</u>	_Ц	
P7.8*		ng can be done using commonly available tools		\boxtimes		_닏	
P7.9.		arts are available after end of production for: 5 years					
P7.10		is available after end of production for: 5 years					
D7 44*		and substance requirements					
P7.11*		cover/housing material type: type: PC+ABS-FR(40) Material type: Material type:					
P7.12	Flectrica	type: <i>PC+ABS-FR(40)</i> Material type: Material type: Material type: At cable insulation materials of power cables are PVC free.			\boxtimes		
P7.13		al cable insulation materials of signal cables are PVC free				⊢≓	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				╞	
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-	2-21 (500			╞	
17.15	Note B2		2-21. (000				
P7.16	Flame re Marking	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)		\square			
P7.17	TBBPA Alt. 2	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ocording				
P7.18		3-4: <i>Brominated Epoxy Resin See P14</i>	cording				
F7.10	Flame concent	retarded plastic parts >25g contain the following flame retardant substances/preparations above 0.1%:	arations in				
	Provide complet 1. Cherr 2. Cherr	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list mu e chemical name, CAS number and supplier. iical name: , CAS #: , Supplier: iical name: , CAS #: , Supplier: iical name: , CAS #: , Supplier:	ust contain				
	Alt. 2	ical name: , CAS #: , Supplier: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified a 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	as R45,	\square			
P7.20		plastic parts' weight >25g, recycled material content is 4.3%.					
P7.21		plastic parts' weight >25g, biobased material content is 0%.					
P7.22	0	urces are free from mercury					
P8	Batterie					_	
P8.1*	-	chemical composition: Lithium Ion/Lithium Manganese Dioxide				_닏	
P8.2	Batteries	s meet the requirements of the following voluntary program/s: US RBRC					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	ber* Lenovo Ideapad U400									
Issue date	*	2011-08-					vo			
	Product environmental attributes - Market requirements (continued) Requirement met									
P9	Item Yes No n.a.							n.a.		
9 .1										
0.1			pped w/ WOL Enable					\boxtimes		
Energy mod	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / and test met		for energy m	odes	
Peak (On-max)		65 W	65 W	65 W	Full load					
Category	<u>у В</u>		•			•				
Idle State -	· WOL En	abled	7.53 W	7.43W	7.64 W	Use for Ene	ergy Star V	/5 registration (P _{idle})	
Sleep (S3)	- WOL EI	nabled	1.00 W	0.99 W	1.02 W	Use for Ene	ergy Star V	/5 registration (P _{sleep})	
Sleep (S3)	- WOL D	isabled	<i>0.89</i> W	0.88 W	0.91 W	Reference				
Off (S5) - V	NOL Enal	bled	0.64 W	0.64 W	0.67 W	Use for Ene	ergy Star V	/5 registration (P _{off})	
Off (S5) - V	NOL Disa	bled	0.64W	0.64 W	0.67 W	Use for EuP	•			
EPS No-loa	ad		0.219 W	0.219 W	0.285 W					
charger plu	(External power supply / charger plugged in the wall outlet but disconnected from the product)									
TEC	-		kWh/week	kWh/week	kWh/week					\square
Typical Ene	ergy Cons	umption								
ETEC * Annual Ene	ergy Cons	umption	24.027 kWh/year	23.750 kWh/year	24.492 kWh/year	ear $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sle})$ 0.1 + $P_{idle} \times 0.3$		leep X		
			Poff: Off Mode(S5) - V	WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled			: Idle State -	WOL Enabled		1
Display res	olution :	1280*80	Megapixels							
Print Speed			Images per minu	te						
•		enerav sa	ave mode: 25 minute							
P9.2*			the energy save fund		the product.			\square		
P9.3*			the energy requiren		•	/s:				
	ENERGY	STAR®	version: Version 5.0) dated July 1, 200	Product category:	Α		\boxtimes		
D10		-	ergy Star for Exter	nal Power Supplies	s Eligibility Criteria	Version 2				
P10	Emissio Noise en		Declared according	to ISO 9296						
P10.1	Mode		Mode description		Declared A-weighted sound power	sound pressure level L		0		
						Operator posi	tion 🔀	Bystander pos	itions	
					lovor E _{WAd} (E)		dop 🔀			
				or Desk s	side 🗌	only if product operator atter				
	Idle	*	HDD: Idle		* 2.84	24.5				
	Operation		HDD: Operating		* 3.22	27.6				
	Other mo			_						
	Measure	d accordir	~ = -	ECMA-74		L 1			、 、	
P10.2	Tho prod	uot mosta	Other		ed by ECMA-74 wit		rement dist	tance m)	
1 10.2	The prod	uct meets	the acoustic noise r	equirements of the	ronowing voluntary p	nogram/s:				\boxtimes

Model nu	mber *	Lenovo Ideapad U400				
Issue dat	e *	2011-08-22	Logo	leno	vo	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :				\boxtimes
	Electron	nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the foll /s: MPR-II	owing voluntary	\boxtimes		
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).			\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requirements	of 📃		\square
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergonor	nics for computing products				
P12.1*	•	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13	Packagi	ng and documentation				
P13.1*	Product Product	packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.378</i> packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.058</i> packaging material type(s): <i>Others</i> weight (kg): <i>0.230</i>				
P13.2*		plastic packaging is free from PVC.		\boxtimes		
P13.3*	Specify I Electron	nedia for user and product documentation (tick box): ic 🔀, Paper 🔀, Other 🗔				
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-co % (Japan only 70%)	nsumer recycled			
P14		nal information (See Note B4)				
	informati knowled provided informati		nt is provided bas ate such informat account Represe	sed on sup ion. The in	plier's forma	
P7.17		does not contain free TBBPA in printed circuit boards(without components):	>25g.			
P9	See Ene http://do	ergy Star Qualified Notebooks & Tablet Computers for the latest information: pwnloads.energystar.gov/bi/qplist/laptops_prod_list.xls				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19