



## **Product environmental attributes – THE ECO DECLARATION** The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo		
Company name *	Lenovo			
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 <u>alcarter@lenovo.com</u>	lenovo		
Internet site *	www.lenovo.com www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook Computer			
Commercial name *	IdeaPad Y450			
Model number *	<i>M/T:20020, 4189</i>			
Issue date *	2009-Mar-130			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			<b>Requirement met</b>	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$		

Model number *	IdeaPad Y450	M/T:20020, 418	9	
Issue date *	2009-Mar-13		Logo	lenovo

Produc	t environmental attributes - Legal requirements	Requir	emer	nt met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium	$\boxtimes$		
	max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and <sup>Note 1</sup> ).			
P1.2*	Products do not contain Asbestos (see legal reference).			
F 1.2	Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl	$\boxtimes$		
	(PCT) max 0.005% by weight (see legal reference).			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing	$\boxtimes$		
D.f. at	at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\boxtimes$
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines			$\boxtimes$
1 1.7	max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\square$
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	X		
	microgram/cm2/week (see legal reference).	_	_	_
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be	$\bowtie$		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\boxtimes$		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	$\boxtimes$		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			_
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	$\boxtimes$		
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			$\boxtimes$
P4.2*	legal reference and Note 1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	<u> </u>	╞	
F4.3	product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these			$\boxtimes$
	requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium			
	max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\square$		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	IdeaPad Y450 M/T:20020, 4189		
Issue date *	2009-Mar-13	Logo	lenovo

	ct environmental attributes - Market requirements - Environmental conscious design	Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\square$		
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS Material type: Material type:			
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)		$\square$	
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		$\boxtimes$	
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)	$\boxtimes$		
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)		$\boxtimes$	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40):Halogen-free organic phosphorus compounds</i>	$\boxtimes$		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):	$\boxtimes$		
	TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chamical apositions of flows raterdants in printed size it boards (without components) - 25g according			_
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin</i>	$\boxtimes$		
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			$\boxtimes$
	concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Of total plastic parts' weight >25g, recycled material content is 0 %.			
P7.20	Of total plastic parts' weight >25g, biobased material content is $0$ %.			
P7.21	Light sources are free from mercury	$\boxtimes$		
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	<u> </u>		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	IdeaPad Y450	<i>M/T:20020, 4189</i>
Issue date *	2009-Mar-13	

Logo



Produc	Product environmental attributes - Market requirements (continued) Requirement met						ent met	
Item	-						Yes N	lo n.a.
P9								
9.1	For the product	the following power le	vels or energy	consum	nptions have been	measured:		
Energy r Category		Power level at 100 V AC	Power level 115 V A		Power level at 230 V AC	Reference / Standa test method *	rd for energy modes a	nd
On-Max		<b>90</b> W	<b>90</b> W	/	<b>90</b> W	Full load		
Idle Stat	te - WOL Enable	d 15.3₩	1 <b>4.8</b> √	V	<b>16.4</b> W	Use for Energy Sta	ar V5 registration(P <sub>idle</sub>	)
Sleep (S	3) - WOL Enable	ed 1.20W	<b>1.23</b> ₩	/	<b>1.29</b> ₩	Use for Energy Sta	ar V5 registration(P <sub>slee</sub>	p)
Sleep (S	3) - WOL Disabl	led W	,	W	W	Reference		
Off (S5)	- WOL Enabled	0.33W	<b>0.33</b> ₩	/	<b>0.42</b> W	Use for Energy Sta	ar V5 registration(P <sub>off</sub> )	
		W	,	W	W			$\boxtimes$
charger	I power supply / plugged in the wa t disconnected fr		0.22 V	V	0.27 W			
PTEC * Typical E	Energy Consump	tion	,	W	W			
TEC * Typical E	Energy Consump	tion kWh/week	kWh	/week	kWh/week			
Default t	ime to enter ener	gy save mode: 30	minutes					
P9.2*	Information abo	out the energy save fun	ction is provide	d with	the product.			
P9.3*	ENERGY STAF	eets the energy require R® version Version 5.0 Energy Star for Ext	dated July 1,	2009 T	ier:			
P10	Emissions							
	Noise emissio	n – Declared according	g to ISO 9296					
P10.1	Mode	Mode description			Declared veighted sound power vel L <sub>WAd</sub> (B)		A-weighted e level $L_{pAm}$ (dB) Bystander positions (only if product is operator attended	
	Idle	*HDD:Idle,Fan:optin	nized speed		* 2.42		24.2	
	Operation	* HDD:Operating ,Fa Speed	an:Optimized		* 4.54		45.4	
	Other mode							
	Measured acco	rding to: X ISO7779		covere	d by ECMA-74 with	h L <sub>pAm</sub> measurement dis	stance m)	
P10.2							$\square$	
	Chemical emissions from printing products							
P10.3*								
P10.4	Typical emissio	n rate (print phase) is	(mg/h):					
P10.5	Dust Ozone Styrene Benzene TVOC   5 Chemical emission requirements of the following voluntary program/s are met for : Image: Comparison of the following voluntary program in the following voluntary program is a for the following voluntary program is a forten voluntary p							
	Electromagnetic emissions							
P10.6	P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: <i>MPR-II</i>							

Model number *	IdeaPad Y450	<i>M/T:20020, 4189</i>		
Issue date *	2009-Mar-13		Logo	lenovo

Produc	t environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			$\boxtimes$
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\square$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\square$		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated cardboardweight (Kg): 0.96 KgProduct packaging material type(s): Polystyreneweight (Kg): 0.00 KgProduct packaging material type(s): Polyethyleneweight (Kg): 0.13 Kg			
P13.2*	* Product plastic packaging is halogen free (including PVC). (See Note 1)			
P13.3*	Specify media for user and product documentation (tick box):     Electronic   Paper     Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 70 %			$\square$
P14	Additional information			
	<b>NOTE:</b> Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	d on supplie n. The infor	er's rmatio	n
P12.1	Product is designed to meet the subject ISO Standard 9241-307, but is not confirmed through formal	test metho	ds.	
P12.2	Product is designed to meet the subject ISO Standard 9995 and 9241-410, but is not confirmed throug methods.	h formal te	st	

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1